

TABLE OF CONTENTS

<p>Propeller to Boat Application 1</p> <p style="padding-left: 20px;">Outboard Selector Charts 1</p> <p style="padding-left: 20px;">Sterndrive Selector Charts 1</p> <p>Evinrude/Johnson Outboard Application Charts 3</p> <p>Force Outboard Application Charts 7</p> <p>Honda Outboard Application Charts 9</p> <p>MerCruiser Sterndrive Application Charts 30</p> <p>Mercury/Mariner Outboard Application Charts 13</p> <p>OMC Sterndrive Application Charts 35</p> <p>Suzuki Outboard Application Charts 19</p> <p>Tohatsu/Nissan Outboard Application Charts 23</p> <p>Volvo Penta Sterndrive Application Charts 39</p> <p>Yamaha Outboard Application Charts 26</p> <p>Yamaha Sterndrive Application Chart 41</p> <p>Quicksilver Propeller Type 43</p> <p style="padding-left: 20px;">Black Diamond 44</p> <p style="padding-left: 20px;">Black Diamond 4 45</p> <p style="padding-left: 20px;">Black Diamond BII - Bravo Two 50</p> <p style="padding-left: 20px;">Black Diamond for 85-140 hp Evinrude/Johnson V-4 45</p> <p style="padding-left: 20px;">Black Diamond for Standard 40-60 hp Outboard 44</p> <p style="padding-left: 20px;">Black Diamond Outboard/Sterndrive with 4 3/4 in Gearcase (Group E) 44</p> <p style="padding-left: 20px;">Black Diamond Outboard with 4 1/4 in Gearcase (Group D) 44</p> <p style="padding-left: 20px;">Lightspeed 50</p>	<p>Nemesis 45</p> <p style="padding-left: 20px;">Nemesis 25-30 HP 45</p> <p style="padding-left: 20px;">Nemesis 40-60 HP 46</p> <p style="padding-left: 20px;">Nemesis 40 CT (Bigfoot) - 125 HP 46</p> <p style="padding-left: 20px;">Nemesis 90 CT - 300 HP 46</p> <p style="padding-left: 20px;">QST 5 49</p> <p>Quicksilver Outboard Propeller Selector Chart 43</p> <p style="padding-left: 20px;">Quicksilver Q3 47</p> <p style="padding-left: 20px;">Quicksilver Q4 60 CT - 125 HP 47</p> <p style="padding-left: 20px;">Quicksilver Q4 90 CT - 350 HP 48</p> <p>Quicksilver SternDrive Propeller Selector Chart 44</p> <p style="padding-left: 20px;">Silverado 48</p> <p style="padding-left: 20px;">Silverado 40 - 60 HP 48</p> <p style="padding-left: 20px;">Silverado 40 CT - 125 HP 48</p> <p style="padding-left: 20px;">Silverado 90 CT - 350 HP 49</p> <p style="padding-left: 20px;">Thunderbolt 49</p> <p style="padding-left: 20px;">Thunderbolt BIII - Bravo Three 50</p> <p style="padding-left: 20px;">Thunderbolt - For Volvo Penta DPS Drives 51</p> <p style="padding-left: 20px;">Thunderbolt - For Volvo Penta IPS Drives 51</p> <p style="padding-left: 20px;">Torrent 49</p> <p style="padding-left: 20px;">Typhoon 50</p> <p>Propeller Hardware 52</p> <p style="padding-left: 20px;">Anodes 61</p> <p style="padding-left: 20px;">Cotter Pins 70</p> <p style="padding-left: 20px;">Diffuser Rings 62</p> <p style="padding-left: 20px;">Floating Prop Wrench 83</p> <p style="padding-left: 20px;">Flo-Torq II, III, IV & HD Hub Kits 54</p> <p>Flo-Torq II Application Charts 52</p> <p style="padding-left: 20px;">Flo-Torq Reflex Hub Kits 53</p> <p>Hub Cross-Reference Chart 52</p> <p style="padding-left: 20px;">Marine Grease 84</p> <p style="padding-left: 20px;">Miscellaneous 85</p> <p style="padding-left: 20px;">Paints 85</p> <p style="padding-left: 20px;">Performance Vent Plugs 82</p> <p style="padding-left: 20px;">Prop Nut Kits 63</p> <p style="padding-left: 20px;">Prop Nuts 66</p>
--	--

Rubber Hubs	79
Shear Pins	69
Skegs	82
Spacers	71
Tab Washers	74
Thrust Washers	74
Trim Tabs	79
Washers	72

Michigan Wheel - Quicksilver Cross

Reference Chart	93
Michigan Wheel Prop Cross Reference	93
Rapture Prop Cross Reference	96
Vortex Prop Cross Reference	96
XHS to FLO-Torq II Prop Cross Reference	96

OEM - Quicksilver Cross Reference Charts . . . 86

Evinrude/Johnson/OMC Prop Cross Reference	86
Force Prop Cross Reference	87
Honda Prop Cross Reference	87
Mercury/Mariner/MerCruiser Prop Cross Reference	88
Suzuki Prop Cross Reference	90
Tohatsu/Nissan Prop Cross Reference	90
Volvo Prop Cross Reference	91
Yamaha Prop Cross Reference	91


PROPELLER SELECTOR

HOW-TO-FIND THE RIGHT PROPELLER


- Find the make, model, year and horsepower of the engine you are propping.
- For a Mercury or MerCruiser engine, turn to the Mercury propeller application charts in this guide and locate the table that contains propellers designed for the engine you are propping.
- Propellers for older Mercury motors can be found in the Historical Propeller charts section of the guide.
- For a non-Mercury outboard or stern drive engine, please reference the Quicksilver section of the propeller guide. Quicksilver propellers are designed to fit a wide variety of competitive applications.
- Many Quicksilver propellers require a hub kit (sold separately) to complete the installation. You can find a Quicksilver 2 step reference guide at the beginning of the propeller guide. This guide will assist you in locating the proper hub kit for your engine.

PITCH & DIAMETER

- Each propeller in this guide has a listed diameter and pitch. The diameter is the first number listed, followed by the pitch. For a 14 X 19 Propeller, this means that the propeller has a diameter of 14 inches and has 19 inches of pitch.



- Typically when selecting a propeller, you only need to select the right pitch for your boat. The correct diameter for that propeller has usually been predetermined by our engineering staff for most propellers. In general, high horsepower applications require more diameter. Propeller diameter typically decreases as pitch increases within a given propeller line.



- The diameter of the propeller is defined as the distance across the imaginary circle that is made as the propeller rotates.
- The pitch of a propeller is the theoretical distance in inches that a propeller would move forward in one revolution. The higher the pitch an engine can turn, the faster the boat will go.

DETERMINING THE CORRECT PITCH

- Consult the owner's manual to find the recommended full throttle (W.O.T.) RPM range for your engine.
- Run the boat with moderate load in an open stretch of water at W.O.T trimming the engine up for speed. Record the maximum RPM during the run. Repeat the run in the opposite direction to compensate for wind and current. The average of these two numbers is your W.O.T. RPM.
- The best compromise of acceleration, top speed and fuel economy can be obtained when the W.O.T. RPM is in the middle of the manufacturers suggested RPM range.
- An over propped boat will cause the engine to lug, with the engine unable to reach the suggested W.O.T. RPM range. An over propped boat may also exhibit sluggish acceleration and poor hole shot.
- An under propped boat will over-rev, exceeding the manufacturers recommended W.O.T. RPM range.
- If the current propeller isn't in the manufacturers suggested RPM range, select a replacement propeller based on the following guidelines:
 - o Adding one inch of pitch will reduce W.O.T RPM by 150-200 RPM
 - o Subtracting one inch of pitch will increase W.O.T RPM by 150-200 RPM

⚠ CAUTION

Operating the engine outside of the recommended RPM range can cause severe damage to your engine and may void the warranty. Always test the boat on the water after you install a new propeller.

FLO-TORQ HUB SYSTEM SELECTOR

Selecting the Flo-Torq Hub System that is Right for You

Quicksilver Propellers has a complete lineup of Flo-Torq hub options to provide the best boating experience for you. Please read the below information regarding the various Flo-Torq options available.

- **Flo-Torq II – Often imitated, never replicated**
 - The Flo-Torq II is the world’s first modular hub system for outboards a sterndrives
 - The Flo-Torq II is field serviceable. Loosen the propeller nut, pull off the propeller and replace the drive sleeve. No need to miss time on the water waiting for rubber hub replacement work

- **Flo-Torq Reflex – 75% Stronger than traditional rubber hubs**
 - The Flo-Torq Reflex’s innovative design relies on the flexible Reflex fingers - constructed of Noryl GTX. The fingers are designed to flex up to eight degrees, quieting rattle and vibration
 - The Flo-Torq Reflex is field serviceable
 - The Flo-Torq Reflex comes standard with all aluminum and stainless propellers within the 25-30 hp CT and 40-60 hp outboard applications

- **Flo-Torq III and Flo-Torq IV – Rattle and vibration absorption in one**
 - The Flo-Torq III and IV have a 2 piece engineered polymer sleeve
 - The 2 pieces are coupled by titanium springs that allow the hub system flex, thus absorbing the root cause of clutch rattle when using a stainless steel propeller
 - The Flo-Torq III and IV are not required for use with aluminum propellers
 - Refer to the quick reference chart below to understand applications where the Flo-Torq III and IV may be beneficial to you

Stainless steel propeller Flo-Torq hub application chart:

<i>Engine Class / Gearcase Size</i>	<i>Flo-Torq Recommendation by pitch</i>	
<i>25-30 hp CT and 40-60 hp Outboards / 3.25"</i>	<i>Flo-Torq Reflex</i>	
<i>40-60 hp CT and 75-115 hp Outboards / 4.25"</i>	<i>Flo-Torq III</i>	<i>Flo-Torq II</i>
<i>90-115 hp CT and 150+ hp Outboards / 4.75"</i>	<i>Flo-Torq IV</i>	<i>Flo-Torq II</i>
<i>MerCruiser Alpha, Bravo I Drives / 4.75"</i>	<i>Flo-Torq II</i>	

9 10 11 12 13 14 15 16 17 18 19 21 22 23 24 25 27
Propeller Pitch



LIMITED WARRANTY

Quicksilver Propellers - U.S.A. and Canada

- A. Mercury warrants each new **Quicksilver Propeller** manufactured or sold by it to be free from defects in material and workmanship, but only when the consumer sale is made in the country to which distribution is authorized by us.
- B. The warranty shall remain in effect for a period of one year from the date of purchase.
- C. The warranty will not include installation errors made by an individual, the servicing dealer and/or his mechanic.
- D. Since this warranty applies to defects in material and workmanship, it does not apply to normal wear, adjustments, or damage caused by: 1) Neglect, lack of maintenance, accident, abnormal operation or improper installation or service; 2) Use of an accessory or part not manufactured or sold by us; 3) Participating in or preparing for racing or other competitive activity or operating with a racing type lower unit; or 4) Alteration or removal of parts.
- E. Our obligation under this warranty shall be limited to repairing a defective propeller or, refunding purchase price or, at our option replacing such part or parts as shall be necessary to remedy any malfunction resulting for defects in material or workmanship as covered by this warranty. The repair or replacement of parts, or the performance of service, under this warranty, does not extend the period of this warranty beyond its original expiration date. We reserve the right to improve the design of any Product without assuming any obligation to modify any Product previously manufactured.
- F. Claim shall be made under this warranty by delivering the Product for inspection to a Quicksilver dealer authorized to service the Purchaser's Product. If purchaser cannot deliver Product to such authorized dealer, he may give notice in writing to the Company. We shall then arrange for the inspection and repair, provided such service is covered under this warranty. Purchaser shall pay for all related transportation charges and/or travel time. If the service is not covered by this warranty, purchaser shall pay for all related labor and material, and any other expenses associated with that service. Any Product or parts shipped by purchaser for inspection or repair must be shipped with transportation charges prepaid. The Purchaser must provide a valid invoice listing the propeller showing date of purchase from a Quicksilver Propeller Dealer.
- G. Reasonable access must be provided to the product for warranty service. This warranty will not apply to: 1) Haul-out, launch, towing and storage charges; telephone or rental charges of any type, inconvenience, or loss of time or income; or other consequential damages; or 2) Removal and/or replacement of boat partitions or material because of boat design for necessary access to the Product.
- H. All incidental and/or consequential damages are excluded from this warranty. Warranties of merchantability and fitness are excluded from this warranty. Implied warranties are limited to the life of this warranty. Some states do not allow limitations on how long an implied warranty lasts or the exclusions or limitation of incidental or consequential damages, so the above limitation or exclusions may not apply to you. This warranty gives you specific rights, and you may also have other legal rights which vary from state to state.

PROPELLER TO BOAT APPLICATION

OUTBOARD SELECTOR CHARTS

Inflatable

Under 16'

Model/Horsepower	Aluminum Propeller	Stainless Steel Propeller
4-15 HP	Black Diamond	
20-40 HP	Black Diamond, Nemesis	Silverado

Aluminum

(under 14')

Model/Horsepower	Aluminum Propeller	Stainless Steel Propeller
4-15 HP	Black Diamond	
20-40 HP	Black Diamond, Nemesis	Silverado

Aluminum

(14-21')

Model/Horsepower	Aluminum Propeller	Stainless Steel Propeller
4-15 HP	Black Diamond	
20-60 HP	Black Diamond, Nemesis	Silverado
70-250 HP	Black Diamond, Nemesis	Silverado, Q3, Q4, QST 5

Fiberglass

to 14'

Model/Horsepower	Aluminum Propeller	Stainless Steel Propeller
4-15 HP	Black Diamond	
20-40 HP	Black Diamond, Nemesis	Silverado

Fiberglass Runabout/Ski Boat/Inflatable RIB

14-17' (closed deck or bowrider, same hull...)

Model/Horsepower	Aluminum Propeller	Stainless Steel Propeller
30-60 HP	Black Diamond, Nemesis	Silverado
70-150 HP	Black Diamond, Nemesis	Silverado, Q3

Fiberglass Fish-Type

14-17' (fish & ski, side console, center console)

Model/Horsepower	Aluminum Propeller	Stainless Steel Propeller
30-60 HP	Black Diamond, Nemesis	Silverado
75-150 HP	Black Diamond, Nemesis	Silverado, Q3

Fiberglass Bass

14-17'

Model/Horsepower	Aluminum Propeller	Stainless Steel Propeller
30-60 HP	Black Diamond, Nemesis	Silverado
75-150 HP	Black Diamond, Nemesis	Silverado, Q3, Torrent, QST 5

Fiberglass Runabout/Ski Boat/Inflatable RIB

17-21' (closed deck or bowrider, same hull...)

Model/Horsepower	Aluminum Propeller	Stainless Steel Propeller
75-140 HP	Black Diamond, Nemesis	Silverado, Lightspeed
150-250 HP	Black Diamond, Diamond 4, Nemesis	Silverado, Q3, Q4, Thunderbolt, QST 5

Fiberglass Fish-Type

17-21' (fish & ski, side console, center console, cuddy)

Model/Horsepower	Aluminum Propeller	Stainless Steel Propeller
75-140 HP	Black Diamond, Nemesis	Silverado, Lightspeed
150-250 HP	Black Diamond, Nemesis	Silverado, Q3, Q4, Thunderbolt, QST 5

Fiberglass Bass

17-21'

Model/Horsepower	Aluminum Propeller	Stainless Steel Propeller
75-140 HP	Black Diamond, Nemesis	Silverado, Lightspeed
150-250 HP	Black Diamond, Nemesis	Silverado, Q3, Torrent, QST 5

Fiberglass Fishing

21' + (side console, center console, cuddy)

Model/Horsepower	Aluminum Propeller	Stainless Steel Propeller
150-250 HP	Black Diamond, Nemesis	Silverado, Q3, Q4, Thunderbolt, QST 5

Aluminum Pontoon

16-28'

Model/Horsepower	Aluminum Propeller	Stainless Steel Propeller
9.9-15 HP	Black Diamond	
20-140 HP	Black Diamond, Nemesis	Silverado
150-225 HP	Black Diamond, Diamond 4, Nemesis	Silverado, Thunderbolt, Q3, Q4

Fiberglass Deckboat

16-24'

Model/Horsepower	Aluminum Propeller	Stainless Steel Propeller
30-140 HP	Black Diamond, Nemesis	Silverado
150-225 HP	Black Diamond, Diamond 4, Nemesis	Silverado, Thunderbolt, QST 5, Q3, Q4

Houseboat/Workboat

Model/Horsepower	Aluminum Propeller	Stainless Steel Propeller
30-150 HP	Black Diamond, Nemesis	Silverado
200-225 HP	Black Diamond, Diamond 4	Silverado, Thunderbolt, Q3, Q4

STERNDRIVE SELECTOR CHARTS

Fiberglass Runabout/Ski Boat

14-17' (closed deck or bowrider, same hull...)

Model/Horsepower	Aluminum Propeller	Stainless Steel Propeller
2.5L - 4.3L	Black Diamond, Diamond 4, Nemesis	Silverado, Q3, Q4, QST 5

Fiberglass Runabout/Ski Boat

17-21' (closed deck or bowrider, same hull...)

Model/Horsepower	Aluminum Propeller	Stainless Steel Propeller
2.5L - 5.7L	Black Diamond, Diamond 4, Nemesis	Silverado, Q3, Q4, QST 5

PROPELLER TO BOAT APPLICATION

Fiberglass Cruiser

21-24'

Model/Horsepower	Aluminum Propeller	Stainless Steel Propeller
4.3L - 5.0L	Black Diamond, Diamond 4, Nemesis	Silverado, Q3, Q4, QST 5
5.7L - 8.2L	Black Diamond, Diamond 4, Nemesis	Silverado, Thunderbolt, Q3, Q4, QST 5

Fiberglass Sportboat

21-24'

Model/Horsepower	Aluminum Propeller	Stainless Steel Propeller
5.7L - 8.2L	Black Diamond, Diamond 4, Nemesis	Silverado, Thunderbolt, Q3, Q4, QST 5

Fiberglass Deckboat/Pontoon Boat

16-26'

Model/Horsepower	Aluminum Propeller	Stainless Steel Propeller
2.5L - 5.0L	Black Diamond, Diamond 4, Nemesis	Silverado, Q3, Q4, QST 5
5.7L - 8.2L	Black Diamond, Diamond 4, Nemesis	Silverado, Thunderbolt, Q3, Q4, QST 5

Houseboat/Workboat

Model/Horsepower	Aluminum Propeller	Stainless Steel Propeller
2.5L - 5.0L	Black Diamond, Diamond 4, Nemesis	Silverado, Q3, Q4,
5.7L - 8.2L	Black Diamond, Diamond 4, Nemesis	Silverado, Thunderbolt, Q3, Q4,

EVINRUDE/JOHNSON OUTBOARD APPLICATION CHARTS

9.5-14 Horsepower - Evinrude/Johnson

9.5 HP 1964-73
 10 HP 1958-63
 10-14 HP Commercial 1982-94
 Pin Drive

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
All Purpose		8 1/4 X 8 RH	AL	3	Black Diamond	QA3178R	387334	Rubber Bushing

8-15 Horsepower - Evinrude/Johnson

9.9 - 15 HP 2-Stroke 1974-2000
 8 - 9.9 - 15 HP 4-Stroke 2000-2001
 13 Tooth Spline

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
All Purpose		9.25 X 10 RH	AL	3	Black Diamond	QA3168R	174950	Rubber Bushing
All Purpose		9.25 X 11 RH	AL	3	Black Diamond	QA3170R	174817	Rubber Bushing

15-25 Horsepower - Evinrude/Johnson

15 HP 1953-56
 18 HP 1957-73
 20 HP 1969-73
 25 HP 1969-77
 Pin Drive

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
12-16 / 3.6-4.8	20-28 / 32-45	9 X 10 RH	AL	3	Black Diamond	QA3150R	383629	Rubber Bushing
12-14 / 3.6-4.2	25-32 / 40-51	9 1/4 X 11 RH	AL	3	Black Diamond	QA3152R	388088	Rubber Bushing

25-30 Horsepower - Evinrude/Johnson (4 Stroke)

25 HP 4-Stroke 2004-2007
 30 HP 4-Stroke 2004-2007
 10 Tooth Spline

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
20+ / 6.1+	to 16 / to 26	10 1/4 X 9 RH	AL	3	Black Diamond	QA2242R	58100-96370-019	Rubber Bushing
17-20 / 5.2-6.1	10-20 / 16-32	10 1/4 X 11 RH	AL	3	Black Diamond	QA2248R	58100-96420-019	Rubber Bushing

20-35 Horsepower - Evinrude/Johnson

20 HP 1984-97
 25 HP 2 & 3 Cyl. 1984 & Newer (including ETEC)
 25 HP Commercial 1993 & Newer
 35 HP 2 & 3 Cyl. 1976 & Newer
 30 HP 2 Cyl. 1984 & Newer (including ETEC)
 14 Tooth Spline

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
17-20 / 5.2-6.1	10-20 / 16-32	10 1/2 X 11 RH	AL	3	Black Diamond	QA3114R	175190	Rubber Bushing
13-15 / 3.9-4.5	26-34 / 42-54	10 X 13 RH	AL	3	Black Diamond	QA3118R	175191	Rubber Bushing
13-15 / 3.9-4.5	32-40 / 51-64	10 X 15 RH	AL	3	Black Diamond	QA3122R	390380	Rubber Bushing

EVINRUDE/JOHNSON OUTBOARD APPLICATION CHARTS

40-50 Horsepower - Johnson 4-Stroke

40 HP 4-Stroke 2000-2007
 50 HP 4-Stroke 2000-2007
 13 Tooth Spline

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
16-23 / 4.8-6.9	11-20 / 17-32	11 1/2 X 11 RH	AL	3	Black Diamond	QA2226R	5031623	Rubber Bushing
14-19 / 4.2-5.8	16-26 / 26-42	11 1/2 X 13 RH	AL	3	Black Diamond	QA2078X	5031619	Rubber Bushing
13-17 / 3.9-5.2	20-29 / 32-46	11 1/2 X 14 RH	AL	3	Black Diamond		5031620	Rubber Bushing
12-16 / 3.6-4.8	23-32 / 37-51	11 1/2 X 15 RH	AL	3	Black Diamond	QA2234R	5031627	Rubber Bushing
10-14 / 3.0-4.2	29-38 / 46-61	11 1/2 X 17 RH	AL	3	Black Diamond			Rubber Bushing

45-75 Hp Large Gearcase - Evinrude/Johnson

40 HP ETEC 2004 & Newer
 45 HP 2 Cyl Commercial 1986 & Newer
 50 HP ETEC 2004 & Newer
 50 HP 2 Cyl. 1971-74
 50 HP 2 Cyl Commercial 1977-79
 50 HP 3 Cyl. 1994-99
 55 HP 3 Cyl. 1968-69
 55 HP 2 Cyl. Commercial 1980 & Newer
 60 HP ETEC 2004 & Newer 60 HP 3 Cyl. 1970-71, 1986 & Newer
 65 HP 3 Cyl. 1972-73
 65 HP 3 Cyl. Commercial 1984 & Newer
 70 HP 3 & 4 Cyl. 1974 & Newer (including 4-stroke)
 75 HP 3 Cyl. 1975-84
 75 HP ETEC 2004 & Newer
 13 Tooth Spline

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
19-22 / 5.8-6.7	17-26 / 27-42	14 X 13 RH Extra Cup	AL	3	Black Diamond	QA3832X	391668	(1)
17-19 / 5.2-5.8	23-31 / 37-50	13 3/4 X 15 RH	AL	3	Black Diamond	QA2208X	391198	(1)
16-19 / 4.8-5.8	29-36 / 47-58	13 1/4 X 17 RH	AL	3	Black Diamond	QA2206X	391199	(1)
16-19 / 4.8-5.8	29-36 / 47-58	13 1/8 X 16 RH	SS	3	Silverado	QS5136X	389949	(1)
15-18 / 4.5-5.5	34-42 / 55-68	13 X 18 RH	SS	3	Silverado	QS5138X	389948	(1)

(1) Use Flo-Torq II attaching hardware kit 835266Q1. Purchase Separately.

85 HP-140 HP V-4 Outboard - Evinrude/Johnson

85 HP V-4 1969-80
 85 HP V-4 1991-95
 88 HP V-4 1981-96
 90 HP V-4 1981 & Newer
 90 HP ETEC 2004 & Newer
 100 HP V-4 1979-80
 100 HP V-4 1988-93
 110 HP V-4 1986-89
 112 HP V-4 1994-96
 115 HP V-4 1973 & Newer
 115 HP V-4 ETEC 2004 & Newer
 120 HP V-4 1986-94
 125 HP V-4 1971-72
 130 HP V-4 ETEC 2004 & Newer
 135 HP V-4 1973-76
 140 HP V-4 1977-84
 13 Tooth Spline

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
22-29 / 6.6-8.8	14-28 / 23-45	14 X 13 RH extra cup	AL	3	Black Diamond	QA3832X	391668	(1)
21-26 / 6.4-7.8	24-36 / 39-58	13 3/4 X 15 RH	AL	3	Black Diamond	QA2208X	391198	(1)
18-21 / 5.5-6.4	30-42 / 48-68	13 1/4 X 17 RH	AL	3	Black Diamond	QA2206X	391199	(1)
18-21 / 5.5-6.4	30-42 / 48-68	13 1/8 X 16 RH	SS	3	Silverado	QS5136X	389949	(1)
17-20 / 5.2-6.1	38-50 / 61-81	13 X 18 RH	SS	3	Silverado	QS5138X	389948	(1)

(1) Use Flo-Torq II attaching hardware kit 835266Q1. Purchase separately.

EVINRUDE/JOHNSON OUTBOARD APPLICATION CHARTS

100 HP-300 HP V-6/V-8 Outboard - Evinrude/Johnson

100 HP V-4 Commercial 1984 & Newer, 115 HP V-4 95 & Newer
 120 HP V-4 1985, 130 HP V-4 1995 & Newer
 140 HP V-4 (25") 1989-94, 140 HP V-4 1985
 150 HP V-6 Commercial 1993 & Newer
 150 HP V-6 1978 & Newer (including ETEC)
 155 HP V-6 Commercial 1978 & Newer
 175 HP V-6 1977 & Newer (including ETEC)
 185 HP V-6 1984-85, 200 HP V-6 1976 & Newer
 200 HP V-6 ETEC
 225 HP V-6 1986 & Newer, 250 HP V-8 1991 & Newer (including ETEC)
 250 HP V-6 ETEC
 250 HP HO V-6 ETEC
 275-300 HP V-8 Two Strokes 1986-95
 300 HP V-6 ETEC
 200-300 HP E-TEC G2
 15 Tooth Spline

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
Pontoon	to 26 / to 42	14 x 12 RH	AL	4	Nemesis	48-8M0055531		(1)
Pontoon	to 29 / to 46	14 x 14 RH	AL	4	Nemesis	48-8M0055533		(1)
21-26 / 6.4-7.8	30-42 / 48-68	14 X 17 RH	AL	4	Nemesis	48-8M0055534		(1)
19-22 / 5.8-6.7	36-49 / 58-79	14 X 19 RH	AL	4	Nemesis	48-8M0055535		(1)
17-20 / 5.2-6.1	42-56 / 68-90	14 X 21 RH	AL	4	Nemesis	48-8M0055536		(1)
15-19 / 4.5-5.8	50-64 / 81-103	14 X 23 RH	AL	4	Nemesis	48-8M0055537		(1)
House/Pontoon	10-25 / 16-40	16 X 13 RH	AL	3	Black Diamond	QA2004X	391536	(1)
House/Cruisers	24-36 / 39-58	15 1/2 X 15 RH	AL	3	Black Diamond	QA2008X		(1)
House/Cruisers	24-36 / 39-58	15 1/2 X 15 RH	AL	3	Black Diamond	QA2008X	391535	(1)
21-26 / 6.4-7.8	30-42 / 48-68	15 X 17 RH	AL	3	Black Diamond	QA1912X	391200	(1)
19-22 / 5.8-6.7	36-49 / 58-79	14 1/2 X 19 RH	AL	3	Black Diamond	QA1916X	391201	(1)
17-20 / 5.2-6.1	42-56 / 68-90	14 1/4 X 21 RH	AL	3	Black Diamond	QA1918X	391202	(1)
15-19 / 4.5-5.8	50-64 / 81-103	14 X 23 RH	AL	3	Black Diamond	QA1920X	391203	(1)
21-26 / 6.4-7.8	30-42 / 48-68	15 X 16 RH	AL	4	Diamond 4	QA2182X		(1)
19-22 / 5.8-6.7	36-49 / 58-79	14 1/2 X 18 RH	AL	4	Diamond 4	QA2184X		(1)
17-20 / 5.2-6.1	42-56 / 68-90	14 X 20 RH	AL	4	Diamond 4	QA2186X		(1)
House/Cruisers	24-36 / 39-58	14 1/2 X 15 RH	SS	3	Silverado	QS5050X	174926	(1)
21-26 / 6.4-7.8	30-42 / 48-68	14 1/2 X 17 RH	SS	3	Silverado	QS5052X	176615	(1)
19-22 / 5.8-6.7	36-49 / 58-79	14 X 19 RH	SS	3	Silverado	QS5054X	176617	(1)
17-20 / 5.2-6.1	42-56 / 68-90	13 3/4 X 21 RH	SS	3	Silverado	QS5056X	176619	(1)
21-26 / 6.4-7.8	30-42 / 48-68	13 1/2 X 17 RH	SS	5	QST 5	QS1154X		(1)
19-22 / 5.8-6.7	36-49 / 58-79	13 1/3 X 19 RH	SS	5	QST 5	QS5758X		(1)
17-20 / 5.2-6.1	42-56 / 68-90	13 1/3 X 21 RH	SS	5	QST 5	QS5760X		(1)
House/Cruisers	24-36 / 39-58	15 3/4 X 15 RH	SS	3	Thunderbolt	QS5002X		(1)
21-26 / 6.4-7.8	30-42 / 48-68	15 1/2 X 17 RH	SS	3	Thunderbolt	QS5004X		(1)
19-22 / 5.8-6.7	36-49 / 58-79	15 1/4 X 19 RH	SS	3	Thunderbolt	QS5006X		(1)
17-20 / 5.2-6.1	42-56 / 68-90	14 3/4 X 21 RH	SS	3	Thunderbolt	QS5008X		(1)
17-20 / 5.2-6.1	42-56 / 68-90	14 5/8 X 21 RH	SS	3	Torrent	QS5862X		(1)(2)
15-19 / 4.5-5.8	50-64 / 81-103	14 5/8 X 23 RH	SS	3	Torrent	QS5864X		(1)(2)
High Perf.	55-67 / 89-108	14 5/8 X 25 RH	SS	3	Torrent	QS5866X		(1)(2)
Pontoon	10-25 / 16-40	16 X 11P RH	SS	3	Q3	48-8M0103516		(1)
Pontoon	11-26 / 17-41	15.6 X 13P RH	SS	3	Q3	48-8M0103517		(1)
Pontoon	12-27 / 18-42	15.3 X 14P RH	SS	3	Q3	48-8M0103518		(1)
Pontoon/Cruiser	17-30 / 27-49	15 X 15P RH	SS	3	Q3	48-8M0103519		(1)
21-26 / 6.4-7.8	24-36 / 43-63	14.7 X 16P RH	SS	3	Q3	48-8M0103520		(1)
21-26 / 6.4-7.8	30-42 / 48-68	14.5 X 17P RH	SS	3	Q3	48-8M0103521		(1)
19-22 / 5.8-6.7	33-45 / 53-73	14.2 X 18P RH	SS	3	Q3	48-8M0103522		(1)
19-22 / 5.8-6.7	36-49 / 58-79	14.0 X 19P RH	SS	3	Q3	48-8M0103523		(1)
17-20 / 5.2-6.1	39-52 / 63-84	13.8 X 20P RH	SS	3	Q3	48-8M0103524		(1)

EVINRUDE/JOHNSON OUTBOARD APPLICATION CHARTS

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
17-20 / 5.2-6.1	42-56 / 68-90	13.6 X 21P RH	SS	3	Q3	48-8M0103525		(1)
21-26 / 6.4-7.8	30-42 / 48-68	14.6 X 17P RH	SS	4	Q4	48-8M0103526		(1)(2)
19-22 / 5.8-6.7	36-49 / 58-79	14.6 X 19P RH	SS	4	Q4	48-8M0103528		(1)(2)
17-20 / 5.2-6.1	42-56 / 68-90	14.6 X 21P RH	SS	4	Q4	48-8M0103530		(1)(2)
15-19 / 4.5-5.8	50-64 / 81-103	14.6 X 23P RH	SS	4	Q4	48-8M0103532		(1)(2)
LH Propellers (1)		15 X 16 LH	AL	4	Diamond 4	QA2183X		(1)
		14 1/2 X 18 LH	AL	4	Diamond 4	QA2185X		(1)
		14 X 20 LH	AL	4	Diamond 4	QA2187X		(1)
		15 3/4 X 15 RH	SS	3	Thunderbolt - New -	QS5003X		(1)
		15 1/2 X 17 LH	SS	3	Thunderbolt	QS5005X		(1)
		15 1/4 X 19 LH	SS	3	Thunderbolt	QS5007X		(1)
		14 3/4 X 21 LH	SS	3	Thunderbolt	QS5009X		(1)
		14.6 X 17P RH	SS	4	Q4	48-8M0103527		(1)(2)
		14.6 X 19P RH	SS	4	Q4	48-8M0103529		(1)(2)
		14.6 X 21P RH	SS	4	Q4	48-8M0103531		(1)(2)
		14.6 X 23P RH	SS	4	Q4	48-8M0103533		(1)(2)

(1) Use Flo-Torq II hub kit 835265Q02 for 1991 and newer non E-TEC G2 applications. Use Flo-Torq II hub kit 835267Q1 for 1990 and older applications. Use Flo-Torq II hub kit 8M0107220 for 2014 and newer E-TEC G2 outboards 200-300 hp. Purchase separately.

(2) Use forward bushing 23-856163Q1 along with Flo-Torq hub kit for surface piercing applications with the Q4 and Torrent propellers. Purchase separately.

FORCE OUTBOARD APPLICATION CHARTS

3.5 HP-8 HP - Force

3.5 HP 1980-1984
 5 HP 1987-1998
 4-8 HP 1968-1988
 Flo-Torq I Round Rubber Hub = 318304-3
 Prop Pin = FA324101

Length (ft/m)	Propeller Size	Material	Blades	Quicksilver PN	Hub System
All	7.25 x 6.5 RH	Nylon	3	48-820110A20(1)	Rubber Bushing

(1) Standard with 5 HP Engine

9.9-15 Horsepower - Chrysler

9.9 HP - 15 HP 1968-1983
 Pin Drive

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	Hub System
All Purpose		8 X 8.5 RH	PL	3	Black Diamond	48-FP6430	Pin Drive
All Purpose		8 X 9 RH	PL	3	Black Diamond	FP6477	Pin Drive

9.9-15 Horsepower - Force

9.9 HP 1996-1998
 15 HP 1996-1998
 8 Tooth Spline

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
Work	to 12 / to 19	9 3/4 X 5 1/2 RH	AL	3	Black Diamond		828148A12	Rubber Bushing
15-20 / 4.5-6.1	15-18 / 24-29	9 X 7 RH	AL	3	Black Diamond	QA2124R	828152A12	Rubber Bushing
14-19 / 4.2-2.8	16-22 / 25-35	9 X 8 RH	AL	3	Black Diamond	QA2126R	828154A12	Rubber Bushing
to 17 / to 5.2	19-24 / 31-38	9 X 9 RH	AL	3	Black Diamond	QA2128R	828156A12	Rubber Bushing
to 16 / to 4.8	21-28 / 33-45	9 X 10 1/2 RH	AL	3	Black Diamond	QA2130R	828158A12	Rubber Bushing

25 Horsepower - Force

25 HP 3 Cyl. 1995-1998
 10 Tooth Spline

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
12-15 / 3.6-4.5	24-30 / 38-48	10 3/8 X13 RH	AL	3	Black Diamond	QA2106R	19640A40	Rubber Bushing
12-15 / 3.6-4.5	24-30 / 38-48	10 3/8 X 13 RH	SS	3	Silverado	QS5180R	19644A5	Rubber Bushing

40-75 Horsepower - Force

40 - 50 HP 1995-1998
 75 HP 1996-98
 13 Tooth Spline

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
House/Work	to 17 / to 27	12 1/2 X 8 RH	AL	3	Black Diamond	QA2060X	42738A11	(1)
Work/Pontoon	13-18 / 21-29	12 1/4 X 9 RH	AL	3	Black Diamond	QA2062X	87818A11	(1)
17-22 / 5.2-6.7	18-22 / 29-35	11 1/4 X 10 RH	AL	3	Black Diamond	QA2064X	73132A40	(1)
16-20 / 4.8-6.1	20-24 / 32-38	10 7/8 X 11 RH	AL	3	Black Diamond	QA2070X	85632A40	(1)
15-19 / 4.5-5.8	23-27 / 37-43	10 3/4 X 12 RH	AL	3	Black Diamond	QA2072X	816702A40	(1)
15-19 / 4.5-5.8	23-27 / 37-43	10 5/8 X 12 RH	AL	3	Black Diamond	QA2074X	73134A40	(1)
15-18 / 4.5-5.5	26-30 / 42-48	10 1/2 X 13 RH	AL	3	Black Diamond	QA2076X	816704A40	(1)
15-18 / 4.5-5.5	26-30 / 42-48	10 3/8 X 13 RH	AL	3	Black Diamond	QA2078X	73136A40	(1)
14-17 / 4.2-5.2	29-32 / 46-51	10 3/8 X 14 RH	AL	3	Black Diamond	QA2080X	816706A40	(1)
14-17 / 4.2-5.2	29-32 / 46-51	10 1/4 X 14 RH	AL	3	Black Diamond	QA2082X	73138A40	(1)
13-16 / 4.0-4.8	31-34 / 50-54	10 1/8 X 15 RH	AL	3	Black Diamond	QA2084X	73140A40	(1)
15-19 / 4.5-5.8	23-27 / 37-43	10.6 X 12 RH	AL	4	Nemesis	48-8M8027511	48-8M8026625	(1)
15-18 / 4.5-5.5	26-30 / 42-48	10.3X 13 RH	AL	4	Nemesis	48-8M8027512	48-8M8026630	(1)

FORCE OUTBOARD APPLICATION CHARTS

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
14-17 / 4.2-5.2	29-32 / 46-51	10.1 X 14 RH	AL	4	Nemesis	48-8M8027513	48-8M8026635	(1)
13-16 / 4.0-4.8	31-34 / 50-54	10.1 X 15 RH	AL	4	Nemesis	48-8M8027514	48-8M8026640	(1)
15-19 / 4.5-5.8	23-27 / 37-43	11 X 12 RH	SS	3	Silverado	QS5164X	855856A5	(1)
15-18 / 4.5-5.5	26-30 / 42-48	10 1/2 X 13 RH	SS	3	Silverado	QS5166X	855858A5	(1)
14-17 / 4.2-5.2	29-32 / 46-51	10 3/8 X 14 RH	SS	3	Silverado	QS5168X	855860A5	(1)
13-16 / 4.0-4.8	31-34 / 50-54	10 1/4 X 15 RH	SS	3	Silverado	QS5170X	855862A5	(1)

(1) Flo-Torq Reflex Hub System. Hub and required hardware included in box.

75-150 Horsepower - Force

75 HP 1999 & Newer
 90, 120, 150 HP 1995 & Newer
 15 Tooth Spline

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
House/Work	to 14 / to 23	14 X 9 RH	AL	3	Black Diamond	QA2026X	854340A45	(1)
Pontoon/Work	to 19 / to 31	14 X 10 RH	AL	3	Black Diamond	QA2028X	854342A45	(1)
Pontoon	to 19 / to 31	14 X 10 RH	AL	3	Black Diamond	QA2828X	854342CP1	(1)(2)
25+ / 7.6	18-21 / 29-34	14 X 11 RH	AL	3	Black Diamond	QA2030X	77338A45	(1)
Pontoon	18-21 / 29-34	14 X 11 RH	AL	3	Black Diamond	QA2830X	77338CP1	(1)(2)
22+ / 6.7	24-27 / 38-43	14 X 13 RH	AL	3	Black Diamond	QA2032X	77340A45	(1)
Pontoon	24-27 / 38-43	14 X 13 RH	AL	3	Black Diamond	QA2832X	77340CP1	(1)(2)
19-24 / 5.8-7.3	30-33 / 48-52	13 3/4 X 15 RH	AL	3	Black Diamond	QA2034X	77342A45	(1)
17-21 / 5.2-6.4	36-39 / 58-63	13 1/4 X 17 RH	AL	3	Black Diamond	QA2036X	77344A45	(1)
16-19 / 4.8-5.8	41-45 / 66-72	13 X 19 RH	AL	3	Black Diamond	QA2038X	77346A45	(1)
15-18 / 4.5-5.5	43-48 / 69-77	12 3/4 X 21 RH	AL	3	Black Diamond	QA2040X	77348A45	(1)
to 16 / to 4.8	46-52 / 74-84	12 1/2 X 23 RH	AL	3	Black Diamond	QA2042X	77350A45	(1)
Pontoon	to 19 / to 31	13.8 X 10 RH	AL	4	Nemesis Pontoon	48-8M8027497	48-8M8026555	(1)
Pontoon	18-21 / 29-34	13.8 X 11 RH	AL	4	Nemesis Pontoon	48-8M8027498	48-8M8026560	(1)
Pontoon	24-27 / 38-43	13.8 X 13 RH	AL	4	Nemesis Pontoon	48-8M8027500	48-8M8026570	(1)
19-24 / 5.8-7.3	30-33 / 48-52	13.4X 15 RH	AL	4	Nemesis	48-8M8027502	48-8M8026570	(1)
17-21 / 5.2-6.4	36-39 / 58-63	13.0 X 17 RH	AL	4	Nemesis	48-8M8027504	48-8M8026590	(1)
16-19 / 4.8-5.8	41-45 / 66-72	12.5 X 19 RH	AL	4	Nemesis	48-8M8027506	48-8M8026600	(1)
Pontoon	24-27 / 38-43	13.5 X 13 RH	SS	4	Q4	48-8M0055559	48-8M0055547	(1)
19-24 / 5.8-7.3	30-33 / 48-52	13.0X 15 RH	SS	4	Q4	48-8M0055560	48-8M0055548	(1)
17-21 / 5.2-6.4	36-39 / 58-63	12.7 X 17 RH	SS	4	Q4	48-8M0055561	48-8M0055549	(1)
16-19 / 4.8-5.8	41-45 / 66-72	12.7 X 19 RH	SS	4	Q4	48-8M0055562	48-8M0055550	(1)
19-24 / 5.8-7.3	30-33 / 48-52	13 3/8 X 14 RH	SS	3	Silverado	QS5114X	17314A46	(1)
17-21 / 5.2-6.4	36-39 / 58-63	13 1/8 X 16 RH	SS	3	Silverado	QS5116X	16986A46	(1)
16-19 / 4.8-5.8	41-45 / 66-72	13 X 18 RH	SS	3	Silverado	QS5118X	16988A46	(1)

(1) Use Flo-Torq II attaching hardware kit 835257Q1. Purchase separately.

(2) Extra Cup Version.

Force 85-150 and All L-Drives Pre 1995 No Thru or Thru Hub Exhaust

85, 125 HP 1988-1989
 90, 120 HP 1990-1994
 90-120 HP L Drive 1989-1991
 150 HP 1989-1994
 150 HP L Drive 1991
 15 Tooth Spline

Propeller Size	Material	Blades	Style	Quicksilver P/N	Hub System
13 X 19 RH	AL	3	Black Diamond	48-FP686-4	Rubber Bushing
13-1/2 X 17 RH	AL	3	Black Diamond	48-FP685-3	Rubber Bushing
13-1/2 X 15 RH Cupped	AL	3	Black Diamond	48-FP669-3	Rubber Bushing
13-1/2 X 15 RH	AL	3	Black Diamond	48-FP692-3	Rubber Bushing
14 X 13 RH	AL	3	Black Diamond	48-FP743-2	Rubber Bushing

HONDA OUTBOARD APPLICATION CHARTS

7.5-10 Horsepower - Honda

7.5 HP 1978-87
 BF 8 HP 1987-1999
 BF 100 (10 HP) All Years
 Pin Drive

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
All Purpose		9 X 10 RH	AL	3	Black Diamond	QA3150R		Rubber Bushing
All Purpose		9 1/4 X 11 RH	AL	3	Black Diamond	QA3152R		Rubber Bushing

9.9-20 Horsepower - Honda

BF 8 2000 & Newer
 BF 9.9 HP 1988 & Newer
 BF 15 HP All Years
 BF 20 2003 & Newer
 8 Tooth Spline

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
14-16 / 4.2-4.8	17-21 / 27-34	9 1/4 X 9 RH	AL	3	Black Diamond	QA3906R	58130-ZV4-701ZA	Rubber Bushing
to 15 / to 4.5	21-26 / 34-42	9 1/4 X 10 1/2 RH	AL	3	Black Diamond	QA3914R	58130-ZV4-030ZA	Rubber Bushing

25-30 Horsepower

25-30 Horsepower
 BF 25 All Years
 BF 30 All Years
 10 Tooth Spline
 Use existing Honda nut and washer

Length (ft/m)	Current MPH/KPH	Propeller Size	Material	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
16+ / 4.8+	to 20 / to 32	10 x 8 RH	Alum	3	Black Diamond	QA2190R	48-896890A10	Rubber Bushing
13-17 / 3.9-5.2	17-26 / 27-42	9.75 x 9.5 RH	Alum	3	Black Diamond	QA2192R	48-896892A40	Rubber Bushing
13-16 / 3.9-4.8	21-31 / 34-47	9.5 x 11 RH	Alum	3	Black Diamond	QA2196R	48-896896A40	Rubber Bushing
to 16 / to 4.8	25-36 / 40-58	9.25 x 12.5 RH	Alum	3	Black Diamond	QA2200R	48-896900A40	Rubber Bushing
13-17 / 3.9-5.2	17-26 / 27-42	9.3 x 9.5 RH	Alum	4	Nemesis	48-8M8027516	48-8M8026650	Rubber Bushing
13-16 / 3.9-4.8	21-31 / 34-47	9.3 x 11 RH	Alum	4	Nemesis	48-8M8027517	48-8M8026655	Rubber Bushing

35-60 Horsepower - Honda

BF 35 HP 1991-94
 BF 40 HP 1995 & Newer
 BF 45 HP 1991-94
 BF 50/50A HP 1995 & Newer
 BF 60 Small Gearcase
 13 Tooth Spline
 Flo-Torq Reflex Propeller. Replace existing forward thrust washer with Quicksilver thrust washer 8M0046466. Purchase separately.

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
House/Pontoon	11-17 / 17-27	12 1/2 X 8 RH	AL	3	Black Diamond	QA2060X		(1)
Pontoon	16-21 / 25-34	12 1/4 X 9 RH	AL	3	Black Diamond	QA2062X	58130-ZV5-009AH	(1)
17+ / 5.2	20-24 / 32-38	11 1/4 X 10 RH	AL	3	Black Diamond	QA2064X		(1)
16-18 / 4.8-5.5	23-28 / 37-45	10 7/8 X 11 RH	AL	3	Black Diamond	QA2070X	58130-ZV5-850ZA	(1)
15-17 / 4.5-5.2	26-32 / 42-51	10 3/4 X 12 RH	AL	3	Black Diamond	QA2072X	58130-ZV5-012AH	(1)
15-17 / 4.5-5.2	26-32 / 42-51	10 5/8 X 12 RH	AL	3	Black Diamond	QA2074X	58130-ZV5-000ZA	(1)
14-17 / 4.2-5.2	30-35 / 48-57	10 1/2 X 13 RH	AL	3	Black Diamond	QA2076X	58130-ZV5-013AH	(1)
14-17 / 4.2-5.2	30-35 / 48-57	10 3/8 X 13 RH	AL	3	Black Diamond	QA2078X	58130-ZV5-012AH	(1)
14-16 / 4.2-4.8	33-39 / 53-63	10 3/8 X 14 RH	AL	3	Black Diamond	QA2080X	58130-ZV5-014AH	(1)
14-16 / 4.2-4.8	33-39 / 53-63	10 1/4 X 14 RH	AL	3	Black Diamond	QA2082X	58130-ZV5-013AH	(1)
13-15 / 4.0-4.5	36-43 / 58-69	10 1/8 X 15 RH	AL	3	Black Diamond	QA2084X	58130-ZV5-870ZA	(1)
15-17 / 4.5-5.2	26-32 / 42-51	10.6 X 12 RH	AL	4	Nemesis	48-8M8027511		(1)
14-17 / 4.2-5.2	30-35 / 48-57	10.3 X 13 RH	AL	4	Nemesis	48-8M8027512		(1)

HONDA OUTBOARD APPLICATION CHARTS

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
14-16 / 4.2-4.8	33-39 / 53-63	10.1 X 14 RH	AL	4	Nemesis	48-8M8027513		(1)
13-15 / 4.0-4.5	36-43 / 58-69	10.1 X 15 RH	AL	4	Nemesis	48-8M8027514		(1)
15-17 / 4.5-5.2	26-32 / 42-52	11 X 12 RH	SS	3	Silverado	QS5164X	58110-ZV5-E30	(1)
14-17 / 4.2-5.2	30-35 / 48-57	10 1/2 X 13 RH	SS	3	Silverado	QS5166X	58110-ZV5-E20	(1)
14-16 / 4.2-4.8	33-39 / 53-63	10 3/8 X 14 RH	SS	3	Silverado	QS5168X	58110-ZV5-E10	(1)
13-15 / 4.0-4.5	36-43 / 58-69	10 1/4 X 15 RH	SS	3	Silverado	QS5170X	58110-ZV5-E00	(1)

(1) Flo-Torq Reflex Propeller. Replace existing forward thrust washer with Quicksilver thrust washer 8M0046466. Purchase separately.

60 BFP, 75-130 Horsepower - Honda

60 BFP 1995 & newer (Large Gearcase)

75 HP 1995 & Newer

90 HP 1995 & Newer

115 HP 1998 & Newer

130 HP 1998 & Newer

15 Tooth Spline

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
House/Work	to 14 / to 23	14 X 9 RH	AL	3	Black Diamond	QA2026X		(1)
Pontoon/Work	to 19 / to 31	14 X 10 RH	AL	3	Black Diamond	QA2028X		(1)
Pontoon/Work	to 19 / to 31	14 X 10 RH	AL	3	Black Diamond	QA2828X		(1)(2)
25+ / 7.8	18-21 / 29-34	14 X 11 RH	AL	3	Black Diamond	QA2030X	58130-ZW1-W01 ZA	(1)
Pontoon	18-21 / 29-34	14 X 11 RH	AL	3	Black Diamond	QA2830X		(1)(2)
22+ / 6.7	24-27 / 39-44	14 X 13 RH	AL	3	Black Diamond	QA2032X	58130-ZW1-W11 ZA	(1)
Pontoon	24-27 / 39-44	14 X 13 RH	AL	3	Black Diamond	QA2832X		(1)(2)
19-24 / 5.8-7.3	30-33 / 48-53	13 3/4 X 15 RH	AL	3	Black Diamond	QA2034X	58130-ZW1-W21 ZA	(1)
17-21 / 5.2-6.4	36-39 / 58-63	13 1/4 X 17 RH	AL	3	Black Diamond	QA2036X	58130-ZW1-W31 ZA	(1)
16-19 / 4.8-5.8	41-45 / 66-73	13 X 19 RH	AL	3	Black Diamond	QA2038X	58130-ZW1-W61 ZA	(1)
15-18 / 4.5-4.5	43-48 / 69-77	12 3/4 X 21 RH	AL	3	Black Diamond	QA2040X	58130-ZW1-W41	(1)
to 16 / to 4.8	46-52 / 74-84	12 1/2 X 23 RH	AL	3	Black Diamond	QA2042X	58130-ZW1-W50	(1)
Pontoon	to 19 / to 31	13.8 X 10 RH	AL	4	Nemesis Pontoon	48-8M8027497		(1)
Pontoon	18-21 / 29-34	13.8 X 11 RH	AL	4	Nemesis Pontoon	48-8M8027498		(1)
Pontoon	24-27 / 39-44	13.8 X 13 RH	AL	4	Nemesis Pontoon	48-8M8027500		(1)
19-24 / 5.8-7.3	30-33 / 48-53	13.4 X 15 RH	AL	4	Nemesis	48-8M8027502		(1)
17-21 / 5.2-6.4	36-39 / 58-63	13.0 X 17 RH	AL	4	Nemesis	48-8M8027504		(1)
16-19 / 4.8-5.8	41-45 / 66-73	12.5 X 19 RH	AL	4	Nemesis	48-8M8027506		(1)
Pontoon	24-27 / 39-44	14 X 13 RH	AL	4	Q4	48-8M0055559		(1)
19-24 / 5.8-7.3	30-33 / 48-53	13.5 X 15 RH	AL	4	Q4	48-8M0055560		(1)
17-21 / 5.2-6.4	36-39 / 58-63	13.0 X 17 RH	AL	4	Q4	48-8M0055561		(1)
16-19 / 4.8-5.8	41-45 / 66-73	12.7 X 19 RH	AL	4	Q4	48-8M0055562		(1)
15-18 / 4.5-4.5	43-48 / 69-77	12.7 X 21 RH	AL	4	Q4	48-8M0055563		(1)
23-26 / 7.0-7.8	25-29 / 42-47	14 X 10 RH	SS	3	Silverado	48-8M0055292		(1)
21-25 / 6.4-7.8	27-31 / 45-50	14 X 12 RH	SS	3	Silverado	48-8M0055293		(1)
19-24 / 5.8-7.3	30-33 / 48-53	13 3/8 X 14 RH	SS	3	Silverado	QS5114X	58133-ZW1-A13AH	(1)
17-21 / 5.2-6.4	36-39 / 58-63	13 1/8 X 16 RH	SS	3	Silverado	QS5116X	58133-ZW1-A15AH	(1)
16-19 / 4.8-5.8	41-45 / 66-73	13 X 18 RH	SS	3	Silverado	QS5118X	58133-ZW1-A17AH	(1)

(1) Use Flo-Torq II attaching hardware kit 835277Q1 for 75-90 HP thru 1998 or 835279Q2 for 75-90 HP 1999 and newer, 115-130 HP all years. Purchase separately.

(2) Extra Cup Version

HONDA OUTBOARD APPLICATION CHARTS

115 D, 135-250 Horsepower - Honda

115D, 135 -150 HP 2004 & Newer

200 - 250 Horsepower (4-Stroke) 2002 & Newer

15 Tooth Spline

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	Hub System
Pontoon	to 26 / to 42	14 X 12 RH	AL	4	Nemesis	48-8M0055531	(1)
Pontoon	to 29 / to 46	14 X 14 RH	AL	4	Nemesis	48-8M0055533	(1)
21-25 / 6.4-7.8	36-44 / 58-71	14 X 17 RH	AL	4	Nemesis	48-8M0055534	(1)
19-23 / 5.8-7.0	42-50 / 68-81	14 X 19 RH	AL	4	Nemesis	48-8M0055535	(1)
18-22 / 5.5-6.7	47-56 / 76-90	14 X 21 RH	AL	4	Nemesis	48-8M0055536	(1)
17-20 / 5.2-6.1	53-61 / 85-98	14 X 23 RH	AL	4	Nemesis	48-8M0055537	(1)
House/Work	to 24 / to 39	16 X 11 RH	AL	3	Black Diamond	QA2000X	(1)
25-30 / 7.8-9.1	23-32 / 37-52	16 X 13 RH	AL	3	Black Diamond	QA2004X	(1)
23-29 / 7.0-8.8	27-35 / 44-56	16 X 14 RH	AL	3	Black Diamond	QA2006X	(1)
22-27 / 6.7-8.2	30-38 / 48-61	15 1/2 X 15 RH	AL	3	Black Diamond	QA2008X	(1)
23-26 / 7.0-7.8	33-40 / 53-65	16 X 16 RH	AL	3	Black Diamond	QA2010X	(1)
21-25 / 6.4-7.8	36-44 / 58-71	15 X 17 RH	AL	3	Black Diamond	QA1912X	(1)
20-24 / 6.1-7.3	39-47 / 63-76	15 1/2 X 18 RH	AL	3	Black Diamond	QA2014X	(1)
19-23 / 5.8-7.0	42-50 / 68-81	14 1/2 X 19 RH	AL	3	Black Diamond	QA1916X	(1)
18-22 / 5.5-6.7	47-56 / 76-90	14 1/4 X 21 RH	AL	3	Black Diamond	QA1918X	(1)
17-20 / 5.2-6.1	53-61 / 85-98	14 X 23 RH	AL	3	Black Diamond	QA1920X	(1)
21-25 / 6.4-7.8	36-44 / 58-71	15 X 16 RH	AL	4	Diamond 4	QA2182X	(1)
19-23 / 5.8-7.0	42-50 / 68-81	14 1/2 X 18 RH	AL	4	Diamond 4	QA2184X	(1)
18-22 / 5.5-6.7	47-56 / 76-90	14 X 20 RH	AL	4	Diamond 4	QA2186X	(1)
23-27 / 6.7-8.2	30-38 / 48-61	14 1/2 X 15 RH	SS	3	Silverado	QS5050X	(1)
21-25 / 6.4-7.8	36-44 / 58-71	14 1/2 X 17 RH	SS	3	Silverado	QS5052X	(1)
19-23 / 5.8-7.0	42-50 / 68-81	14 X 19 RH	SS	3	Silverado	QS5054X	(1)
18-22 / 5.5-6.7	47-56 / 76-90	13 3/4 X 21 RH	SS	3	Silverado	QS5056X	(1)
21-25 / 6.4-7.8	36-44 / 58-71	13 1/2 X 17 RH	SS	5	QST 5	QS1154X	(1)
19-23 / 5.8-7.0	42-50 / 68-81	13 1/3 X 19 RH	SS	5	QST 5	QS5758X	(1)
18-22 / 5.5-6.7	47-56 / 76-90	13 1/3 X 21 RH	SS	5	QST 5	QS5760X	(1)
23-27 / 6.7-8.2	30-38 / 48-61	15 3/4 X 15 RH	SS	3	Thunderbolt	QS5002X	(1)
21-25 / 6.4-7.8	36-44 / 58-71	15 1/2 X 17 RH	SS	3	Thunderbolt	QS5004X	(1)
20-23 / 6.1-7.0	42-50 / 68-81	15 1/4 X 19 RH	SS	3	Thunderbolt	QS5006X	(1)
19-23 / 5.8-6.7	47-56 / 76-90	14 3/4 X 21 RH	SS	3	Thunderbolt	QS5008X	(1)
18-22 / 5.5-6.7	47-56 / 76-90	14 5/8 X 21 RH	SS	3	Torrent	QS5862X	(1)(2)
17-20 / 5.2-6.1	53-61 / 85-98	14 5/8 X 23 RH	SS	3	Torrent	QS5864X	(1)(2)
to 19 / to 5.8	59-69 / 95-111	14 5/8 X 25 RH	SS	3	Torrent	QS5866X	(1)(2)
Pontoon	10-25 / 16-40	16 X 11P RH	SS	3	Q3	48-8M0103516	(1)
Pontoon	11-26 / 17-41	15.6 X 13P RH	SS	3	Q3	48-8M0103517	(1)
Pontoon	12-27 / 18-42	15.3 X 14P RH	SS	3	Q3	48-8M0103518	(1)
Pontoon/Cruiser	17-30 / 27-49	15 X 15P RH	SS	3	Q3	48-8M0103519	(1)
21-26 / 6.4-7.8	24-36 / 39-58	14.7 X 16P RH	SS	3	Q3	48-8M0103520	(1)
21-26 / 6.4-7.8	30-42 / 48-68	14.5 X 17P RH	SS	3	Q3	48-8M0103521	(1)
19-22 / 5.8-6.7	33-45 / 53-73	14.2 X 18P RH	SS	3	Q3	48-8M0103522	(1)
19-22 / 5.8-6.7	36-49 / 58-79	14 X 19P RH	SS	3	Q3	48-8M0103523	(1)
17-20 / 5.2-6.1	39-52 / 63-84	13.8 X 20P RH	SS	3	Q3	48-8M0103524	(1)
17-20 / 5.2-6.1	42-56 / 68-90	13.6 X 21P RH	SS	3	Q3	48-8M0103525	(1)
21-26 / 6.4-7.8	30-42 / 48-68	14.6 X 17P RH	SS	4	Q4	48-8M0103526	(1)(2)
19-22 / 5.8-6.7	36-49 / 58-79	14.6 X 19P RH	SS	4	Q4	48-8M0103528	(1)(2)
17-20 / 5.2-6.1	42-56 / 68-90	14.6 X 21P RH	SS	4	Q4	48-8M0103530	(1)(2)
15-19 / 4.5-5.8	50-64 / 81-103	14.6 X 23P RH	SS	4	Q4	48-8M0103532	(1)(2)
LH Propellers (1)		15.8 X 15 LH	SS	3	Thunderbolt	QS5005X	(1)
		15.5 X 17 LH	SS	3	Thunderbolt	QS5007X	(1)
		15.3 X 19 LH	SS	3	Thunderbolt	QS5009X	(1)

HONDA OUTBOARD APPLICATION CHARTS

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	Hub System
		14.8 X 21 LH	SS	3	Thunderbolt	QS5011X	(1)
		14.6 X 17P LH	SS	4	Q4	48-8M0103527	(1)(2)
		14.6 X 19P LH	SS	4	Q4	48-8M0103529	(1)(2)
		14.6 X 21P LH	SS	4	Q4	48-8M0103531	(1)(2)
		14.6 X 23P LH	SS	4	Q4	48-8M0103533	(1)

(1) Use Flo-Torq II attaching hardware kit 835278Q1. Purchase separately..

(2) Use forward bushing 23-856163Q1 with Flo-Torq II hub kit for surface peircing applications with Q4 and Torrent propellers. Purchase separately.

25-30 Horsepower

25-30 Horsepower

BF 25 All Years

BF 30 All Years

10 Tooth Spline

Use existing Honda nut and washer

Length (ft/m)	Current MPH/KPH	Propeller Size	Material	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
16+ / 4.8+	to 20 / to 32	10 x 8 RH	Alum	3	Black Diamond	QA2190R	48-896890A10	Rubber Bushing
13-17 / 3.9-5.2	17-26 / 27-42	9.75 x 9.5 RH	Alum	3	Black Diamond	QA2192R	48-896892A40	Rubber Bushing
13-16 / 3.9-4.8	21-31 / 34-47	9.5 x 11 RH	Alum	3	Black Diamond	QA2196R	48-896896A40	Rubber Bushing
to 16 / to 4.8	25-36 / 40-58	9.25 x 12.5 RH	Alum	3	Black Diamond	QA2200R	48-896900A40	Rubber Bushing
13-17 / 3.9-5.2	17-26 / 27-42	9.3 x 9.5 RH	Alum	4	Nemesis	48-8M8027516	48-8M8026650	Rubber Bushing
13-16 / 3.9-4.8	21-31 / 34-47	9.3 x 11 RH	Alum	4	Nemesis	48-8M8027517	48-8M8026655	Rubber Bushing

MERCURY/MARINER OUTBOARD APPLICATION CHARTS

2.5 -3.5 Horsepower - Mercury/Mariner

2.5 - 3.5 Horsepower
 2.5 HP 1990 & Newer
 3 HP 1990 - 1992
 3.3 HP 1993 & Newer
 Pin Drive

Length (ft/m)	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
All Purpose	7.4 X 6 RH	Plastic	3	Black Diamond		48-815083A01	Pin Drive
All Purpose	7.4 X 7 RH	Plastic	3	Black Diamond	48-8M0081592	48-815083A02	Pin Drive

4-6 Horsepower - Mercury/Mariner

4 -6 Horspower
 4 - 5 HP 2-Stroke 1987 & Newer
 4, 5, 6 HP -Stroke 1999 & Newer
 12 Tooth Spline

Length (ft/m)	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
All Purpose	7.8 X 9 RH	AL	3	Black Diamond	48-8M0081239		Rubber Bushing
All Purpose	7.8 X 8 RH	AL	3	Black Diamond	QA3184R	48-812950A02(2)	Rubber Bushing
All Purpose	7.8 X 7 RH	AL	3	Black Diamond	QA3182R	48-812949A02(1)	Rubber Bushing
All Purpose	7.9 X 6 RH	AL	3	Black Diamond	48-8M0081238	48-812951A02	Rubber Bushing

(1) Standard with 4 Hp, 2-Stroke and FourStroke

(2) Standard with 5 and 6 Hp FourStroke

Mercury 75 (7.5HP) and 110 (9.8HP)

Mercury 75 (7.5HP) and 110(9.8) 1968-1984
 8 Spline
 1968 thru 1978 - Thrust Hub 86665A1 Spacer 11-64075A1 Nut 11-46335 Washer 12-27025
 1972 thru 1978 - Nut 11-64075A1

Length	Current MPH	Propeller Size	Material	Blades	Style	Quicksilver P/N	OEM P/N
To 15'	Up to 20	9 X 9 RH	AL	2	Black Diamond		

8 Horsepower - Mercury/Mariner

8 HP 1976-84 Mariner
 Pin Drive

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
14-18 / 4.2-5.5	to 15 / to 24	8 X 7 RH	AL	3	Black Diamond	QA3178R	82764	Rubber Bushing

8/9.9 Horsepower (4-Stroke) - Mercury/Mariner

8/9.9 (4-Stroke) 2005 and newer
 Std. gearcase only (Not Bigfoot)
 12 Tooth Spline

Length (ft/m)	Current MPH/KPH	Propeller Size	Material	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
Kicker		8.7 x 5 RH	Alum	4	Black Diamond	QA2148R	48-812954A10	Rubber Bushing
16 + / 4.8 +	to 12 / to 19	8.9 x 6.5 RH	Alum	3	Black Diamond	QA2150R	48-897610A10	Rubber Bushing
14-17 / 4.2-5.2	8-17 / 14-27	8.9 x 7.5 RH	Alum	3	Black Diamond	QA2154R	48-897614A10(1)	Rubber Bushing
13-16 / 3.9-4.8	12-21 / 19-34	8.9 x 8.5 RH	Alum	3	Black Diamond	QA2158R	48-897618A10(2)	Rubber Bushing

(1) Standard with 8 Hp FourStroke

(2) Standard with 9.9 Hp FourStroke

MERCURY/MARINER OUTBOARD APPLICATION CHARTS

6-15 Horsepower - Mercury/Mariner

6, 8, 9.9 and 15 HP 2-Stroke 1986 & Newer
 10, 15 HP Seapro/Marathon 1995 & Newer
 8/9.9 HP (Not Bigfoot) 4-Stroke 1995-2004
 15 HP 4 Stroke 1989-2006
 8 Tooth Spline

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
Work/Sail	6-13 / 10-21	9 3/4 X 5 1/2 RH	AL	3	Black Diamond		48-828150A12	Rubber Bushing
Kicker		9 3/4 X 6	AL	4	Black Diamond	48-850204A12	48-850204A12	Rubber Bushing
15-20 / 4.5-6.1	12-17 / 19-27	9 1/4 X 7 RH	AL	3	Black Diamond	QA2124R	48-828152A12	Rubber Bushing
14-20 / 4.2-6.1	16-19 / 26-31	9 X 8 RH	AL	3	Black Diamond	QA2126R	48-828154A12	Rubber Bushing
14-19 / 4.2-5.8	19-24 / 31-39	9 X 9 RH	AL	3	Black Diamond	QA2128R	48-828156A12(1)	Rubber Bushing
14-16 / 4.2-4.8	23-27 / 37-44	9 X 10 1/2 RH	AL	3	Black Diamond	QA2130R	48-828158A12	Rubber Bushing

(1) Standard with 6-15 Hp 2-Stroke and SeaPro/Marathon 10-15 Hp

15-25 Horsepower - Mariner

15 HP 1976-81 Mariner
 15A 1979-82 Mariner
 W15 1977-85 Mariner
 20 HP 1976-79 Mariner
 25 HP 1977-79 Mariner
 Pin Drive

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
12-16 / 3.6-4.8	20-28 / 32-45	9 X 10 RH	AL	3	Black Diamond	QA3150R	96625M	Rubber Bushing
12-14 / 3.6-4.2	25-32 / 40-52	9 1/4 X 11 RH	AL	3	Black Diamond	QA3152R	96623M	Rubber Bushing

9.9-25 Horsepower - Mercury/Mariner

9.9 & 15 HP Bigfoot 4-Stroke 2005 & Older
 9.9 Sail Power 4 Strokes 2005 & Older
 18 HP Mercury 1980-85
 20 HP Mariner 1985 & Newer
 20 HP Mercury 2 Stroke 1986 & Newer
 25 HP Mercury 2 Stroke 1980 & Newer
 25 HP Mariner 2 Stroke 1985 & Newer
 25 HP SeaPro/Marathon
 10 Tooth Spline

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
12-15 / 3.6-4.5	19-30 / 31-48	10 3/8 X 13 RH	AL	3	Black Diamond	QA2106R	48-19640A40(1)	Rubber Bushing
12-15 / 3.6-4.5	19-30 / 31-48	10 3/8 X 13 RH	SS	3	Silverado	QS5180R	48-19644A 5	Rubber Bushing

(1) Standard with 20-25 Hp 2-Stroke

15/20 Hp 4-Stroke, 9.9 HP CT/Bigfoot 4-Stroke Mercury/Mariner

9.9 CT/Bigfoot Model Year 2005 and Newer
 15/20 HP 4-Stroke 2007 and Newer
 14 Tooth Spline

Length	Current MPH/KPH	Propeller Size	Material	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
Kicker		10 x 5	AL	4	Black Diamond	QA2178R	48-812952A10	Rubber Hub
15-19 / 4.6-5.8	5-12 / 8-19	9.5 X 8 RH	AL	3	Black Diamond	QA2171R	48-897748A11	Rubber Hub
14-17 / 4.3-5.2	10-16 / 16-26	9.25 X 9 RH	AL	3	Black Diamond	QA2173R	48-897750A11(2)	Rubber Hub
to 16 / to 4.9	13-20 / 21-32	9.25 X 10 RH	AL	3	Black Diamond	QA2175R	48-897752A11(3)	Rubber Hub

(1) Standard with 9.9 Bigfoot and 9.9 Prokicker

(2) Standard with 15 Hp FourStroke

(3) Standard with 20 Hp FourStroke

MERCURY/MARINER OUTBOARD APPLICATION CHARTS

25-30 Horsepower 4-Stroke - Mercury/Mariner

25 HP 2006 and Newer
30 HP 2006 and Newer
10 Tooth Spline

Length (ft/m)	Current MPH/KPH	Propeller Size	Material	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
16+ / 4.8+	to 20 / to 32	10 x 8 RH	Alum	3	Black Diamond	QA2190R	48-896890A10	Rubber Bushing
13-17 / 3.9-5.2	17-26 / 27-42	9.75 x 9.5 RH	Alum	3	Black Diamond	QA2192R	48-896892A40	Rubber Bushing
13-16 / 3.9-4.8	21-31 / 34-47	9.5 x 11 RH	Alum	3	Black Diamond	QA2196R	48-896896A40	Rubber Bushing
to 16 / to 4.8	25-36 / 40-58	9.25 x 12.5 RH	Alum	3	Black Diamond	QA2200R	48-896900A40	Rubber Bushing
13-17 / 3.9-5.2	17-26 / 27-42	9.3 x 9.5 RH	Alum	4	Nemesis	48-8M8027516	48-8M8026650	Rubber Bushing
13-16 / 3.9-4.8	21-31 / 34-47	9.3 x 11 RH	Alum	4	Nemesis	48-8M8027517	48-8M8026655	Rubber Bushing

25-30 Horsepower 2-Stroke - Mariner

25 HP 1980-84 Mariner
28 HP 2-Stroke 1976-79 Mariner
30 HP 2-Stroke 1979-90 Mariner
10 Tooth Spline

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
15-17 / 4.5-5.2	18-26 / 29-42	9 7/8 X 10 1/2 RH	AL	3	Black Diamond	QA3808R	81649M	Rubber Bushing
14-16 / 4.2-4.8	19-28 / 31-45	9 7/8 X 11 1/4 RH	AL	3	Black Diamond	QA3810R	84976M	Rubber Bushing

25 Hp CT/Bigfoot, 30-70 Hp Standard Gearcase Mercury/Mariner

402-500 Model Mercury 1974-76*, 402-500-700 Models Mercury 1977-84
650 Model Mercury 1972-76*, 25 HP CT/Bigfoot 4-stroke 1999-2005
30 HP CT/BigFoot 2010 & Newer
30 HP 2 & 4-Stroke 1994-2005, 30 HP SeaPro/Marathon All Years
35 HP 1984-89, 40 HP 2 & 4-Stroke (Not CT/Bigfoot) 1977 & Newer
40 HP Seapro/Marathon 1977 & Newer, 45HP 1986-89
48 HP Mariner All Years, 50 HP 2 & 4 Strokes (Not CT/Bigfoot) 1977 & Newer
55 HP Seapro/Marathon 1995 & Newer, 60 HP Mariner 1976*
60 HP 2 & 4 Stroke (Not CT/Bigfoot) 1978 & Newer, 70 HP 1983 & Older
13 Tooth Spline

Flo-Torq Reflex Propellers. Hub Kit included in box.

Note: Flo-Torq Reflex Propeller hardware is not compatible with older rubber hub propeller hardware.

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
20+ / 6.1+	to 14 / to 23	12 1/2 X 8 RH	AL	3	Black Diamond	QA2060X	48- 42738A45	Flo-Torq Reflex
19-21 / 5.8-6.4	13-18 / 21-29	12 1/4 X 9 RH	AL	3	Black Diamond	QA2062X	48- 87818A45	Flo-Torq Reflex
17-20 / 5.2-6.1	18-22 / 29-35	11 1/4 X 10 RH	AL	3	Black Diamond	QA2064X	48- 73132A45	Flo-Torq Reflex
16-19 / 4.8-5.8	21-25 / 34-41	10 7/8 X 11 RH	AL	3	Black Diamond	QA2070X	48- 85632A45	Flo-Torq Reflex
15-18 / 4.5-5.5	23-28 / 37-45	10 3/4 X 12 RH	AL	3	Black Diamond	QA2072X	48-816702A45	Flo-Torq Reflex
15-18 / 4.5-5.5	23-28 / 37-45	10 5/8 X 12 RH	AL	3	Black Diamond	QA2074X	48- 73134A45	Flo-Torq Reflex
14-18 / 4.2-5.5	27-32 / 44-52	10 1/2 X 13 RH	AL	3	Black Diamond	QA2076X	48-816704A45	Flo-Torq Reflex
14-18 / 4.2-5.5	27-32 / 44-52	10 3/8 X 13 RH	AL	3	Black Diamond	QA2078X	48- 73136A45	Flo-Torq Reflex
14-16 / 4.2-4.8	31-35 / 50-56	10 3/8 X 14 RH	AL	3	Black Diamond	QA2080X	48-816706A45	Flo-Torq Reflex
14-16 / 4.2-4.8	31-35 / 50-56	10 1/4 X 14 RH	AL	3	Black Diamond	QA2082X	48- 73138A45	Flo-Torq Reflex
13-15 / 3.9-4.5	34-39 / 55-63	10 1/8 X 15 RH	AL	3	Black Diamond	QA2084X	48- 73140A45	Flo-Torq Reflex
15-18 / 4.5-5.5	23-28 / 37-45	10.6X 12 RH	AL	4	Nemesis	48-8M8027511	48-8M8026625	Flo-Torq Reflex
14-18 / 4.2-5.5	27-32 / 44-52	10.3 X 13 RH	AL	4	Nemesis	48-8M8027512	48-8M8026630	Flo-Torq Reflex
14-16 / 4.2-4.8	31-35 / 50-56	10.1 X 14 RH	AL	4	Nemesis	48-8M8027513	48-8M8026635	Flo-Torq Reflex
13-15 / 3.9-4.5	34-39 / 55-63	10.1 X 15 RH	AL	4	Nemesis	48-8M8027514	48-8M8026640	Flo-Torq Reflex
15-18 / 4.5-5.5	23-28 / 37-45	11 X 12 RH	SS	3	Silverado	QS5164X	48-855856A46	Flo-Torq Reflex
14-18 / 4.2-5.5	27-32 / 44-52	10 1/2 X 13 RH	SS	3	Silverado	QS5166X	48-855858A46	Flo-Torq Reflex
14-16 / 4.2-4.8	31-35 / 50-56	10 3/8 X 14 RH	SS	3	Silverado	QS5168X	48-855860A46	Flo-Torq Reflex
to 15 / to 4.5	34-39 / 55-63	10 1/4 X 15 RH	SS	3	Silverado	QS5170X	48-855862A46	Flo-Torq Reflex

MERCURY/MARINER OUTBOARD APPLICATION CHARTS

40-60 Hp CT/Bigfoot, 70-140 Hp Standard Gearcase

650 Model (4 cyl.) 1961-70, 650 Model (2 cyl.) thru 1971
 900 to 1500 Models thru 1977, 60 HP Seapro/Marathon All Years
 70 HP 1987-89, 75 HP 2 & 4 Strokes 1984 & Newer
 75 HP SeaPro/Marathon All Years, 80 HP Mariner 1977
 80 HP 1978-89, 90 HP 2 & 4-Strokes 1978 and Newer
 100 HP 1988-99, 115 HP 2 & 4 Strokes 1978 and Newer
 125 HP 1994 and Newer, 140 HP 1978-81
 40 HP-60 HP CT/Bigfoot All Years
 15 Tooth Spline

With stainless props use the Flo-Torq III hub kit 835257Q9

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
House/Work	to 14 / to 23	14 X 9 RH	AL	3	Black Diamond	QA2026X		(1)
Work/Pontoon	to 19 / to 31	14 X 10 RH	AL	3	Black Diamond	QA2028X		(1)
Pontoon	to 19 / to 31	14 X 10 RH	AL	3	Black Diamond	QA2828X		(1)(2)
23' + / 7.0+	to 21 / to 34	14 X 11 RH	AL	3	Black Diamond	QA2030X	48- 77338A45	(1)
Pontoon	to 21 / to 34	14 X 11 RH	AL	3	Black Diamond	QA2830X	48- 77338CP1	(1)(2)
20' + / 6.1+	19-27 / 31-44	14 X 13 RH	AL	3	Black Diamond	QA2032X	48- 77340A45	(1)
Pontoon	19-27 / 31-44	14 X 13 RH	AL	3	Black Diamond	QA2832X	48- 77340CP1	(1)(2)
18-20 / 5.5-6.1	25-32 / 40-52	13 3/4 X 15 RH	AL	3	Black Diamond	QA2034X	48- 77342A45	(1)
17-19 / 5.2-5.8	30-38 / 48-61	13 1/4 X 17 RH	AL	3	Black Diamond	QA2036X	48- 77344A45	(1)
15-18 / 4.5-5.5	35-41 / 56-66	13 X 19 RH	AL	3	Black Diamond	QA2038X	48- 77346A45	(1)
14-17 / 4.2-5.2	39-46 / 63-74	12 3/4 X 21 RH	AL	3	Black Diamond	QA2040X	48- 77348A45	(1)
to 16 / to 4.8	44-50 / 71-81	12 1/2 X 23 RH	AL	3	Black Diamond	QA2042X	48- 77350A45	(1)
Pontoon	to 19 / to 31	13.8 X 10 RH	AL	4	Nemesis Pontoon	48-8M8027497	48-8M8026555	(1)
Pontoon	to 21 / to 34	13.8 X 11 RH	AL	4	Nemesis Pontoon	48-8M8027498	48-8M8026560	(1)
Pontoon	to 21 / to 34	13.8 X 13 RH	AL	4	Nemesis Pontoon	48-8M8027500	48-8M8026570	(1)
18-20 / 5.5-6.1	25-32 / 40-52	13.4 X 15 RH	AL	4	Nemesis	48-8M8027502	48-8M8026580	(1)
17-19 / 5.2-5.8	31-39 / 48-61	13.0 X 17 RH	AL	4	Nemesis	48-8M8027504	48-8M8026590	(1)
15-18 / 4.5-5.5	35-43 / 56-66	12.5 X 19 RH	AL	4	Nemesis	48-8M8027506	48-8M8026600	(1)
Pontoon	to 21 / to 34	14 X 13 RH	AL	4	Q4	48-8M0055559	48-8M0055547	(1)
18-20 / 5.5-6.1	25-32 / 40-52	13.5 X 15 RH	AL	4	Q4	48-8M0055560	48-8M0055548	(1)
17-19 / 5.2-5.8	31-39 / 48-61	13.0 X 17 RH	AL	4	Q4	48-8M0055561	48-8M0055549	(1)
15-18 / 4.5-5.5	35-43 / 56-66	12.7 X 19 RH	AL	4	Q4	48-8M0055562	48-8M0055550	(1)
14-17 / 4.2-5.2	39-46 / 63-74	12.7 X 21 RH	AL	4	Q4	48-8M0055563	48-8M0055551	(1)
23-26 / 7.0-7.8	25-29 / 42-47	14 X 10 RH	SS	3	Silverado	48-8M0055292	48- 17310A46	(1)
21-25 / 6.4-7.8	27-31 / 45-50	14 X 12 RH	SS	3	Silverado	48-8M0055293	48- 17312A46	(1)
18-20 / 5.5-6.1	25-32 / 40-52	13 3/8 X 14 RH	SS	3	Silverado	QS5114X	48- 17314A46	(1)
17-19 / 5.2-5.8	30-38 / 48-61	13 1/8 X 16 RH	SS	3	Silverado	QS5116X	48- 16986A46	(1)
15-18 / 4.5-5.5	35-41 / 56-66	13 X 18 RH	SS	3	Silverado	QS5118X	48- 16988A46	(1)

(1) For 2-stroke carb applications use Flo-Torq II attaching hardware kit 835257Q1. For 4-stroke and Opti-Max applications use Flo-Torq III attaching hardware kit 835257Q9 to reduce rattle. Purchase separately.

(2) Extra Cup Version.

MERCURY/MARINER OUTBOARD APPLICATION CHARTS

90CT-400 Horsepower - Mercury/Mariner

90, 115HP Command Thrust 2014 & Newer
 135 HP 1987 & Newer, 150 HP 1978 & Newer
 175 HP 1978 & Newer, 200 HP 1978 & Newer
 220 HP 1987-88, 225 HP 1980 & Newer
 225 HP SeaPro/Marathon All Years
 250-400 HP 2 and 4-Stroke 1990 and Newer
 15 Tooth Spline

Use hub kit P/N 835257Q 1 for 90/115 CT and 150-300 HP 2 & 4 Strokes 1990 & Newer (Purchase separately)

Use hub kit P/N 8M0101603 Verado for 350, 350SCI and 400R outboards (Purchase separately)

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
Pontoon	to 26 / to 42	14 X 12 RH	AL	4	Nemesis	48-8M0055531	48-8M0084491	(2)
Pontoon	to 29 / to 46	14 X 14 RH	AL	4	Nemesis	48-8M0055533	48-8M0084491	(2)
21-25 / 6.4-7.8	36-44 / 58-71	14 X 17 RH	AL	4	Nemesis	48-8M0055534	48-8M0084494	(2)
19-23 / 5.8-7.0	42-50 / 68-81	14 X 19 RH	AL	4	Nemesis	48-8M0055535	48-8M0084495	(2)
18-22 / 5.5-6.7	47-56 / 76-90	14 X 21 RH	AL	4	Nemesis	48-8M0055536	48-8M0084496	(2)
17-20 / 5.2-6.1	53-61 / 85-98	14 X 23 RH	AL	4	Nemesis	48-8M0055537	48-8M0084497	(2)
House/Work	to 24 / to 39	16 X 11 RH	AL	3	Black Diamond	QA2000X	48- 78112A45	(2)
25-30 / 7.8-9.1	23-32 / 37-52	16 X 13 RH	AL	3	Black Diamond	QA2004X	48- 78114A45	(2)
23-29 / 7.0-8.8	27-35 / 44-56	16 X 14 RH	AL	3	Black Diamond	QA2006X	48- 16438A45	(2)
22-27 / 6.7-8.2	30-38 / 48-61	15 1/2 X 15 RH	AL	3	Black Diamond	QA2008X	48- 78116A45	(2)
23-26 / 7.0-7.8	33-40 / 53-65	16 X 16 RH	AL	3	Black Diamond	QA2010X	48- 16440A45	(2)
21-25 / 6.4-7.8	36-44 / 58-71	15 X 17 RH	AL	3	Black Diamond	QA1912X	48-832828A45	(2)
20-24 / 6.1-7.3	39-47 / 63-76	15 1/2 X 18 RH	AL	3	Black Diamond	QA2014X	48- 11324A45	(2)
19-23 / 5.8-7.0	42-50 / 68-81	14 1/2 X 19 RH	AL	3	Black Diamond	QA1916X	48-832830A45	(2)
18-22 / 5.5-6.7	47-56 / 76-90	14 1/4 X 21 RH	AL	3	Black Diamond	QA1918X	48-832832A45	(2)
17-20 / 5.2-6.1	53-61 / 85-98	14 X 23 RH	AL	3	Black Diamond	QA1920X	48-832834A45	(2)
21-25 / 6.4-7.8	36-44 / 58-71	15 X 16 RH	AL	4	Diamond 4	QA2182X	48-834850A45	(2)
19-23 / 5.8-7.0	42-50 / 68-81	14 1/2 X 18 RH	AL	4	Diamond 4	QA2184X	48-834852A45	(2)
18-22 / 5.5-6.7	47-56 / 76-90	14 X 20 RH	AL	4	Diamond 4	QA2186X	48-834854A45	(2)
23-27 / 6.7-8.2	30-38 / 48-61	14 1/2 X 15 RH	SS	3	Silverado	QS5050X	48- 16312A46	(2)
21-25 / 6.4-7.8	36-44 / 58-71	14 1/2 X 17 RH	SS	3	Silverado	QS5052X	48- 16314A46	(2)
19-23 / 5.8-7.0	42-50 / 68-81	14 X 19 RH	SS	3	Silverado	QS5054X	48- 16316A46	(2)
18-22 / 5.5-6.7	47-56 / 76-90	13 3/4 X 21 RH	SS	3	Silverado	QS5056X	48- 16318A46	(2)
21-25 / 6.4-7.8	36-44 / 58-71	13 1/2 X 17 RH	SS	5	QST 5	QS1154X	48-821154A46	(2)
19-23 / 5.8-7.0	42-50 / 68-81	13 1/3 X 19 RH	SS	5	QST 5	QS5758X	48-815758A46	(2)
18-22 / 5.5-6.7	47-56 / 76-90	13 1/3 X 21 RH	SS	5	QST 5	QS5760X	48-815760A46	(2)
23-27 / 6.7-8.2	30-38 / 48-61	15 3/4 X 15 RH	SS	3	Thunderbolt	QS5002X	48- 19838A46	(2)
21-25 / 6.4-7.8	36-44 / 58-71	15 1/2 X 17 RH	SS	3	Thunderbolt	QS5004X	48- 18278A46	(2)
20-23 / 6.1-7.0	42-50 / 68-81	15 1/4 X 19 RH	SS	3	Thunderbolt	QS5006X	48- 13700A46	(2)
19-23 / 5.8-6.7	47-56 / 76-90	14 3/4 X 21 RH	SS	3	Thunderbolt	QS5008X	48- 13702A46	(2)
18-22 / 5.5-6.7	47-56 / 76-90	14 5/8 X 21 RH	SS	3	Torrent	QS5862X	48-825862A47	(2)(3)
17-20 / 5.2-6.1	53-61 / 85-98	14 5/8 X 23 RH	SS	3	Torrent	QS5864X	48-825864A47	(2)(3)
to 19 / to 5.8	59-69 / 95-111	14 5/8 X 25 RH	SS	3	Torrent	QS5866X	48-825866A47	(2)(3)
Pontoon	10-25 / 16-40	16 X 11P RH	SS	3	Q3	48-8M0103516	48-8M0070079	(2)
Pontoon	11-26 / 17-41	15.6 X 13P RH	SS	3	Q3	48-8M0103517	48-8M0070074	(2)
Pontoon	12-27 / 18-42	15.3 X 14P RH	SS	3	Q3	48-8M0103518	48-898988A46	(2)
Pontoon	17-30 / 27-49	15 X 15P RH	SS	3	Q3	48-8M0103519	48-898990A46	(2)
21-26 / 6.4-7.8	24-36 / 39-58	14.7 X 16P RH	SS	3	Q3	48-8M0103520	48-898992A46	(2)
21-26 / 6.4-7.8	30-42 / 48-68	14.5 X 17P RH	SS	3	Q3	48-8M0103521	48-898994A46	(2)
19-22 / 5.8-6.7	33-45 / 53-73	14.2 X 18P RH	SS	3	Q3	48-8M0103522	48-898996A46	(2)
19-22 / 5.8-6.7	36-49 / 58-79	14 X 19P RH	SS	3	Q3	48-8M0103523	48-898998A46	(2)
17-20 / 5.2-6.1	39-52 / 63-84	13.8 X 20P RH	SS	3	Q3	48-8M0103524	48-899000A46	(2)
17-20 / 5.2-6.1	42-56 / 68-90	13.6 X 21P RH	SS	3	Q3	48-8M0103525	48-899002A46	(2)

MERCURY/MARINER OUTBOARD APPLICATION CHARTS

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
21-26 / 6.4-7.8	30-42 / 48-68	14.6 X 17P RH	SS	4	Q4	48-8M0103526	48-857024A46	(2)(3)
19-22 / 5.8-6.7	36-49 / 58-79	14.6 X 19P RH	SS	4	Q4	48-8M0103528	48-857026A46	(2)(3)
17-20 / 5.2-6.1	42-56 / 68-90	14.6 X 21P RH	SS	4	Q4	48-8M0103530	48-857028A46	(2)(3)
15-19 / 4.5-5.8	50-64 / 81-103	14.6 X 23P RH	SS	4	Q4	48-8M0103532	48-857030A46	(2)(3)
LH Propellers (1)								
		15 X 16 LH	AL	4	Diamond 4	QA2183X	48-834851A45	(2)
		14 1/2 X 18 LH	AL	4	Diamond 4	QA2185X	48-834853A45	(2)
		14 X 20 LH	AL	4	Diamond 4	QA2187X	48-834855A45	(2)
		15 3/4 X 15 LH	SS	3	Thunderbolt	QS5003X	48- 19841A46	(2)
		15 1/2 X 17 LH	SS	3	Thunderbolt	QS5005X	48- 90159A46	(2)
		15 1/4 X 19 LH	SS	3	Thunderbolt	QS5007X	48- 13701A46	(2)
		14 3/4 X 21 LH	SS	3	Thunderbolt	QS5009X	48- 13703A46	(2)(3)
		14.6 X 17P LH	SS	4	Q4	48-8M0103527	48-857025A46	(2)(3)
		14.6 X 19P LH	SS	4	Q4	48-8M0103529	48-857027A46	(2)(3)
		14.6 X 21P LH	SS	4	Q4	48-8M0103531	48-857029A46	(2)(3)
		14.6 X 23P LH	SS	4	Q4	48-8M0103533	48-857031A46	(2)(3)

(2) Use Flo-Torq II attaching hardware kit 835257Q1. For Verado 4 cyl 135-200 HP use Flo-Torq II attaching hardware kit 835257Q10. For Verado 350, 350 SCl and 400R use Flo-Torq II attaching hardware kit 840389Q06. Purchase separately.

(3) Use Flo-Torq hub kit 835257Q6 for surface piercing applications with Torrent and Q4 propellers. Purchase separately.

SUZUKI OUTBOARD APPLICATION CHARTS

8-15 Horsepower - Suzuki

DF 8 HP 2010 & Newer
 DT 9.9 HP 1983-87
 DF 9.9 HP 1997 & Newer
 DT 15 HP 1983-88
 DT 15C HP 1989-97
 DF 15 HP 1997 & Newer
 10 Tooth Spline

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
14-19 / 4.2-5.8	19-24 / 31-39	9 1/4 X 10 RH	AL	3	Black Diamond	QA2270R	58100-93773-09	Rubber Bushing
14-16 / 4.2-4.8	21-26 / 34-42	9 1/4 X 11 RH	AL	3	Black Diamond	QA2274R	58100-93743-019	Rubber Bushing

25-30 Horsepower - Suzuki

DT20 & 25 HP 1987-88
 DT20 & 25 HP 1983-86
 DF25 HP 1989 & Newer
 DT25C HP 1989-2000
 DF30 HP 2000 & Newer
 DT30 HP 1983-86
 DT30, 30C HP 1987-97
 10 Tooth Spline

Use Suzuki OEM stopper Part No. 57632-96400 on DT20/25 1983-86 & DT30 1983-86.

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
20+ / 6.1+	to 16 / to 26	11 X 9 RH	AL	3	Black Diamond	QA2242R	58100-96370-019	Rubber Bushing
17-20 / 5.2-6.1	10-20 / 16-32	10.5 X 11 RH	AL	3	Black Diamond	QA2248R	58100-96420-019	Rubber Bushing

35-65 Horsepower - Suzuki - Reflex Hub

DT35C HP 1987-90
 DT40, DF40 HP 1983 & Newer
 DF 50 1999 and Newer
 DT50,50M HP 1983-84
 DT55 HP 1985-97
 DT60 HP 1983-84
 DT65 HP 1985-97
 13 Tooth Spline

Flo-Torq Reflex Propeller.

Replace existing forward and aft washer with Quicksilver kit 8M0088039. Purchase separately.

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	Hub System
20+ / 6.1+	to 14 / to 23	12 1/2 X 8 RH	AL	3	Black Diamond	QA2060X	Flo-Torq Reflex(1)
19-21 / 5.8-6.4	13-18 / 21-29	12 1/4 X 9 RH	AL	3	Black Diamond	QA2062X	Flo-Torq Reflex(1)
17-20 / 5.2-6.1	18-22 / 29-35	11 1/4 X 10 RH	AL	3	Black Diamond	QA2064X	Flo-Torq Reflex(1)
15-18 / 4.5-5.5	23-28 / 37-45	10 3/4 X 12 RH	AL	3	Black Diamond	QA2072X	Flo-Torq Reflex(1)
14-18 / 4.2-5.5	27-32 / 44-52	10 1/2 X 13 RH	AL	3	Black Diamond	QA2076X	Flo-Torq Reflex(1)
14-18 / 4.2-5.5	27-32 / 44-52	10 3/8 X 13 RH	AL	3	Black Diamond	QA2078X	Flo-Torq Reflex(1)
14-16 / 4.2-4.8	31-35 / 50-56	10 3/8 X 14 RH	AL	3	Black Diamond	QA2080X	Flo-Torq Reflex(1)
14-16 / 4.2-4.8	31-35 / 50-56	10 1/4 X 14 RH	AL	3	Black Diamond	QA2082X	Flo-Torq Reflex(1)
13-15 / 3.9-4.5	34-39 / 55-63	10 1/8 X 15 RH	AL	3	Black Diamond	QA2084X	Flo-Torq Reflex(1)
15-18 / 4.5-5.5	23-28 / 37-45	10.6 X 12 RH	AL	4	Nemesis	48-8M8027511	Flo-Torq Reflex(1)
14-18 / 4.2-5.5	27-32 / 44-52	10.3 X 13 RH	AL	4	Nemesis	48-8M8027512	Flo-Torq Reflex(1)
14-16 / 4.2-4.8	31-35 / 50-56	10.1 X 14 RH	AL	4	Nemesis	48-8M8027513	Flo-Torq Reflex(1)
13-15 / 3.9-4.5	34-39 / 55-63	10.1 X 15 RH	AL	4	Nemesis	48-8M8027514	Flo-Torq Reflex(1)
15-18 / 4.5-5.5	23-28 / 37-45	11 X 12 RH	SS	3	Silverado	QS5164X	Flo-Torq Reflex(1)
14-18 / 4.2-5.5	27-32 / 44-52	10 1/2 X 13 RH	SS	3	Silverado	QS5166X	Flo-Torq Reflex(1)

SUZUKI OUTBOARD APPLICATION CHARTS

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	Hub System
14-16 / 4.2-4.8	31-35 / 50-56	10 3/8 X 14 RH	SS	3	Silverado	QS5168X	Flo-Torq Reflex(1)
to 15 / to 4.5	34-39 / 55-63	10 1/4 X 15 RH	SS	3	Silverado	QS5170X	Flo-Torq Reflex(1)

(1) Replace existing forward and aft washer with Quicksilver kit 8M0088039. Purchase separately.

35-65 Horsepower - Suzuki - Rubber Hub

DT35C HP 1987-90
 DT40, DF40 HP 1983 & Newer
 DF 50 1999 and Newer
 DT50, 50M HP 1983-84
 DT55 HP 1985-97
 DT60 HP 1983-84
 DT65 HP 1985-97
 13 Tooth Spline

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
16-19 / 4.8-5.8	21-25 / 34-40	11 1/2 X 11 RH	AL	3	Black Diamond	QA2226R	58100-95222-019	Rubber Bushing
14-18 / 4.3-5.5	27-32 / 44-52	11 1/2 X 13 RH	AL	3	Black Diamond	QA2078X	58100-94313-019	Rubber Bushing
14-16 / 4.3-4.8	31-35 / 50-56	11 1/2 X 14 RH	AL	3	Black Diamond		58100-95353-019	Rubber Bushing
13-15 / 3.9-4.5	34-39 / 55-63	11 1/2 X 15 RH	AL	3	Black Diamond	QA2234R	58100-95363-019	Rubber Bushing
to 15 / to 4.5	35-47 / 56-76	11 1/2 X 17 RH	AL	3	Black Diamond		58100-95382-019	Rubber Bushing

60-70 Hp (4-Stroke), 75-140 Hp (2-Stroke) - Suzuki

DF60 HP 1998 & Newer
 DF70 HP 1998-2008
 DT75 HP 1992-97
 DT75 HP 1983-91
 DT85 HP 1992-2000
 DT85 HP 1979-91
 DT90 HP 1989-97
 DT100 HP 1989 and Newer
 DT115, 140 HP 1992 & Newer
 DT115, 140 HP 1981-91
 13 Tooth Spline

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
Pontoon	-	14 X 13 RH extra cup	AL	3	Black Diamond	QA3832X		(1)
18-20 / 5.5-6.1	25-32 / 40-52	13 3/4 X 15 RH	AL	3	Black Diamond	QA2208X	58100-95500-019	(1)
17-19 / 5.2-5.8	30-38 / 48-61	13 1/4 X 17 RH	AL	3	Black Diamond	QA2206X	58100-95511-019	(1)
17-19 / 5.2-5.8	30-38 / 48-61	13 1/8 X 16 RH	SS	3	Silverado	QS5136X	99105-00100-16P	(1)
15-18 / 4.5-5.5	35-41 / 56-66	13 X 18 RH	SS	3	Silverado	QS5138X	99105-00100-18P	(1)

(1) Use Flo-Torq II attaching hardware kit 835282Q1. Purchase separately.

70-140 Horsepower (4-Stroke) - Suzuki

DF 70-100 HP 2009 and Newer
 DF 115-140 HP 2002 & Newer
 15 Tooth Spline

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
House/Work	to 14 / to 23	14 X 9 RH	AL	3	Black Diamond	QA2026X	854340A45	(1)(2)(3)(4)
Work/Pontoon	to 19 / to 31	14 X 10 RH	AL	3	Black Diamond	QA2028X	845342A45	(1)(2)(3)(4)
Pontoon	to 19 / to 31	14 X 10 RH	AL	3	Black Diamond	QA2828X	845342CP1	(1)(2)(3)(4)
23' + / 7.0+	to 21 / to 34	14 X 11 RH	AL	3	Black Diamond	QA2030X	77338A45	(1)(2)(3)(4)
Pontoon	to 21 / to 34	14 X 11 RH	AL	3	Black Diamond	QA2830X	77338CP1	(1)(2)(3)(4)
20' + / 6.1+	19-27 / 31-44	14 X 13 RH	AL	3	Black Diamond	QA2032X	77340A45	(1)(2)(3)(4)
Pontoon	19-27 / 31-44	14 X 13 RH	AL	3	Black Diamond	QA2832X	77340CP1	(1)(2)(3)(4)
18-20 / 5.5-6.1	25-32 / 40-52	13 3/4 X 15 RH	AL	3	Black Diamond	QA2034X	77342A45	(1)(2)(3)(4)
17-19 / 5.2-5.8	30-38 / 48-61	13 1/4 X 17 RH	AL	3	Black Diamond	QA2036X	77344A45	(1)(2)(3)(4)
15-18 / 4.5-5.5	35-41 / 56-66	13 X 19 RH	AL	3	Black Diamond	QA2038X	77346A45	(1)(2)(3)(4)
14-17 / 4.2-5.2	39-46 / 63-74	12 3/4 X 21 RH	AL	3	Black Diamond	QA2040X	77348A45	(1)(2)(3)(4)

SUZUKI OUTBOARD APPLICATION CHARTS

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
to 16 / to 4.8	44-50 / 71-81	12 1/2 X 23 RH	AL	3	Black Diamond	QA2042X	77350A45	(1)(2)(3)(4)
Pontoon	to 19 / to 31	13.8 X 10 RH	AL	4	Nemesis Pontoon	48-8M8027497		(1)(2)(3)(4)
Pontoon	to 21 / to 34	13.8 X 11 RH	AL	4	Nemesis Pontoon	48-8M8027498		(1)(2)(3)(4)
Pontoon	19-27 / 31-44	13.8 X 13 RH	AL	4	Nemesis Pontoon	48-8M8027500		(1)(2)(3)(4)
18-20 / 5.5-6.1	25-32 / 40-52	13.4 X 15 RH	AL	4	Nemesis	48-8M8027502		(1)(2)(3)(4)
17-19 / 5.2-5.8	30-38 / 48-61	13.0 X 17 RH	AL	4	Nemesis	48-8M8027504		(1)(2)(3)(4)
15-18 / 4.5-5.5	35-41 / 56-66	12.5 X 19 RH	AL	4	Nemesis	48-8M8027506		(1)(2)(3)(4)
Pontoon	19-27 / 31-44	14 X 13 RH	AL	4	Q4	48-8M0055559		(1)(2)(3)(4)
18-20 / 5.5-6.1	25-32 / 40-52	13.5 X 15 RH	AL	4	Q4	48-8M0055560		(1)(2)(3)(4)
17-19 / 5.2-5.8	30-38 / 48-61	13.0 X 17 RH	AL	4	Q4	48-8M0055561		(1)(2)(3)(4)
15-18 / 4.5-5.5	35-41 / 56-66	12.7 X 19 RH	AL	4	Q4	48-8M0055562		(1)(2)(3)(4)
14-17 / 4.2-5.2	39-46 / 63-74	12.7 X 21 RH	AL	4	Q4	48-8M0055563		(1)(2)(3)(4)
23-26 / 7.0-7.8	25-29 / 42-47	14 X 10 RH	SS	3	Silverado	48-8M0055292		(1)
21-25 / 6.4-7.8	27-31 / 45-50	14 X 12 RH	SS	3	Silverado	48-8M0055293		(1)
18-20 / 5.5-6.1	25-32 / 40-52	13 3/8 X 14 RH	SS	3	Silverado	QS5114X	17314A46	(1)(2)(3)(4)
17-19 / 5.2-5.8	30-38 / 48-61	13 1/8 X 16 RH	SS	3	Silverado	QS5116X	16986A46	(1)(2)(3)(4)
15-18 / 4.5-5.5	35-41 / 56-66	13 X 18 RH	SS	3	Silverado	QS5118X	16988A46	(1)(2)(3)(4)

(1) For 90-115HP 2001 - 2008 use Flo-Torq II attaching hardware kit 835283Q 1

(2) For 100-115HP 2009 and newer use Flo-Torq II attaching hardware kit 835283Q 2

(3) For 140HP use Flo-Torq II attaching hardware kit 835283Q 2

(4) For 70-90HP 2009 and newer use Flo-Torq II attaching hardware kit 835283Q03

150-300 Horsepower - Suzuki

DT150/150S HP 1986 & Newer

DT175 HP 1986-92

DT200 HP 1986-2000

DT225 HP 1990 & Newer

DF150- DF300 All Years

15 Tooth Spline

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
Pontoon	to 26 / to 42	14 X 12 RH	AL	4	Nemesis	48-8M0055531		(2)
Pontoon	to 29 / to 46	14 X 14 RH	AL	4	Nemesis	48-8M0055533		(2)
21-25 / 6.4-7.8	36-44 / 58-71	14 X 17 RH	AL	4	Nemesis	48-8M0055534		(2)
19-23 / 5.8-7.0	42-50 / 68-81	14 X 19 RH	AL	4	Nemesis	48-8M0055535		(2)
18-22 / 5.5-6.7	47-56 / 76-90	14 X 21 RH	AL	4	Nemesis	48-8M0055536		(2)
17-20 / 5.2-6.1	53-61 / 85-98	14 X 23 RH	AL	4	Nemesis	48-8M0055537		(2)
22-27 / 6.7-8.2	30-38 / 48-61	15 1/2 X 15 RH	AL	3	Black Diamond	QA2008X		(2)
21-25 / 6.4-7.8	36-44 / 58-71	15 X 17 RH	AL	3	Black Diamond	QA1912X		(2)
19-23 / 5.8-7.0	42-50 / 68-81	14 1/2 X 19 RH	AL	3	Black Diamond	QA1916X		(2)
18-22 / 5.5-6.7	47-56 / 76-90	14 1/4 X 21 RH	AL	3	Black Diamond	QA1918X		(2)
17-20 / 5.2-6.1	53-61 / 85-98	14 X 23 RH	AL	3	Black Diamond	QA1920X		(2)
21-25 / 6.4-7.8	36-44 / 58-71	15 X 16 RH	AL	4	Diamond 4	QA2182X		(2)
19-23 / 5.8-7.0	42-50 / 68-81	14 1/2 X 18 RH	AL	4	Diamond 4	QA2184X		(2)
18-22 / 5.5-6.7	47-56 / 76-90	14 X 20 RH	AL	4	Diamond 4	QA2186X		(2)
22-27 / 6.7-8.2	30-38 / 48-61	14 1/2 X 15 RH	SS	3	Silverado	QS5050X	99105-00200-16P	(2)
21-25 / 6.4-7.8	36-44 / 58-71	14 1/2 X 17 RH	SS	3	Silverado	QS5052X	99105-00200-18P	(2)
19-23 / 5.8-7.0	42-50 / 68-81	14 X 19 RH	SS	3	Silverado	QS5054X		(2)
18-22 / 5.5-6.7	47-56 / 76-90	13 3/4 X 21 RH	SS	3	Silverado	QS5056X		(2)
21-25 / 6.4-7.8	36-44 / 58-71	13 1/2 X 17	SS	5	QST 5	QS1154X		(2)
19-23 / 5.8-7.0	42-50 / 68-81	13 1/3 X 19	SS	5	QST 5	QS758X		(2)
18-22 / 5.5-6.7	47-56 / 76-90	13 1/3 X 21	SS	5	QST 5	QS5866X		(2)
22-27 / 6.7-8.2	30-38 / 48-61	15 3/4 X 15 RH	SS	3	Thunderbolt	QS5002X		(2)
21-25 / 6.4-7.8	36-44 / 58-71	15 1/2 X 17 RH	SS	3	Thunderbolt	QS5004X		(2)
19-23 / 5.8-7.0	42-50 / 68-81	15 1/4 X 19 RH	SS	3	Thunderbolt	QS5006X		(2)
18-22 / 5.5-6.7	47-56 / 76-90	14 3/4 X 21 RH	SS	3	Thunderbolt	QS5008X		(2)

SUZUKI OUTBOARD APPLICATION CHARTS

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
18-22 / 5.5-6.7	47-56 / 76-90	14 5/8 X 21 RH	SS	3	Torrent	QS5862X		(2)(3)
17-20 / 5.2-6.1	53-61 / 85-98	14 5/8 X 23 RH	SS	3	Torrent	QS5864X		(2)(3)
to 19 / to 5.8	59-69 / 95-111	14 5/8 X 25 RH	SS	3	Torrent	QS5866X		(2)(3)
Pontoon	10-25 / 16-40	16 X 11P RH	SS	3	Q3	48-8M0103516		(2)
Pontoon	11-26 / 17-41	15.6 X 13P RH	SS	3	Q3	48-8M0103517		(2)
Pontoon	12-27 / 18-42	15.3 X 14P RH	SS	3	Q3	48-8M0103518		(2)
Pontoon/Cruiser	17-30 / 27-49	15 X 15P RH	SS	3	Q3	48-8M0103519		(2)
21-26 / 6.4-7.8	24-36 / 39-58	14.7 X 16P RH	SS	3	Q3	48-8M0103520		(2)
21-26 / 6.4-7.8	30-42 / 48-68	14.5 X 17P RH	SS	3	Q3	48-8M0103521		(2)
19-22 / 5.8-6.7	33-45 / 53-73	14.2 X 18P RH	SS	3	Q3	48-8M0103522		(2)
19-22 / 5.8-6.7	36-49 / 58-79	14 X 19P RH	SS	3	Q3	48-8M0103523		(2)
17-20 / 5.2-6.1	39-52 / 63-84	13.8 X 20P RH	SS	3	Q3	48-8M0103524		(2)
17-20 / 5.2-6.1	42-56 / 68-90	13.6 X 21P RH	SS	3	Q3	48-8M0103525		(2)
21-26 / 6.4-7.8	30-42 / 48-68	14.6 X 17P RH	SS	4	Q4	48-8M0103526		(2)
19-22 / 5.8-6.7	36-49 / 58-79	14.6 X 19P RH	SS	4	Q4	48-8M0103528		(2)
17-20 / 5.2-6.1	42-56 / 68-90	14.6 X 21P RH	SS	4	Q4	48-8M0103530		(2)
15-19 / 4.5-5.8	50-64 / 81-103	14.6 X 23P RH	SS	4	Q4	48-8M0103532		(2)
LH Propellers (1)								
		15 X 16 LH	AL	4	Diamond 4	QA2183X		(2)
		14 1/2 X 18 LH	AL	4	Diamond 4	QA2185X		(2)
		14 X 20 LH	AL	4	Diamond 4	QA2187X		(2)
		15 3/4 X 15 LH	SS	3	Thunderbolt	QS5003X		(2)(3)
		15 1/2 X 17 LH	SS	3	Thunderbolt	QS5005X		(2)
		15 1/4 X 19 LH	SS	3	Thunderbolt	QS5007X		(2)
		14 3/4 X 21 LH	SS	3	Thunderbolt	QS5009X		(2)(3)
		14.6 X 17 LH	SS	4	Q4	48-8M0103527		(2)(3)
		14.6 X 19 LH	SS	4	Q4	48-8M0103529		(2)(3)
		14.6 X 21 LH	SS	4	Q4	48-8M0103531		(2)(3)
		14.6 X 23 LH	SS	4	Q4	48-8M0103533		(2)(3)

(2) Use Flo-Torq II attaching hardware kit 835281Q1. Purchase separately.

(3) Use forward bushing 23-856163Q1 along with Flo-Torq hub kit for surface piercing applications with Torrent propellers. Purchase separately.

TOHATSU/NISSAN OUTBOARD APPLICATION CHARTS

2.5 -3.5 Horsepower - Tohatsu/Nissan

2.5 - 3.5 Horsepower
 2.5 HP 1990 & Newer
 3 HP 1990 - 1992
 3.3 HP 1993 & Newer
 Pin Drive

Length (ft/m)	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
All Purpose	7.4 X 6 RH	Plastic	3	Black Diamond	48-8M0081592	48-815083A01	Pin Drive
All Purpose	7.4 X 7 RH	Plastic	3	Black Diamond		48-815083A02	Pin Drive

4-6 Horsepower - Tohatsu/Nissan

4 -6 Horspower
 4 - 5 HP 2-Stroke 1987 & Newer
 4, 5, 6 HP -Stroke 1999 & Newer
 12 Tooth Spline

Length (ft/m)	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
All Purpose	7.8 X 9 RH	AL	3	Black Diamond	48-8M0081239		Rubber Bushing
All Purpose	7.8 X 7 RH	AL	3	Black Diamond	QA3182R	48-812949A02(1)	Rubber Bushing
All Purpose	7.8 X 8 RH	AL	3	Black Diamond	QA3184R	48-812950A02(2)	Rubber Bushing
All Purpose	7.9 X 6 RH	AL	3	Black Diamond	48-8M0081238	48-8M0081143	Rubber Bushing

(1) Standard with 4 Hp, 2-Stroke and FourStroke

(2) Standard with 5 and 6 Hp FourStroke

8/9.9 Horsepower (4-Stroke) - Tohatsu/Nissan

8/9.9 (4-Stroke)
 12 Tooth Spline

Length (ft/m)	Current MPH/KPH	Propeller Size	Material	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
Kicker		8.7 x 5 RH	Alum	4	Black Diamond	QA2148R	48-812954A10	Rubber Bushing
16 + / 4.8 +	to 12 / to 19	8.9 x 6.5 RH	Alum	3	Black Diamond	QA2150R	48-897610A10	Rubber Bushing
14-17 / 4.2-5.2	8-17 / 14-27	8.9 x 7.5 RH	Alum	3	Black Diamond	QA2154R	48-897614A10(1)	Rubber Bushing
13-16 / 3.9-4.8	12-21 / 19-34	8.9 x 8.5 RH	Alum	3	Black Diamond	QA2158R	48-897618A10(2)	Rubber Bushing

(1) Standard with 8 Hp FourStroke

(2) Standard with 9.9 Hp FourStroke

9.9-20 Horsepower Tohatsu/Nissan

9.9 HP 1984 and Newer
 9.9 HP 4-Stroke 2000 and Newer
 12 HP 1985-1988
 15 HP 4-Stroke 2000 and Newer
 15/18 HP 1995 and Newer
 18/20 HP 4-Stroke 2001 and Newer
 14 Tooth Spline

Length	Current MPH/KPH	Propeller Size	Material	Blades	Style	Quicksilver P/N	Hub System
Kicker		10 x 5	AL	4	Black Diamond	QA2178R	Rubber Hub
15-19 / 4.6-5.8	5-12 / 8-19	9 1/2 X 8 RH	AL	3	Black Diamond	QA2171R	Rubber Hub
14-17 / 4.3-5.2	10-16 / 16-26	9 1/4 X 9 RH	AL	3	Black Diamond	QA2173R	Rubber Hub
to 16 / to 4.9	13-20 / 21-32	9 1/4 X 10 RH	AL	3	Black Diamond	QA2175R	Rubber Hub

TOHATSU/NISSAN OUTBOARD APPLICATION CHARTS

25-30 Horsepower 4-Stroke - Totahsu/Nissan

25 HP 1986 and Newer
30 HP 1985 and Newer
10 Tooth Spline

Length (ft/m)	Current MPH/KPH	Propeller Size	Material	Blades	Style	Quicksilver P/N	Hub System
16+ / 4.8+	to 20 / to 32	10 x 8 RH	Alum	3	Black Diamond	QA2190R	Rubber Bushing
13-17 / 3.9-5.2	17-26 / 27-42	9-3/4 x 9-1/2 RH	Alum	3	Black Diamond	QA2192R	Rubber Bushing
13-16 / 3.9-4.8	21-31 / 34-47	9-1/2 x 11 RH	Alum	3	Black Diamond	QA2196R	Rubber Bushing
to 16 / to 4.8	25-36 / 40-58	9-1/4 x 12-1/2 RH	Alum	3	Black Diamond	QA2200R	Rubber Bushing
13-17 / 3.9-5.2	17-26 / 27-42	9.3 x 9.5 RH	Alum	4	Nemesis	48-8M8027516	Rubber Bushing
13-16 / 3.9-4.8	21-31 / 34-47	9.3 X 11 RH	Alum	4	Nemesis	48-8M8027517	Rubber Bushing

35-50 Hp Tohatsu/Nissan

35 HP (35B Only) 1984 and Earlier
50 HP (50D Only) 1991
40 HP 1984 and Newer
50 HP 1992 and Newer
13 Tooth Spline

Flo-Torq Reflex Propeller. Replace existing forward and aft washer with Quicksilver kit 8M0053074. Purchase separately.

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	Hub System
20+ / 6.1+	to 14 / to 23	12 1/2 X 8 RH	AL	3	Black Diamond	QA2060X	Flo-Torq Reflex(1)
19-21 / 5.8-6.4	13-18 / 21-29	12 1/4 X 9 RH	AL	3	Black Diamond	QA2062X	Flo-Torq Reflex(1)
17-20 / 5.2-6.1	18-22 / 29-35	11 1/4 X 10 RH	AL	3	Black Diamond	QA2064X	Flo-Torq Reflex(1)
16-19 / 4.8-5.8	21-25 / 34-41	10 7/8 X 11 RH	AL	3	Black Diamond	QA2070X	Flo-Torq Reflex(1)
15-18 / 4.5-5.5	23-28 / 37-45	10 3/4 X 12 RH	AL	3	Black Diamond	QA2072X	Flo-Torq Reflex(1)
15-18 / 4.5-5.5	23-28 / 37-45	10 5/8 X 12 RH	AL	3	Black Diamond	QA2074X	Flo-Torq Reflex(1)
14-18 / 4.2-5.5	27-32 / 44-52	10 1/2 X 13 RH	AL	3	Black Diamond	QA2076X	Flo-Torq Reflex(1)
14-18 / 4.2-5.5	27-32 / 44-52	10 3/8 X 13 RH	AL	3	Black Diamond	QA2078X	Flo-Torq Reflex(1)
14-16 / 4.2-4.8	31-35 / 50-56	10 3/8 X 14 RH	AL	3	Black Diamond	QA2080X	Flo-Torq Reflex(1)
14-16 / 4.2-4.8	31-35 / 50-56	10 1/4 X 14 RH	AL	3	Black Diamond	QA2082X	Flo-Torq Reflex(1)
13-15 / 3.9-4.5	34-39 / 55-63	10 1/8 X 15 RH	AL	3	Black Diamond	QA2084X	Flo-Torq Reflex(1)
15-18 / 4.5-5.5	23-28 / 37-45	10.6 X 12 RH	AL	4	Nemesis	48-8M8027511	Flo-Torq Reflex(1)
14-18 / 4.2-5.5	27-32 / 44-52	10.3 X 13 RH	AL	4	Nemesis	48-8M8027512	Flo-Torq Reflex(1)
14-16 / 4.2-4.8	31-35 / 50-56	10.1 X 14 RH	AL	4	Nemesis	48-8M8027513	Flo-Torq Reflex(1)
13-15 / 3.9-4.5	34-39 / 55-63	10.1 X 15 RH	AL	4	Nemesis	48-8M8027514	Flo-Torq Reflex(1)
15-18 / 4.5-5.5	23-28 / 37-45	11 X 12 RH	SS	3	Silverado	QS5164X	Flo-Torq Reflex(1)
14-18 / 4.2-5.5	27-32 / 44-52	10 1/2 X 13 RH	SS	3	Silverado	QS5166X	Flo-Torq Reflex(1)
14-16 / 4.2-4.8	31-35 / 50-56	10 3/8 X 14 RH	SS	3	Silverado	QS5168X	Flo-Torq Reflex(1)
to 15 / to 4.5	34-39 / 55-63	10 1/4 X 15 RH	SS	3	Silverado	QS5170X	Flo-Torq Reflex(1)

(1) Flo-Torq Reflex Propeller. Replace existing forward and aft washer with Quicksilver kit 8M0053074. Purchase separately.

70-140 Horsepower - Tohatsu/Nissan

70C HP 1996 & Newer
90 HP 1987 & Newer
115 HP 1992 & Newer
120 HP 1988 & Newer
140 HP 1988 & Newer

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
House/Work	7-16 / 11-22	14 X 9 RH	AL	3	Black Diamond	QA2026X	3B764-5230M	(1)
Pontoon/Work	9-19 / 15-31	14 X 10 RH	AL	3	Black Diamond	QA2028X		(1)
Pontoon	9-19 / 15-31	14 X 10 RH	AL	3	Black Diamond	QA2828X		(1)(2)
House/Work	12-22 / 19-35	14 X 11 RH	AL	3	Black Diamond	QA2030X	3B764-5270M	(1)
Pontoon	12-22 / 19-35	14 X 11 RH	AL	3	Black Diamond	QA2830X		(1)(2)
22-29 / 6.7-8.8	14-28 / 23-45	14 X 13 RH	AL	3	Black Diamond	QA2032X	3B764-5320M	(1)
Pontoon	14-28 / 23-45	14 X 13 RH	AL	3	Black Diamond	QA2832X		(1)(2)

TOHATSU/NISSAN OUTBOARD APPLICATION CHARTS

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
21-26 / 6.4-7.8	24-36 / 39-58	13 3/4 X 15 RH	AL	3	Black Diamond	QA2034X	3B764-5360M	(1)
18-21 / 5.5-6.4	30-42 / 48-68	13 1/4 X 17 RH	AL	3	Black Diamond	QA2036X	3B764-5410M	(1)
17-20 / 5.2-6.1	38-50 / 61-81	13 X 19 RH	AL	3	Black Diamond	QA2038X	3B764-5451M	(1)
15-18 / 4.5-5.5	44-56 / 71-90	12 3/4 X 21 RH	AL	3	Black Diamond	QA2040X	3B764-5490M	(1)
15-17 / 4.5-5.2	48-62 / 77-100	12 1/2 X 23 RH	AL	3	Black Diamond	QA2042X		(1)
Pontoon	9-19 / 15-31	13.8 X 10 RH	AL	4	Nemesis Pontoon	48-8M8027497		(1)
Pontoon	12-22 / 19-35	13.8 X 11 RH	AL	4	Nemesis Pontoon	48-8M8027498		(1)
Pontoon	14-28 / 23-4	13.8 X 13 RH	AL	4	Nemesis Pontoon	48-8M8027500		(1)
21-26 / 6.4-7.8	24-36 / 39-58	13.4 X 15 RH	AL	4	Nemesis	48-8M8027502		(1)
18-21 / 5.5-6.4	30-42 / 48-68	13.0 X 17 RH	AL	4	Nemesis	48-8M8027504		(1)
17-20 / 5.2-6.1	38-50 / 61-81	12.5 X 19 RH	AL	4	Nemesis	48-8M8027506		(1)
Pontoon	14-28 / 23-4	14 X 13 RH	AL	4	Q4	48-8M0055559		(1)
21-26 / 6.4-7.8	24-36 / 39-58	13.5 X 15 RH	AL	4	Q4	48-8M0055560		(1)
18-21 / 5.5-6.4	30-42 / 48-68	13.0 X 17 RH	AL	4	Q4	48-8M0055561		(1)
17-20 / 5.2-6.1	38-50 / 61-81	12.7 X	AL	4	Q4	48-8M0055562		(1)
15-18 / 4.5-5.5	44-56 / 71-90	12.7 X	AL	4	Q4	48-8M0055563		(1)
23-26 / 7.0-7.8	25-29 / 42-47	14 X 10 RH	SS	3	Silverado	48-8M0055292		(1)
21-25 / 6.4-7.8	27-31 / 45-50	14 X 12 RH	SS	3	Silverado	48-8M0055292		(1)
21-26 / 6.4-7.9	24-36 / 39-58	13 3/8 X 14 RH	SS	3	Silverado	QS5114X		(1)
18-21 / 5.5-6.4	30-42 / 48-68	13 1/8 X 16 RH	SS	3	Silverado	QS5116X		(1)
17-20 / 5.2-6.1	38-50 / 61-81	13 X 18 RH	SS	3	Silverado	QS5118X		(1)

(1) Use Flo-Torq II attaching hardware kit 835284Q1. Purchase separately.

(2) Extra Cup Version.

YAMAHA OUTBOARD APPLICATION CHARTS

YAMAHA OUTBOARD APPLICATION CHARTS

8 Horsepower - Yamaha

8 HP 1976-83
Pin Drive

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
14-18 / 4.3-5.5	to 15 / to 24	8.25 X 7 RH	AL	3	Black Diamond	QA3178R		Rubber Bushing

9.9-20 Horsepower - Yamaha

9.9 HP 2-Stroke 1984 and Newer
F9.9 4-Stroke 2000-2007
15 HP 2-Stroke 1984 and Newer
F15 4-Stroke 2000 and Newer
F20 4-Stroke All Years
8 Tooth Spline

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
14-19 / 4.3-5.8	19-24 / 31-39	9 1/4 X 9 RH	AL	3	Black Diamond	QA3906R	683-45945-00-EL	Rubber Bushing
14-16 / 4.3-4.8	23-27 / 37-44	9 1/4 X 10 RH	AL	3	Black Diamond	QA3914R	683-45943-00-EL	Rubber Bushing

15-28 Horsepower - Yamaha

15 HP 1976-83
W15 1976-83
20 HP 1976-78
25 HP 1977-79
28 HP 1976-78
Pin Drive

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
12-16 / 3.6-4.8	20-28 / 32-45	9 X 10 RH	AL	3	Black Diamond	QA3150R	651-45947-00-36	Rubber Bushing
12-14 / 3.6-4.3	25-32 / 40-52	9 1/4 X 11 RH	AL	3	Black Diamond	QA3152R	653-45941-01-36	Rubber Bushing

20-30 Horsepower - Yamaha

20 HP 1996-97
25 HP 1980 and Newer
F25 4-Stroke 2000 and Newer
30 HP 1979 and Newer
F30 4-Stroke 2001 and Newer
10 Tooth Spline

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
15-17 / 4.5-5.2	18-26 / 29-42	9 7/8 X 10 1/2 RH	AL	3	Black Diamond	QA3808R	664-45945-00-EL	Rubber Bushing
14-16 / 4.3-4.8	19-28 / 31-45	9 7/8 X 11 1/4 RH	AL	3	Black Diamond	QA3810R	664-45947-01-EL	Rubber Bushing

T25-60 Horsepower - Yamaha

T25 All Years
40 HP 1984 and Newer
F40 4-Stroke 1999 and Newer
48 HP 1995-2000
50 HP (Excluding T50) 1984 & Newer
F50 4-Stroke 1999 and Newer
55 HP 1976-95
60 HP 1976-91
F60 4-Stroke 2002 and Newer
13 Tooth Spline

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
House/Work	to 16 / to 26	12 1/2 X 8 RH	AL	3	Black Diamond	QA2060X		(1)
18+ / 5.5+	16-20 / 26-32	12 1/4 X 9 RH	AL	3	Black Diamond	QA2062X	663-45956-01-EL	(1)
17+ / 5.2+	20-23 / 32-37	11 1/4 X 10 RH	AL	3	Black Diamond	QA2064X	6H5-45952-00-EL	(1)
16-18 / 4.8-5.5	23-30 / 37-48	10 7/8 X 11 RH	AL	3	Black Diamond	QA2070X	663-45947-02-EL	(1)
15-17 / 4.5-5.2	30-31 / 48-50	10 5/8 X 12 RH	AL	3	Black Diamond	QA2074X	6H5-45958-00-EL	(1)

YAMAHA OUTBOARD APPLICATION CHARTS

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
14-17 / 4.2-5.2	31-35 / 50-56	10 3/8 X 13 RH	AL	3	Black Diamond	QA2078X	6H5-45943-00-EL	(1)
14-16 / 4.2-4.8	35-38 / 56-61	10 1/4 X 14 RH	AL	3	Black Diamond	QA2082X	663-45958-01-EL	(1)
13-15 / 3.9-4.5	38-42 / 61-68	10 1/8 X 15 RH	AL	3	Black Diamond	QA2084X		(1)
15-17 / 4.5-5.2	30-31 / 48-50	10.6 X 12 RH	AL	4	Nemesis	48-8M8027511		(1)
14-17 / 4.2-5.2	31-35 / 50-56	10.3X 13 RH	AL	4	Nemesis	48-8M8027512		(1)
14-16 / 4.2-4.8	35-38 / 56-61	10.1 X 14 RH	AL	4	Nemesis	48-8M8027513		(1)
13-15 / 3.9-4.5	38-42 / 61-68	10.1 X 15 RH	AL	4	Nemesis	48-8M8027514		(1)
15-17 / 4.5-5.2	30-31 / 48-50	11 X 12 RH	SS	3	Silverado	QS5164X	663-45970-60-98	(1)
14-17 / 4.2-5.2	31-35 / 50-56	10 1/2 X 13 RH	SS	3	Silverado	QS5166X	663-45974-60-98	(1)
14-16 / 4.2-4.8	35-38 / 56-61	10 3/8 X 14 RH	SS	3	Silverado	QS5168X	663-45930-00-98	(1)
13-15 / 3.9-4.5	38-42 / 61-68	10 1/4 X 15 RH	SS	3	Silverado	QS5170X	663-45976-00-98	(1)

(1) Flo-Torq Reflex Propeller - All required hardware included

T50-130 Horsepower - Yamaha

T50 HP 4-Stroke 1996 and Newer
 60 HP 1992 and Newer
 T60 HP 4-Stroke 2003 and Newer
 70 HP 1984 and Newer
 75 HP 1994-2000
 F75 4-Stroke 2003 and Newer
 80 HP 1977, 2000 and Newer
 F80 HP 4-Stroke 1999 and Newer
 85 HP 1991-97
 90 HP 1984 and Newer
 F90 HP 4-Stroke 2003 and Newer
 F100 HP 4-Stroke 2000 and Newer
 115 HP 1984 and Newer
 F115 HP 4-Stroke 2000 and Newer
 130 HP 1984 and Newer
 15 Tooth Spline

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
House/Work	to 14 / to 23	14 X 9 RH	AL	3	Black Diamond	QA2026X		(1)
Pontoon/Work	to 19 / to 31	14 X 10 RH	AL	3	Black Diamond	QA2028X		(1)
Pontoon	to 19 / to 31	14 X 10 RH	AL	3	Black Diamond	QA2828X		(1)(2)
23'+ / 7.0+	to 21 / to 34	14 X 11 RH	AL	3	Black Diamond	QA2030X	6E5-45954-00-EL	(1)
Pontoon	to 21 / to 34	14 X 11 RH	AL	3	Black Diamond	QA2830X		(1)(2)
20'+ / 6.1+	19-27 / 31-44	14 X 13 RH	AL	3	Black Diamond	QA2032X	6E5-45949-00-EL	(1)
Pontoon	19-27 / 31-44	14 X 13 RH	AL	3	Black Diamond	QA2832X		(1)(2)
18-20 / 5.5-6.1	25-32 / 40-52	13 3/4 X 15 RH	AL	3	Black Diamond	QA2034X	6E5-45947-00-EL	(1)
17-19 / 5.2-5.8	30-38 / 48-61	13 1/4 X 17 RH	AL	3	Black Diamond	QA2036X	6E5-45945-01-EL	(1)
15-18 / 4.5-5.5	35-41 / 56-66	13 X 19 RH	AL	3	Black Diamond	QA2038X	6E5-45941-00-EL	(1)
14-17 / 4.2-5.2	39-46 / 63-74	12 3/4 X 21 RH	AL	3	Black Diamond	QA2040X	6E5-45943-00-EL	(1)
to 16 / to 4.8	44-50 / 71-81	12 1/2 X 23 RH	AL	3	Black Diamond	QA2042X	6E5-45952-00-EL	(1)
Pontoon	to 19 / to 31	13.8 X 10 RH	AL	4	Nemesis Pontoon	48-8M8027497		(1)
Pontoon	to 21 / to 34	13.8 X 11 RH	AL	4	Nemesis Pontoon	48-8M8027498		(1)
Pontoon	19-27 / 31-44	13.8 X 13 RH	AL	4	Nemesis Pontoon	48-8M8027500		(1)
18-20 / 5.5-6.1	25-32 / 40-52	13.4 X 15 RH	AL	4	Nemesis	48-8M8027502		(1)
17-19 / 5.2-5.8	30-38 / 48-61	13.0 X 17 RH	AL	4	Nemesis	48-8M8027504		(1)
15-18 / 4.5-5.5	35-41 / 56-66	12.5 X 19 RH	AL	4	Nemesis	48-8M8027506		(1)
Pontoon	19-27 / 31-44	14 X	AL	4	Q4	48-8M0055559		(1)
18-20 / 5.5-6.1	25-32 / 40-52	13.5 X	AL	4	Q4	48-8M0055560		(1)
17-19 / 5.2-5.8	30-38 / 48-61	13.0 X	AL	4	Q4	48-8M0055561		(1)
15-18 / 4.5-5.5	35-41 / 56-66	12.7 X	AL	4	Q4	48-8M0055562		(1)
14-17 / 4.2-5.2	39-46 / 63-74	12.7 X	AL	4	Q4	48-8M0055563		(1)
23-26 / 7.0-7.8	25-29 / 42-47	14 X 10 RH	SS	3	Silverado	48-8M0055292		(1)
21-25 / 6.4-7.8	27-31 / 45-50	14 X 12 RH	SS	3	Silverado	48-8M0055293		(1)

YAMAHA OUTBOARD APPLICATION CHARTS

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
18-20 / 5.5-6.1	25-32 / 40-52	13 3/8 X 14 RH	SS	3	Silverado	QS5114X	688-45932-60-98	(1)
17-19 / 5.2-5.8	30-38 / 48-61	13 1/8 X 16 RH	SS	3	Silverado	QS5116X	688-45978-60-98	(1)
15-18 / 4.5-5.5	35-41 / 56-66	13 X 18 RH	SS	3	Silverado	QS5118X	688-45930-02-98	(1)

(1) Use Flo-Torq II attaching hardware kit 835272Q1 on 50 to 100HP applications and kit 835271Q2 on 115 & 130HP units. Purchase separately.

(2) Extra Cup Version

150-300 Horsepower - Yamaha

150 HP 1986 and Newer, F150 4-Stroke 2004 and Newer
 175 HP 1984 and Newer
 200 HP 1984 and Newer, F200 HP 4-Stroke 2002 and Newer
 220 HP Special 1984-85
 225 HP Excel 1987-88
 225 HP 1986 and Newer, F225 HP 4-Stroke 2002 and Newer
 250 HP 1990 and Newer (Including VMAX), F250 HP 4-Stroke 2005 and Newer
 300 HP 2003 and Newer, 300 HPDI 2004 and Newer
 150-250 HP SHO 4-Stroke
 15 Tooth Spline

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
Pontoon	to 26 / to 42	14 X 12 RH	AL	4	Nemesis	48-8M0055531		(2)
Pontoon	to 29 / to 47	14 X 14 RH	AL	4	Nemesis	48-8M0055533		(2)
21-25 / 6.4-7.8	36-44 / 58-71	14 X 17 RH	AL	4	Nemesis	48-8M0055534		(2)
19-23 / 5.8-7.0	42-50 / 68-81	14 X 19 RH	AL	4	Nemesis	48-8M0055535		(2)
18-22 / 5.5-6.7	47-56 / 76-90	14 X 21 RH	AL	4	Nemesis	48-8M0055536		(2)
17-20 / 5.2-6.1	53-61 / 85-98	14 X 23 RH	AL	4	Nemesis	48-8M0055537		(2)
House/Work	to 24 / to 39	16 X 11 RH	AL	3	Black Diamond	QA2000X		(2)
25-30 / 7.8-9.1	23-32 / 37-52	16 X 13 RH	AL	3	Black Diamond	QA2004X		(2)
23-29 / 7.0-8.8	27-35 / 44-56	16 X 14 RH	AL	3	Black Diamond	QA2006X		(2)
22-27 / 6.7-8.2	30-38 / 48-61	15 1/2 X 15 RH	AL	3	Black Diamond	QA2008X	6G5-45941-00-98	(2)
23-26 / 6.7-7.9	33-40 / 53-65	16 X 16 RH	AL	3	Black Diamond	QA2010X	6G5-45952-00-98	(2)
21-25 / 6.4-8.8	36-44 / 58-71	15 X 17 RH	AL	3	Black Diamond	QA1912X		(2)
20-24 / 6.1-7.3	39-47 / 63-76	15 1/2 X 18 RH	AL	3	Black Diamond	QA2014X		(2)
19-23 / 5.8-7.0	42-50 / 68-81	14 1/2 X 19 RH	AL	3	Black Diamond	QA1916X		(2)
18-22 / 5.5-6.7	47-56 / 76-90	14 1/4 X 21 RH	AL	3	Black Diamond	QA1918X		(2)
17-20 / 5.2-6.1	53-61 / 86-98	14 X 23 RH	AL	3	Black Diamond	QA1920X	6G5-45949-00-98	(2)
21-25 / 6.4-8.8	36-44 / 58-71	15 X 16 RH	AL	4	Diamond 4	QA2182X		(2)
19-23 / 5.8-7.0	42-50 / 68-81	14 1/2 X 18 RH	AL	4	Diamond 4	QA2184X		(2)
18-22 / 5.5-6.7	47-56 / 76-90	14 X 20 RH	AL	4	Diamond 4	QA2186X		(2)
22-27 / 6.7-8.2	30-38 / 48-61	14 1/2 X 15 RH	SS	3	Silverado	QS5050X	6G5-45970-02-98	(2)
21-25 / 6.4-8.8	36-44 / 58-71	14 1/2 X 17 RH	SS	3	Silverado	QS5052X	6G5-45978-03-98	(2)
19-23 / 5.8-7.0	42-50 / 68-81	14 X 19 RH	SS	3	Silverado	QS5054X	6G5-45974-03-98	(2)
18-22 / 5.5-6.7	47-56 / 76-90	13 3/4 X 21 RH	SS	3	Silverado	QS5056X	6G5-45972-02-98	(2)
21-25 / 6.4-8.8	36-44 / 58-71	13 1/2 X 17	SS	5	QST 5	QS1154X		(2)
19-23 / 5.8-7.0	42-50 / 68-81	13 1/3 X 19	SS	5	QST 5	QS5758X		(2)
18-22 / 5.5-6.7	47-56 / 76-90	13 1/3 X 21	SS	5	QST5	QS5760X		(2)
22-27 / 6.7-8.2	30-38 / 48-61	15 3/4 X 15 RH	SS	3	Thunderbolt	QS5002X		(2)
21-25 / 6.4-8.8	36-44 / 58-71	15 1/2 X 17 RH	SS	3	Thunderbolt	QS5004X	6R4-45978-A0-00	(2)
19-23 / 5.8-7.0	42-50 / 68-81	15 1/4 X 19 RH	SS	3	Thunderbolt	QS5006X	6R4-45970-A0-00	(2)
18-22 / 5.5-6.7	47-56 / 76-90	14 3/4 X 21 RH	SS	3	Thunderbolt	QS5008X	6R4-45972-A0-00	(2)
18-22 / 5.5-6.7	47-56 / 76-90	14 5/8 X 21 RH	SS	3	Torrent	QS5862X		(2)(3)
17-20 / 5.2-6.1	53-61 / 86-98	14 5/8 X 23 RH	SS	3	Torrent	QS5864X		(2)(3)
to 19 / to 5.8	59-69 / 95-111	14 5/8 X 25 RH	SS	3	Torrent	QS5866X		(2)(3)
Pontoon	10-25 / 16-40	16 X 11P RH	SS	3	Q3	48-8M0103516		(2)
Pontoon	11-26 / 17-41	15.6 X 13P RH	SS	3	Q3	48-8M0103517		(2)
Pontoon	12-27 / 18-42	15.3 X 14P RH	SS	3	Q3	48-8M0103518		(2)
Pontoon/Cruiser	17-30 / 27-49	15 X 15P RH	SS	3	Q3	48-8M0103519		(2)

YAMAHA OUTBOARD APPLICATION CHARTS

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
21-26 / 6.4-7.8	24-36 / 39-58	14.7 X 16P R	SS	3	Q3	48-8M0103520		(2)
21-26 / 6.4-7.8	30-42 / 48-68	14.5 X 17P RH	SS	3	Q3	48-8M0103521		(2)
19-22 / 5.8-6.7	33-45 / 53-73	14.2 X 18P RH	SS	3	Q3	48-8M0103522		(2)
19-22 / 5.8-6.7	36-49 / 58-79	14 X 19P RH	SS	3	Q3	48-8M0103523		(2)
17-20 / 5.2-6.1	39-52 / 63-84	13.8 X 20P RH	SS	3	Q3	48-8M0103524		(2)
17-20 / 5.2-6.1	42-56 / 68-90	13.6 X 21P RH	SS	3	Q3	48-8M0103525		(2)
21-26 / 6.4-7.8	30-42 / 48-68	14.6 X 17P RH	SS	4	Q4	48-8M0103526		(2)(3)
19-22 / 5.8-6.7	36-49 / 58-79	14.6 X 19P RH	SS	4	Q4	48-8M0103528		(2)(3)
17-20 / 5.2-6.1	42-56 / 68-90	14.6 X 21P RH	SS	4	Q4	48-8M0103530		(2)(3)
15-19 / 4.5-5.8	50-64 / 81-103	14.6 X 23P RH	SS	4	Q4	48-8M0103533		(2)(3)
LH Propellers (1)								
		15 X 16 LH	AL	4	Diamond 4	QA2183X		(2)
		14 1/2 X 18 LH	AL	4	Diamond 4	QA2185X		(2)
		14 X 20 LH	AL	4	Diamond 4	QA2187X		(2)
		15 3/4 X 15 LH	SS	3	Thunderbolt	QS5003X		(2)
		15 1/2 X 17 LH	SS	3	Thunderbolt	QS5005X	6R1-45978-A0-00	(2)
		15 1/4 X 19 LH	SS	3	Thunderbolt	QS5007X	6R1-45970-A0-00	(2)
		14 3/4 X 21 LH	SS	3	Thunderbolt	QS5009X	6R1-45972-A0-00	(2)
		14.6 X 17P LH	SS	4	Q4	48-8M0103527		(2)(3)
		14.6 X 19P LH	SS	4	Q4	48-8M0103529		(2)(3)
		14.6 X 21P LH	SS	4	Q4	48-8M0103531		(2)(3)
		14.6 X 23P LH	SS	4	Q4	48-8M0103533		(2)(3)

(2) Use Flo-Torq II attaching hardware kit 835271Q2. Use Flo-Torq II attaching hardware kit 8M0075402 with 200-250 HP SOH. Purchase separately.

(3) Use forward bushing 23-856163Q1 along with Flo-Torq hub kit for surface piercing applications with Q4 and Torrent propellers. Purchase separately.

MERCUISER STERNDRIVE APPLICATION CHARTS

MERCUISER STERNDRIVE APPLICATION CHARTS

ALPHA ONE, MERCUISER I

MERCUISER I 120-190 HP
 Models 470, 485, 888, 898, 225S & 233
 ALPHA ONE 1986 AND NEWER
 4.5 Liter 200 HP 2014 and Newer
 2.5 Liter 120HP 1986-89
 3.0 Liter 125-140HP 1986 & Newer
 3.7 Liter 165-190HP 1986-89

Warning! Check for adequate tip clearance with stainless and 4 blade aluminum props. If necessary, switch to a flat tab anode (76214Q 5) or high performance trim tab (822777Q 1) to permit clearance.

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
Work / House	to 26 / to 42	14 X 12 RH	AL	4	Nemesis	48-8M0055531	48-8M0084491	(2)
Work / House	to 29 / to 46	14 X 14 RH	AL	4	Nemesis	48-8M0055533	48-8M0084493	(2)
21-25 / 6.4-7.8	36-44 / 58-71	14 X 17 RH	AL	4	Nemesis	48-8M0055534	48-8M0084494	(2)
19-23 / 5.8-7.0	42-50 / 68-81	14 X 19 RH	AL	4	Nemesis	48-8M0055535	48-8M0084495	(2)
18-22 / 5.5-6.7	47-56 / 76-90	14 X 21 RH	AL	4	Nemesis	48-8M0055536	48-8M0084496	(2)
17-20 / 5.2-6.1	53-61 / 85-98	14 X 23 RH	AL	4	Nemesis	48-8M0055537	48-8M0084497	(2)
24+ / 7.3	to 10 / to 16	16 X 11 RH	AL	3	Black Diamond	QA2000X	78112A45	(2)
23-27 / 7.0-8.2	18-22 / 29-36	16 X 13 RH	AL	3	Black Diamond	QA2004X	78114A45	(2)
21-25 / 6.4-7.6	22-26 / 36-42	16 X 14 RH	AL	3	Black Diamond	QA2006X	16438A45	(2)
21-25 / 6.4-7.8	22-31 / 36-50	15 1/2 X 15 RH	AL	3	Black Diamond	QA2008X	78116A45	(2)
21-25 / 6.4-7.8	26-31 / 42-50	16 X 16 RH	AL	3	Black Diamond	QA2010X	16440A45	(2)
19-23 / 5.8-7.0	30-36 / 48-58	15 X 17 RH	AL	3	Black Diamond	QA1912X	832828A45	(2)
18-22 / 5.5-6.7	32-38 / 52-61	15 1/2 X 18 RH	AL	3	Black Diamond	QA2014X	48- 11324A45	(2)
17-21 / 5.2-6.4	35-41 / 56-66	14 1/2 X 19 RH	AL	3	Black Diamond	QA1916X	832830A45	(2)
to 19 / to 5.8	40-46 / 65-74	14 1/4 X 21 RH	AL	3	Black Diamond	QA1918X	832832A45	(2)
to 18 / to 5.5	44-49 / 71-79	14 X 23 RH	AL	3	Black Diamond	QA1920X	832834A45	(2)
19-23 / 5.8-7.0	30-36 / 48-58	15 X 16 RH	AL	4	Diamond 4	QA2182X	834850A45	(2)
17-21 / 5.2-6.4	35-41 / 56-66	14 1/2 X 18 RH	AL	4	Diamond 4	QA2184X	834852A45	(2)
to 19 / to 5.8	40-46 / 65-74	14 X 20 RH	AL	4	Diamond 4	QA2186X	834854A45	(2)
21-25 / 6.4-7.8	22-31 / 36-50	14 1/2 X 15 RH	SS	3	Silverado	QS5050X	16312A46	(2)
19-23 / 5.8-7.0	30-36 / 48-58	14 1/2 X 17 RH	SS	3	Silverado	QS5052X	16314A46	(2)
17-21 / 5.2-6.4	35-41 / 56-66	14 X 19 RH	SS	3	Silverado	QS5054X	16316A46	(2)
to 19 / to 5.8	40-46 / 65-74	13 3/4 X 21 RH	SS	3	Silverado	QS5056X	16318A46	(2)
19-23 / 5.8-7.0	30-36 / 48-58	13 /12 X 17 RH	SS	5	QST 5	QS1154X	48-821154A46	(2)
17-21 / 5.2-6.4	35-41 / 56-66	13 1/3 X19 RH	SS	5	QST 5	QS5758X	48-815758A46	(2)
to 19 / to 5.8	35-41 / 56-66	13 1/3 X 21 RH	SS	5	QST 5	QS5760X	48-815760A46	(2)
21-25 / 6.4-7.8	22-31 / 36-50	15 3/4 X 15 RH	SS	3	Thunderbolt - New -	QS5002X	19838A46	(2)
19-23 / 5.8-7.0	30-36 / 48-58	15 1/2 X 17 RH	SS	3	Thunderbolt	QS5004X	18278A46	(2)
17-21 / 5.2-6.4	35-41 / 56-66	15 1/4 X 19 RH	SS	3	Thunderbolt	QS5006X	13700A46	(2)
to 19 / to 5.8	40-46 / 65-74	14 3/4 X 21 RH	SS	3	Thunderbolt	QS5008X	13702A46	(2)
24+ / 7.3+	to 10 / to 16	16 X 11P RH	SS	3	Q3	48-8M0103516	8M0070079	(2)
23-27 / 7.0-8.2	15-18 / 24-29	15.6 X 13P RH	SS	3	Q3	48-8M0103517	8M0070079	(2)
23-27 / 7.0-8.2	18-22 / 29-36	15.3 X 14P RH	SS	3	Q3	48-8M0103518	898990A46	(2)
21-25 / 6.4-7.6	22-26 / 36-42	15 X 15P RH	SS	3	Q3	48-8M0103519	898990A46	(2)
21-25 / 6.4-7.6	22-31 / 36-50	14.7 X 16P RH	SS	3	Q3	48-8M0103520	898992A46	(2)
21-25 / 6.4-7.6	26-31 / 42-50	14.5 X 17P RH	SS	3	Q3	48-8M0103521	898994A46	(2)
19-23 / 5.8-7.0	30-36 / 48-58	14.2 X 18P RH	SS	3	Q3	48-8M0103522	898996A46	(2)
18-22 / 5.5-6.7	32-38 / 52-61	14 X 19P RH	SS	3	Q3	48-8M0103523	898998A46	(2)
17-21 / 5.2-6.4	34-41 / 56-66	13.8 X 20P RH	SS	3	Q3	48-8M0103524	899900A46	(2)
to 19 / to 5.8	40-46 / 64-74	13.6 X 21P RH	SS	3	Q3	48-8M0103525	899902A46	(2)
21-25 / 6.4-7.6	26-31 / 42-50	14.6 X 17P LH	SS	4	Q4	48-8M0103526	857024A46	(2)
18-22 / 5.5-6.7	32-38 / 52-61	14.6 X 19P LH	SS	4	Q4	48-8M0103528	857026A46	(2)
to 19 / to 5.8	40-46 / 64-74	14.6 X 21P LH	SS	4	Q4	48-8M0103530	857028A46	(2)

MERCUISER STERNDRIE APPLICATION CHARTS

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
to 18 / to 5.5	44-49 / 71-79	14.6 X 23P LH	SS	4	Q4	48-8M0103532	857030A46	(2)
LH Propellers (1)		15 X 16 LH	AL	4	Diamond 4	QA2183X	834851A45	(2)
		14 1/2 X 18 LH	AL	4	Diamond 4	QA2185X	834853A45	(2)
		14 X 20 LH	AL	4	Diamond 4	QA2187X	834855A45	(2)
		15 3/4 X 15 LH	SS	3	Thunderbolt	QS5003X	19841A46	(2)
		15 1/2 X 17 LH	SS	3	Thunderbolt	QS5005X	90159A46	(2)
		15 1/4 X 19 LH	SS	3	Thunderbolt	QS5007X	13701A46	(2)
		14 3/4 X 21 LH	SS	3	Thunderbolt	QS5009X	13703A46	(2)
		14.6 X 19P LH	SS	4	Q4	48-8M0103527	857025A46	(2)
		14.6 X 21P LH	SS	4	Q4	48-8M0103529	857027A46	(2)
		14.6 X 23P LH	SS	4	Q4	48-8M0103531	857029A46	(2)
		14.6 X 23P LH	SS	4	Q4	48-8M0103533	857031A46	(2)

(2) Use Flo-Torq II attaching hardware kit 835257Q1. Purchase separately.

ALPHA ONE/BRAVO ONE

MERCUISER 200-280 HP Thru 1985

Models 228, 255, 260, & 280TRS

ALPHA ONE/BRAVO ONE 1986 AND NEWER

4.5 Liter 200-250 HP 2014 and Newer

4.3 Liter 155-250 HP 1986 - 2014

5.0 Liter 180-250 HP 1986 - 2014 (Including 262 Mag)

Warning! Check for adequate tip clearance when installing stainless steel or aluminum 4 blade propellers. If necessary, switch to high performance trim tab (822777Q1) to allow adequate clearance.

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
Work / House	to 26 / to 42	14 X 12 RH	AL	4	Nemesis	48-8M0055531	48-8M0084491	(2)
Work / House	to 29 / to 46	14 X 14 RH	AL	4	Nemesis	48-8M0055533	48-8M0084493	(2)
22-26 / 6.7-7.9	36-41 / 58-66	14 X 17 RH	AL	4	Nemesis	48-8M0055534	48-8M0084494	(2)
21-25 / 6.4-7.6	41-46 / 66-74	14 X 19 RH	AL	4	Nemesis	48-8M0055535	48-8M0084495	(2)
19-23 / 5.8-7.0	46-51 / 74-82	14 X 21 RH	AL	4	Nemesis	48-8M0055536	48-8M0084496	(2)
to 20 / to 6.1	51-56 / 74-90	14 X 23 RH	AL	4	Nemesis	48-8M0055537	48-8M0084497	(2)
26+ / 7.9+	to 16 / to 26	16 X 11 RH	AL	3	Black Diamond	QA2000X	48-78112A45	(2)
24-29 / 7.3-8.8	17-26 / 5.2-42	16 X 13 RH	AL	3	Black Diamond	QA2004X	48-78114A45	(2)
24-29 / 7.3-8.8	22-31 / 35-50	16 X 14 RH	AL	3	Black Diamond	QA2006X	48-16438A45	(2)
23-27 / 7.0-8.2	26-36 / 42-58	15 1/2 X 15 RH	AL	3	Black Diamond	QA2008X	48-78116A45	(2)
23-27 / 7.0-8.2	31-39 / 50-63	16 X 16 RH	AL	3	Black Diamond	QA2010X	48-16440A45	(2)
22-26 / 6.7-7.9	36-41 / 58-66	15 X 17 RH	AL	3	Black Diamond	QA1912X	48-832828A45	(2)
22-26 / 6.7-7.9	38-44 / 61-71	15 1/2 X 18 RH	AL	3	Black Diamond	QA2014X	48-11324A45	(2)
21-25 / 6.4-7.6	41-46 / 66-74	14 1/2 X 19 RH	AL	3	Black Diamond	QA1916X	48-832830A45	(2)
19-23 / 5.8-7.0	46-51 / 74-82	14 1/4 X 21 RH	AL	3	Black Diamond	QA1918X	48-832832A45	(2)
to 20 / to 6.1	51-56 / 74-90	14 X 23 RH	AL	3	Black Diamond	QA1920X	48-832834A45	(2)
22-26 / 6.7-7.9	36-41 / 58-66	15 X 16 RH	AL	4	Diamond 4	QA2182X	48-834850A45	(2)
21-25 / 6.4-7.6	41-46 / 66-74	14 1/2 X 18 RH	AL	4	Diamond 4	QA2184X	48-834852A45	(2)
19-23 / 5.8-7.0	46-51 / 74-82	14 X 20 RH	AL	4	Diamond 4	QA2186X	48-834854A45	(2)
23-27 / 7.0-8.2	26-36 / 42-58	14 1/2 X 15 RH	SS	3	Silverado	QS5050X	48-16312A46	(2)
22-26 / 6.7-7.9	36-41 / 58-66	14 1/2 X 17 RH	SS	3	Silverado	QS5052X	48-16314A46	(2)
21-25 / 6.4-7.6	41-46 / 66-74	14 X 19 RH	SS	3	Silverado	QS5054X	48-16316A46	(2)
19-23 / 5.8-7.0	46-51 / 74-82	13 3/4 X 21 RH	SS	3	Silverado	QS5056X	48-16318A46	(2)
22-26 / 6.7-7.9	36-41 / 58-66	13 1/2 X 17 RH	SS	5	QST 5	QS1154X	821154A46	(2)
21-25 / 6.4-7.6	41-46 / 66-74	13 1/3 X 19 RH	SS	5	QST 5	QS758X	815758A46	(2)
19-23 / 5.8-7.0	46-51 / 74-82	13 1/3 X 21 RH	SS	5	QST 5	QS760X	815760A46	(2)
23-27 / 7.0-8.2	26-36 / 42-58	15 3/4 X 15 RH	SS	3	Thunderbolt	QS5002X	48-19838A46	(2)
22-26 / 6.7-7.9	36-41 / 58-66	15 1/2 X 17 RH	SS	3	Thunderbolt	QS5004X	48-18278A46	(2)
21-25 / 6.4-7.6	41-46 / 66-74	15 1/4 X 19 RH	SS	3	Thunderbolt	QS5006X	48-13700A46	(2)
19-23 / 5.8-7.0	46-51 / 74-82	14 3/4 X 21 RH	SS	3	Thunderbolt	QS5008X	48-13702A46	(2)
26+ / 7.9+	to 16 / to 26	16 X 11P RH	SS	3	Q3	48-8M0103516	8M0070079	(2)

MERCUISER STERNDRIVE APPLICATION CHARTS

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
24-29 / 7.3-8.8	16-21 / 26-34	15.6 X 13P RH	SS	3	Q3	48-8M0103517	8M0070077	(2)
24-29 / 7.3-8.8	17-26 / 30-42	15.3 X 14P RH	SS	3	Q3	48-8M0103518	898988A46	(2)
24-29 / 7.3-8.8	22-31 / 35-50	15 X 15P RH	SS	3	Q3	48-8M0103519	898990A46	(2)
23-27 / 7.0-8.2	26-36 / 42-58	14.7 X 16P RH	SS	3	Q3	48-8M0103520	898992A46	(2)
23-27 / 7.0-8.2	31-39 / 50-63	14.5 X 17P RH	SS	3	Q3	48-8M0103521	898994A46	(2)
22-26 / 6.7-7.9	36-41 / 58-66	14.2 X 18P RH	SS	3	Q3	48-8M0103522	898996A46	(2)
22-26 / 6.7-7.9	38-44 / 61-71	14 X 19P RH	SS	3	Q3	48-8M0103523	898998A46	(2)
21-25 / 6.4-7.6	41-46 / 66-74	13.8 X 20P RH	SS	3	Q3	48-8M0103524	899000A46	(2)
19-23 / 5.8-7.0	46-51 / 74-82	13.6 X 21P RH	SS	3	Q3	48-8M0103525	899002A46	(2)
23-27 / 7.0-8.2	31-39 / 50-63	14.6 X 17P RH	SS	4	Q4	48-8M0103526	857024A46	(2)
22-26 / 6.7-7.9	38-44 / 61-71	14.6 X 19P RH	SS	4	Q4	48-8M0103528	857026A46	(2)
19-23 / 5.8-7.0	46-51 / 74-82	14.6 X 21P RH	SS	4	Q4	48-8M0103530	857028A46	(2)
to 20 / to 6.1	51-56 / 74-90	14.6 X 23P RH	SS	4	Q4	48-8M0103532	857030A46	(2)
LH Propellers (1)		15 X 16 LH	AL	4	Diamond 4	QA2183X	48-834851A45	(2)
		14 1/2 X 18 LH	AL	4	Diamond 4	QA2185X	48-834853A45	(2)
		14 X 20 LH	AL	4	Diamond 4	QA2187X	48-834855A45	(2)
		15 1/2 X 17 LH	SS	3	Thunderbolt	QS5005X	48-90159A46	(2)
		15 1/4 X 19 LH	SS	3	Thunderbolt	QS5007X	48-13701A46	(2)
		14 3/4 X 21 LH	SS	3	Thunderbolt	QS5009X	48-13703A46	(2)
		14 5/8 X 23 LH	SS	3	Thunderbolt	QS5011X	48-13705A46	(2)
		14.6 X 17P LH	SS	4	Q4	48-8M0103527	857025A46	(2)
		14.6 X 19P LH	SS	4	Q4	48-8M0103529	857027A46	(2)
		14.6 X 21P LH	SS	4	Q4	48-8M0103531	857029A46	(2)
		14.6 X 23P LH	SS	4	Q4	48-8M0103533	857031A46	(2)

(2) Use Flo-Torq II attaching hardware kit 835257Q1. Order separate.

ALPHA ONE/BRAVO ONE

Model 330TRS

4.5 Liter 250 HP 2014 & Newer

5.7 Liter 210-320 HP 1986 & Newer

6.2 Liter 320 HP 2001 & newer

7.4 Liter 300-385 HP 1988 & Newer

8.1 Liter 375-425 HP 2001 & Newer

8.2 Liter 390-415 HP 1990 & Newer

Including 350, 454, 496 & 502 Mag. & 320 EFI

Add 2" of pitch to suggested size for single engine applications 385 HP and above.

Caution! Check for adequate blade tip clearance when installing stainless steel propellers. If necessary, switch to Mercury trim tab 822777Q1 to ensure adequate blade clearance.

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
22-26 / 6.7-7.9	36-41 / 58-66	14 X 17 RH	AL	4	Nemesis	48-8M0055534	48-8M0084494	(2)
21-25 / 6.4-7.6	41-46 / 66-74	14 X 19 RH	AL	4	Nemesis	48-8M0055535	48-8M0084495	(2)
19-23 / 5.8-7.0	46-51 / 74-82	14 X 21 RH	AL	4	Nemesis	48-8M0055536	48-8M0084496	(2)
to 20 / to 6.1	51-56 / 74-90	14 X 23 RH	AL	4	Nemesis	48-8M0055537	48-8M0084497	(2)
29+ / 8.8+	to 18 / to 29	16 X 11 RH	AL	3	Black Diamond	QA2000X	48-78112A45	(2)
29-34 / 8.8-10.3	18-30 / 29-48	16 X 13 RH	AL	3	Black Diamond	QA2004X	48-78114A45	(2)
29-32 / 8.8-9.7	24-35 / 39-56	16 X 14 RH	AL	3	Black Diamond	QA2006X	48-16438A45	(2)
27-30 / 8.2-9.1	29-40 / 47-65	15 1/2 X 15 RH	AL	3	Black Diamond	QA2008X	48-78116A45	(2)
26-30 / 8.2-9.1	29-40 / 47-65	16 X 16 RH	AL	3	Black Diamond	QA2010X	48-16440A45	(2)
25-29 / 7.6-8.8	40-46 / 65-74	15 X 17 RH	AL	3	Black Diamond	QA1912X	48-832828A45	(2)
24-28 / 7.3-8.9	43-49 / 69-79	15 1/2 X 18 RH	AL	3	Black Diamond	QA2014X	48-11324A45	(2)
23-26 / 7.0-7.9	46-51 / 74-82	14 1/2 X 19 RH	AL	3	Black Diamond	QA1916X	48-832830A45	(2)
22-25 / 6.7-7.6	51-56 / 82-90	14 1/4 X 21 RH	AL	3	Black Diamond	QA1918X	48-832832A45	(2)
22-24 / 6.7-7.3	56-62 / 90-100	14 X 23 RH	AL	3	Black Diamond	QA1920X	48-832834A45	(2)
25-29 / 7.6-8.8	40-46 / 65-74	15 X 16 RH	AL	4	Diamond 4	QA2182X	48-834850A45	(2)

MERCUISER STERNDRIVE APPLICATION CHARTS

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
23-26 / 7.0-7.9	46-51 / 74-82	14 1/2 X 18 RH	AL	4	Diamond 4	QA2184X	48-834852A45	(2)
22-25 / 6.7-7.6	51-56 / 82-90	14 X 20 RH	AL	4	Diamond 4	QA2186X	48-834854A45	(2)
27-30 / 8.2-9.1	29-40 / 47-65	14 1/2 X 15 RH	SS	3	Silverado	QS5050X	48-16312A46	(2)
25-29 / 7.6-8.8	40-46 / 65-74	14 1/2 X 17 RH	SS	3	Silverado	QS5052X	48-16314A46	(2)
23-26 / 7.0-7.9	46-51 / 74-82	14 X 19 RH	SS	3	Silverado	QS5054X	48-16316A46	(2)
22-25 / 6.7-7.6	51-56 / 82-90	13 3/4 X 21 RH	SS	3	Silverado	QS5056X	48-16318A46	(2)
25-29 / 7.6-8.8	40-46 / 65-74	13 1/2 X 17 RH	SS	5	QST 5	QS1154X	48-821154A46	(2)
23-26 / 7.0-7.9	46-51 / 74-82	13 1/3 X 19 RH	SS	5	QST 5	QS5758X	48-815758A46	(2)
22-25 / 6.7-7.6	51-56 / 82-90	13 1/3 X 21 RH	SS	5	QST 5	QS5760X	48-815760A46	(2)
27-30 / 8.2-9.1	29-40 / 47-65	15 3/4 X 15 RH	SS	3	Thunderbolt	QS5002X	48-19838A46	(2)
25-29 / 7.6-8.8	40-46 / 65-74	15 1/2 X 17 RH	SS	3	Thunderbolt	QS5004X	48-18278A46	(2)
23-26 / 7.0-7.9	46-51 / 74-82	15 1/4 X 19 RH	SS	3	Thunderbolt	QS5006X	48-13700A46	(2)
22-25 / 6.7-7.6	51-56 / 82-90	14 3/4 X 21 RH	SS	3	Thunderbolt	QS5008X	48-13702A46	(2)
29+ / 8.8+	to 18 / to 29	16 X 11P RH	SS	3	Q3	48-8M0103516	8M0070077	(2)
29-34 / 8.8-10.3	18-25 / 29-40	15.6 X 13P RH	SS	3	Q3	48-8M0103517	8M0070079	(2)
29-34 / 8.8-10.3	18-30 / 29-48	15.3 X 14P RH	SS	3	Q3	48-8M0103518	898988A46	(2)
29-32 / 8.8-9.7	24-35 / 39-56	15 X 15P RH	SS	3	Q3	48-8M0103519	898990A46	(2)
27-30 / 8.2-9.1	29-40 / 47-65	14.7 X 16P RH	SS	3	Q3	48-8M0103520	898992A46	(2)
26-30 / 8.2-9.1	29-40 / 47-65	14.5 X 17P RH	SS	3	Q3	48-8M0103521	898994A46	(2)
25-29 / 7.6-8.8	40-46 / 64-74	14.2 X 18P RH	SS	3	Q3	48-8M0103522	898996A46	(2)
24-28 / 7.3-8.9	43-49 / 69-79	14 X 19P RH	SS	3	Q3	48-8M0103523	898998A46	(2)
23-26 / 7.0-7.9	46-51 / 74-82	13.8 X 20P RH	SS	3	Q3	48-8M0103524	899000A46	(2)
22-25 / 6.7-7.6	51-56 / 82-90	13.6 X 21P RH	SS	3	Q3	48-8M0103525	899002A46	(2)
26-30 / 8.2-9.1	29-40 / 47-65	14.6 X 17P RH	SS	4	Q4	48-8M0103526	857024A46	(2)
24-28 / 7.3-8.9	43-49 / 69-79	14.6 X 19P RH	SS	4	Q4	48-8M0103528	857026A46	(2)
22-25 / 6.7-7.6	51-56 / 82-90	14.6 X 21P RH	SS	4	Q4	48-8M0103530	857028A46	(2)
22-24 / 6.7-7.3	56-62 / 90-100	14.6 X 23P RH	SS	4	Q4	48-8M0103532	857030A46	(2)
LH Propellers (1)		15 X 16 LH	AL	4	Diamond 4	QA2183X	48-834851A45	(2)
		14 1/2 X 18 LH	AL	4	Diamond 4	QA2185X	48-834853A45	(2)
		14 X 20 LH	AL	4	Diamond 4	QA2187X	48-834855A45	(2)
		15 3/4 X 15 LH	SS	3	Thunderbolt	QS5003X	48-19841A46	(2)
		15 1/2 X 17 LH	SS	3	Thunderbolt	QS5005X	48-90159A46	(2)
		15 1/4 X 19 LH	SS	3	Thunderbolt	QS5007X	48-13701A46	(2)
		14 3/4 X 21 LH	SS	3	Thunderbolt	QS5009X	48-13703A46	(2)
		14.6 X 17P LH	SS	4	Q4	48-8M0103527	857025A46	(2)
		14.6 X 19P LH	SS	4	Q4	48-8M0103529	857027A46	(2)
		14.6 X 21P LH	SS	4	Q4	48-8M0103531	857029A46	(2)
		14.6 X 23P LH	SS	4	Q4	48-8M0103533	857031A46	(2)

(2) Use Flo-Torq II attaching hardware kit 835257Q1 Order separate, except on 400 HP and above applications use solid hub kit 835258Q2. Order separate.

Bravo Two 1988 and Newer - MerCruiser

- 4.3L 155-250hp 1996 & Newer •5.0L 180-250hp 1995 & Newer
- 5.7L 210-300hp 1993 & Newer •6.2L 320hp 2001 & Newer
- 7.4L 300-385hp 1990 & Newer •454 385hp 1996 & Newer
- 496 375-425hp 2001 & Newer •502 390-425hp 1996 & Newer
- D2.8L 150hp 1997 & Newer •D3.6L 180hp 1996 and Newer
- D4.2L 200-250hp 1996and Newer •D7.3L 260-300hp 1994 and Newer

Length (ft/m)	Current MPH/KPH	Prop Size	Matl	#Blades	Style	Quicksilver P/N	OEM P/N	Hub System
34-35/10.4-13.7	0-14/0-20	20 x 11 RH	AL	3	Black Diamond Bil	48-8M0078084	48-18606A40	Rubber Bushing
31-39/9.4-12	14-19/20-30	19 1/2 x 13 RH	AL	3	Black Diamond Bil	48-8M0078086	48-18608A40	Rubber Bushing
29-37/8.8-11.3	19-23/30-38	19 1/4 x 15 RH	AL	3	Black Diamond Bil	48-8M0078088	48-18610A40	Rubber Bushing
28-32/8.5-9.8	24-31/38-46	18 3/4 x 17 RH	AL	3	Black Diamond Bil	48-8M0078090	48-18612A40	Rubber Bushing
26-30/7.8-9.1	32-36/52-58	18 1/4 x 19 RH	AL	3	Black Diamond Bil	QA1940R	48-18614A40	Rubber Bushing
25-28/7.5-8.5	35-40/56-65	17 3/4 x 21 RH	AL	3	Black Diamond Bil	QA1946R	48-18616A40	Rubber Bushing
24-27/7.2-8.2	39-44/63-71	17 1/2 x 23 RH	AL	3	Black Diamond Bil	QA1952R	48-18618A40	Rubber Bushing

MERCUISER STERNDRIVE APPLICATION CHARTS

Length (ft/m)	Current MPH/KPH	Prop Size	Matl	#Blades	Style	Quicksilver P/N	OEM P/N	Hub System
23-25/7.0-8.0	42-47/65-73	17 1/4 x 25 RH	AL	3	Black Diamond Bil	48-8M0078092	48- 18620A40	Rubber Bushing
LH Propellers(1)								
		20 x 11 LH	AL	3	Black Diamond Bil	48-8M0078085	48- 18607A40	Rubber Bushing
		19 1/2 x 13 LH	AL	3	Black Diamond Bil	48-8M0078087	48- 18609A40	Rubber Bushing
		19 1/4 x 15 LH	AL	3	Black Diamond Bil	48-8M0078089	48- 18611A40	Rubber Bushing
		18 3/4 x 17 LH	AL	3	Black Diamond Bil	48-8M0078091	48- 18613A40	Rubber Bushing
		18 1/4 x 19 LH	AL	3	Black Diamond Bil	QA1941R	48-18615A40	Rubber Bushing
		17 3/4 x 21 LH	AL	3	Black Diamond Bil	QA1947R	48-18617A40	Rubber Bushing
		17 1/2 x 23 LH	AL	3	Black Diamond Bil	QA1953R	48-18619A40	Rubber Bushing
		17 1/4 x 25 LH	AL	3	Black Diamond Bil	48-8M0078093	48- 18621A40	Rubber Bushing

(1) Add 4" of pitch to above application chart for twin engine installations

Bravo Three 1993 and Newer - MerCruiser

- 4.3L 155-250hp 1996 & Newer •5.0L 180-250hp 1998 & Newer
- 5.7L 210-300hp 1994 & Newer •6.2L 320hp 2001 & Newer
- 7.4L 300-385hp 1993 & Newer •454 385hp 1995 & Newer
- 496 375-425hp 2001 & Newer •502 390-425hp?1995 & Newer
- D2.8L 150hp 1997 & Newer •D3.6L 180hp 1996 and Newer
- D4.2L 200-250hp 1996 and Newer •D7.3L 260-300hp 1994 and Newer

Length (ft/m)	Current MPH/KPH	Prop Size	Matl	#Blades	Style	Quicksilver P/N	OEM P/N	Hub System
RH Propeller	(Rear Prop)(1)							
23-28/7.6-8.4	36-42/57-66	14 3/8 x 20 RH	SS	3	Thunderbolt Bil	QS3320S	48-823662A60	Solid Steel Spline
24-27/7.3-8.2	38-44/61-70	14 1/4 x 22 RH	SS	3	Thunderbolt Bil	QS3322S	48-823664A60	Solid Steel Spline
23-26/7.0-7.8	40-48/65-77	14 1/4 x 24 RH	SS	3	Thunderbolt Bil	QS3324S	48-823666A60	Solid Steel Spline
22-25/6.7-7.8	44-52/75-84	14 x 26 RH	SS	3	Thunderbolt Bil	QS3326S	48-823668A60	Solid Steel Spline
21-24/6.7-7.3	50-56/81-90	13 3/4 x 28 RH	SS	3	Thunderbolt Bil	QS3328S	48-823670A60	Solid Steel Spline
LH Propeller	(Front Prop) (1)							
		16 x 20 LH	SS	3	Thunderbolt Bil	QS3321S	48-823661A60	Solid Steel Spline
		15 3/4 x 22 LH	SS	3	Thunderbolt Bil	QS3323S	48-823663A60	Solid Steel Spline
		15 1/2 x 24 LH	SS	3	Thunderbolt Bil	QS3325S	48-823665A60	Solid Steel Spline
		15 1/4 x 26 LH	SS	3	Thunderbolt Bil	QS3327S	48-823667A60	Solid Steel Spline
		15 x 28 LH	SS	3	Thunderbolt Bil	QS3329S	48-823669A60	Solid Steel Spline

(1) Add 4" of pitch to above application chart for twin engine installations.

OMC STERNDRIVE APPLICATION CHARTS

MODEL 400 AND COBRA - OMC

2.3 Litre 120-128 HP 1978-90
 2.5 Litre 120 HP 1978-89
 3.0 Litre 130-140 HP 1978-89

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
Work	6-16 / 10-26	14 X 10 RH Extra Cup	AL	3	Black Diamond	QA3828X	382761	(1)
Pontoon	12-19 / 19-31	14 X 11 Extra Cup	AL	3	Black Diamond	QA3830X		(1)
House/Cruisers	14-26 / 23-42	14 X 13 RH Extra Cup	AL	3	Black Diamond	QA3832X	391668	(1)
19-22 / 5.8-6.7	24-32 / 39-52	13 3/4 X 15 RH	AL	3	Black Diamond	QA2208X	391198	(1)
17-20 / 5.2-6.1	30-40 / 48-65	13 1/4 X 17 RH	AL	3	Black Diamond	QA2206X	391199	(1)
17-20 / 5.2-6.1	30-40 / 48-65	13 1/8 X 16 RH	SS	3	Silverado	QS5136X	389949	(1)
16-19 / 4.8-5.8	34-42 / 55-68	13 X 18 RH	SS	3	Silverado	QS5138X	389948	(1)

(1) Use Flo-Torq II attaching hardware kit 835266Q1. Purchase separately.

SEA DRIVE 4 1/4" GEARCASE - OMC

1.6 Litre V-4 1983 & Newer
 1.8 Litre V-4 1983 & Newer
 Add 2" of pitch for twin engines

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
Work/House		14 X 10 RH Extra Cup	AL	3	Black Diamond	QA3828X		(1)
Work/House	1-18 / 2-29	14 X 11 RH Extra Cup	AL	3	Black Diamond	QA3830X	382761	(1)
22-26 / 6.7-7.8	14-28 / 23-45	14 X 13 RH Extra Cup	AL	3	Black Diamond	QA3832X	391668	(1)
22-26 / 6.7-7.8	24-36 / 39-58	13 3/4 X 15 RH	AL	3	Black Diamond	QA2208X	391198	(1)
18-22 / 5.5-6.7	30-42 / 48-68	13 1/8 X 16 RH	SS	3	Silverado	QS5136X	389949	(1)
17-20 / 5.2-6.1	38-50 / 61-81	13 X 18 RH	SS	3	Silverado	QS5138X	389948	(1)

(1) Use Flo-Torq II attaching hardware kit 835266Q1. Purchase separately.

SEA DRIVE 4 3/4 INCH LARGE GEARCASE - OMC

*2.0 Litre V-4 1982 & Newer *2.5 Litre V-6 1982 & Newer
 *2.6 Litre V-6 1982 & Newer *2.7 Litre V-6 1982 & Newer
 *3.0 Litre V-6 1982 & Newer *3.6 Litre V-8 1982 & Newer
 *4.0 Litre V-8 1982 & Newer

Following suggestions based on twin engines - Deduct 4" of pitch for single engine applications.

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
Work / House	to 26 / to 42	14 X 12 RH	AL	4	Nemesis	48-8M0055531		(2)
Work / House	to 29 / to 46	14 X 14 RH	AL	4	Nemesis	48-8M0055533		(2)
22-26 / 6.7-7.9	36-41 / 58-66	14 X 17 RH	AL	4	Nemesis	48-8M0055534		(2)
21-25 / 6.4-7.6	41-46 / 66-74	14 X 19 RH	AL	4	Nemesis	48-8M0055535		(2)
19-23 / 5.8-7.0	46-51 / 74-82	14 X 21 RH	AL	4	Nemesis	48-8M0055536		(2)
to 20 / to 6.1	51-56 / 74-90	14 X 23 RH	AL	4	Nemesis	48-8M0055537		(2)
Work/House	to 13 / to 21	16 X 11 RH	AL	3	Black Diamond	QA2000X		(2)
Work/House	13-27 / 21-43	16 X 13 RH	AL	3	Black Diamond	QA2004X	391536	(2)
Work/House	16-29 / 26-47	16 X 14 RH	AL	3	Black Diamond	QA2006X		(2)
32-36 / 9.6-10.9 (Twin)	24-34 / 39-55	15 1/2 X 15 RH	AL	3	Black Diamond	QA2008X	391535	(2)
30-33 / 9.1-10.0 (Twin)	30-40 / 48-65	15 X 17 RH	AL	3	Black Diamond	QA1912X	391200	(2)
28-32 / 8.5-9.6	33-45 / 53-72	15 1/2 X 18 RH	AL	3	Black Diamond	QA2014X		(2)
27-30 / 8.2-9.1 (Twin)	36-47 / 58-76	14 1/2 X 19 RH	AL	3	Black Diamond	QA1916X	391201	(2)
25-28 / 7.5-8.5 (Twin)	42-54 / 68-87	14 1/4 X 21 RH	AL	3	Black Diamond	QA1918X	391202	(2)
23-25 / 6.9-7.6 (Twin)	50-62 / 81-100	14 X 23 RH	AL	3	Black Diamond	QA1920X	391203	(2)

OMC STERNDRIVE APPLICATION CHARTS

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
30-33 / 9.1-10.0 (Twin)	30-40 / 48-65	15 X 16 RH	AL	4	Diamond 4	QA2182X		(2)
27-30 / 8.2-9.1 (Twin)	36-47 / 58-76	14 1/2 X 18 RH	AL	4	Diamond 4	QA2184X		(2)
25-28 / 7.5-8.5 (Twin)	42-54 / 68-87	14 X 20 RH	AL	4	Diamond 4	QA2186X		(2)
32-36 / 9.6-10.9 (Twin)	24-34 / 39-55	14 1/2 X 15 RH	SS	3	Silverado	QS5050X	174926	(2)
30-33 / 9.1-10.0 (Twin)	30-40 / 48-65	14 1/2 X 17 RH	SS	3	Silverado	QS5052X	176615	(2)
27-30 / 8.2-9.1 (Twin)	36-47 / 58-76	14 X 19 RH	SS	3	Silverado	QS5054X	176617	(2)
25-28 / 7.5-8.5 (Twin)	42-54 / 68-87	13 3/4 X 21 RH	SS	3	Silverado	QS5056X	176619	(2)
30-33 / 9.1-10.0 (Twin)	30-40 / 48-65	13 1/2 X 17 RH	SS	5	QST 5	QS1154X		(2)
27-30 / 8.2-9.1 (Twin)	36-47 / 58-76	13 1/3 X 19 RH	SS	5	QST 5	QS5758X		(2)
25-28 / 7.5-8.5 (Twin)	42-54 / 68-87	13 1/3 X 21 RH	SS	5	QST 5	QS5760X		(2)
32-36 / 9.6-10.9 (Twin)	24-34 / 39-55	15 3/4 X 15 RH	SS	3	Thunderbolt	QS5002X		(2)
30-33 / 9.1-10.0 (Twin)	30-40 / 48-65	15 1/2 X 17 RH	SS	3	Thunderbolt	QS5004X		(2)
27-30 / 8.2-9.1 (Twin)	36-47 / 58-76	15 1/4 X 19 RH	SS	3	Thunderbolt	QS5006X		(2)
25-28 / 7.5-8.5 (Twin)	42-54 / 68-87	14 3/4 X 21 RH	SS	3	Thunderbolt	QS5008X		(2)
Work/House	to 13 / to 21	16 X 11P RH	SS	3	Q3	48-8M0103516		(2)
Work/House	13-27 / 16-40	15.6 X 13P RH	SS	3	Q3	48-8M0103517		(2)
Work/House	16-29 / 21-43	15.3 X 14P RH	SS	3	Q3	48-8M0103518		(2)
32-36 / 9.6-10.9 (Twin)	24-34 / 26-47	15 X 15P RH	SS	3	Q3	48-8M0103519		(2)
32-36 / 9.6-10.9 (Twin)	26-38 / 30-51	14.7 X 16P RH	SS	3	Q3	48-8M0103520		(2)
30-33 / 9.1-10 (Twin)	30-40 / 39-55	14.5 X 17P RH	SS	3	Q3	48-8M0103521		(2)
28-32 / 8.5-9.6 (Twin)	33-45 / 48-65	14.2 X 18P RH	SS	3	Q3	48-8M0103522		(2)
27-30 / 8.2-9.1 (Twin)	36-47 / 53-75	14 X 19P RH	SS	3	Q3	48-8M0103523		(2)
27-30 / 8.2-9.1 (Twin)	38-49 / 55-75	13.8 X 20P RH	SS	3	Q3	48-8M0103524		(2)
25-28 / 7.5-8.5 (Twin)	42-54 / 58-76	13.6 X 21P RH	SS	3	Q3	48-8M0103525		(2)
30-33 / 9.1-10 (Twin)	30-40 / 39-55	14.6 X 17P RH	SS	4	Q4	48-8M0103526		(2)
27-30 / 8.2-9.1 (Twin)	36-47 / 53-75	14.6 X 19P RH	SS	4	Q4	48-8M0103528		(2)
25-28 / 7.5-8.5 (Twin)	42-54 / 58-76	14.6 X 21P RH	SS	4	Q4	48-8M0103530		(2)
23-25 / 6.9-7.6 (Twin)	50-62 / 81-100	14.6 X 23P RH	SS	4	Q4	48-8M0103532		(2)
LH Propellers (1)		15 X 16 LH	AL	4	Diamond 4	QA2183X		(2)
		14 1/2 X 18 LH	AL	4	Diamond 4	QA2185X		(2)
		14 X 20 LH	AL	4	Diamond 4	QA2187X		(2)
		15 3/4 X 15 LH	SS	3	Thunderbolt	QS5003X		(2)
		15 1/2 X 17 LH	SS	3	Thunderbolt	QS5005X		(2)
		15 1/4 X 19 LH	SS	3	Thunderbolt	QS5007X		(2)
		14 3/4 X 21 LH	SS	3	Thunderbolt	QS5009X		(2)
		14.6 X 17P LH	SS	4	Q4	48-8M0103527		(2)
		14.6 X 19P LH	SS	4	Q4	48-8M0103529		(2)
		14.6 X 21P LH	SS	4	Q4	48-8M0103531		(2)
		14.6 X 23P LH	SS	4	Q4	48-8M0103533		(2)

(2) Use Flo-Torq II attaching hardware kit 835265Q02 for 1991 and newer applications and Flo-Torq II kit 835267Q1 for 1990 and older models. Purchase separately.

OMC STERNDRIVE APPLICATION CHARTS

MODEL 800 COBRA AND KING COBRA - OMC

- 3.0 Litre 1990-93 •3.2 Litre Diesel 1992-93
- 3.8 Litre 1978-93 •4.3 Litre 1985-93
- 5.0 Litre 1978-93 •5.7 Litre 1978-93
- 5.8 Litre 1978-93 •454 King (7.4 Litre) 1990-93
- 7.4 Litre 1987-93 •502 King (8.2 litre) 1990-93
- 7.5 Litre 1987-93

See Volvo SX section for 1994 and newer OMC sterndrive applications.


Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
Work / House	to 26 / to 42	14 X 12 RH	AL	4	Nemesis	48-8M0055531		(2)
Work / House	to 29 / to 46	14 X 14 RH	AL	4	Nemesis	48-8M0055533		(2)
22-26 / 6.7-7.9	36-41 / 58-66	14 X 17 RH	AL	4	Nemesis	48-8M0055534		(2)
21-25 / 6.4-7.6	41-46 / 66-74	14 X 19 RH	AL	4	Nemesis	48-8M0055535		(2)
19-23 / 5.8-7.0	46-51 / 74-82	14 X 21 RH	AL	4	Nemesis	48-8M0055536		(2)
to 20 / to 6.1	51-56 / 74-90	14 X 23 RH	AL	4	Nemesis	48-8M0055537		(2)
Work/House	to 15 / 24	16 X 11 RH	AL	3	Black Diamond	QA2000X		(2)
Heavy Cruisers	12-27 / 19-43	16 X 12 RH	AL	3	Black Diamond			(2)
Non Planing	22-30 / 36-48	16 X 13 RH	AL	3	Black Diamond	QA2004X	391536	(2)
Non Planing	24-33 / 39-53	16 X 14 RH	AL	3	Black Diamond	QA2006X		(2)
24-28 / 7.2-8.5	26-36 / 42-58	15 1/2 X 15 RH	AL	3	Black Diamond	QA2008X	391535	(2)
21-27 / 6.4-8.2	34-44 / 55-71	15 X 17 RH	AL	3	Black Diamond	QA1912X	391200	(2)
19-25 / 5.8-7.6	37-47 / 60-76	15 1/2 X 18 RH	AL	3	Black Diamond	QA2014X		(2)
17-22 / 5.2-6.7	39-50 / 63-81	14 1/2 X 19 RH	AL	3	Black Diamond	QA1916X	391201	(2)
16-21 / 4.8-6.4	44-57 / 71-92	14 1/4 X 21 RH	AL	3	Black Diamond	QA1918X	391202	(2)
15-20 / 4.5-6.1	48-62 / 77-100	14 X 23 RH	AL	3	Black Diamond	QA1920X	391203	(2)
21-27 / 6.4-8.2	34-44 / 55-71	15 X 16 RH	AL	4	Diamond 4	QA2182X		(2)
17-22 / 5.2-6.7	39-50 / 63-81	14 1/2 X 18 RH	AL	4	Diamond 4	QA2184X		(2)
16-21 / 4.8-6.4	44-57 / 71-92	14 X 20 RH	AL	4	Diamond 4	QA2186X		(2)
24-28 / 7.2-8.5	26-36 / 42-58	14 1/2 X 15 RH	SS	3	Silverado	QS5050X	174926	(2)
21-27 / 6.4-8.2	34-44 / 55-71	14 1/2 X 17 RH	SS	3	Silverado	QS5052X	176615	(2)
17-22 / 5.2-6.7	39-50 / 63-81	14 X 19 RH	SS	3	Silverado	QS5054X	176617	(2)
16-21 / 4.8-6.4	44-57 / 71-92	13 3/4 X 21 RH	SS	3	Silverado	QS5056X	176619	(2)
21-27 / 6.4-8.2	34-44 / 55-71	13 1/2 X 17 RH	SS	5	QST 5	QS1154X		(2)
17-22 / 5.2-6.7	39-50 / 63-81	13 1/3 X 19 RH	SS	5	QST 5	QS5758X		(2)
16-21 / 4.8-6.4	44-57 / 71-92	13 1/3 X 21 RH	SS	5	QST 5	QS5760X		(2)
24-28 / 7.2-8.5	26-36 / 42-58	15 3/4 X 15 RH	SS	3	Thunderbolt	QS5002X		(2)
21-27 / 6.4-8.2	34-44 / 55-71	15 1/2 X 17 RH	SS	3	Thunderbolt	QS5004X		(2)
17-22 / 5.2-6.7	39-50 / 63-81	15 1/4 X 19 RH	SS	3	Thunderbolt	QS5006X		(2)
16-21 / 4.8-6.4	44-57 / 71-92	14 3/4 X 21 RH	SS	3	Thunderbolt	QS5008X		(2)
Work/House	to 15 / to 24	16 X 11P RH	SS	4	Q3	48-8M0103516		(2)
Non Planing	22-30 / 36-48	15.6 X 13P RH	SS	3	Q3	48-8M0103517		(2)
Non Planing	24-33 / 39-53	15.3 X 14P RH	SS	3	Q3	48-8M0103518		(2)
24-28 / 7.2-8.5	26-36 / 42-58	15 X 15P RH	SS	3	Q3	48-8M0103519		(2)
24-28 / 7.2-8.5	29-40 / 47-63	14.7 X 16P RH	SS	3	Q3	48-8M0103520		(2)
21-27 / 6.4-8.2	34-44 / 55-71	14.5 X 17P RH	SS	3	Q3	48-8M0103521		(2)
19-25 / 5.8-7.6	37-47 / 60-76	14.2 X 18P RH	SS	3	Q3	48-8M0103522		(2)
17-22 / 5.2-6.7	39-50 / 63-81	14 X 19P RH	SS	3	Q3	48-8M0103523		(2)
17-22 / 5.2-6.7	42-53 / 68-86	13.8 X 20P RH	SS	3	Q3	48-8M0103524		(2)
16-21 / 4.8-6.4	44-57 / 71-92	13.6 X 21P RH	SS	3	Q3	48-8M0103525		(2)
21-27 / 6.4-8.2	34-44 / 55-71	14.6 X 17P RH	SS	4	Q4	48-8M0103525		(2)
17-22 / 5.2-6.7	39-50 / 63-81	14.6 X 19P RH	SS	4	Q4	48-8M0103528		(2)
16-21 / 4.8-6.4	44-57 / 71-92	14.6 X 21P RH	SS	4	Q4	48-8M0103530		(2)
15-20 / 4.5-6.1	48-62 / 77-100	14.6 X 23P RH	SS	4	Q4	48-8M0103532		(2)
LH Propellers (1)		15 X 16 LH	AL	4	Diamond 4	QA2183X		(2)
		14 1/2 X 18 LH	AL	4	Diamond 4	QA2185X		(2)

OMC STERNDRIVE APPLICATION CHARTS

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
		14 X 20 LH	AL	4	Diamond 4	QA2187X		(2)
		15 3/4 X 15 RH	SS	3	Thunderbolt	QS5003X		(2)
		15 1/2 X 17 LH	SS	3	Thunderbolt	QS5005X		(2)
		15 1/4 X 19 LH	SS	3	Thunderbolt	QS5007X		(2)
		14 3/4 X 21 LH	SS	3	Thunderbolt	QS5009X		(2)
		14.6 X 17P LH	SS	4	Q4	48-8M0103527		
		14.6 X 19P LH	SS	4	Q4	48-8M0103529		
		14.6 X 21P LH	SS	4	Q4	48-8M0103531		
		14.6 X 23P LH	SS	4	Q4	48-8M0103533		

(2) Use Flo-Torq II attaching hardware kit 835265Q02 for 1991 and newer applications and Flo-Torq II kit 835267Q1 for 1990 and older models. Purchase separately.

VOLVO PENTA STERNDRIVE APPLICATION CHARTS



VOLVO PENTA SX

SX COBRA
 OMC COBRA 1994 & NEWER
 3.0 Litre 1994 & Newer
 4.3 Litre 1994 & Newer
 5.0 Litre 1994 & Newer
 5.7 Litre 1994 & Newer
 5.8 Litre 1994-97
 7.4 Litre 1997 & Newer
 8.2 Litre 1997

LARGE 4 3/4" GEARCASE - 19 SPLINE

Caution! When installing stainless steel propellers remove anode attached to bearing carrier and check clearance before operation.

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
Work / House	to 26 / to 42	14 X 12 RH	AL	4	Nemesis	48-8M0055531		(2)
Work / House	to 29 / to 46	14 X 14 RH	AL	4	Nemesis	48-8M0055533		(2)
22-26 / 6.7-7.9	36-41 / 58-66	14 X 17 RH	AL	4	Nemesis	48-8M0055534		(2)
21-25 / 6.4-7.6	41-46 / 66-74	14 X 19 RH	AL	4	Nemesis	48-8M0055535		(2)
19-23 / 5.8-7.0	46-51 / 74-82	14 X 21 RH	AL	4	Nemesis	48-8M0055536		(2)
to 20 / to 6.1	51-56 / 74-90	14 X 23 RH	AL	4	Nemesis	48-8M0055537		(2)
Work/House	to 15 / 24	16 X 11 RH	AL	3	Black Diamond	QA2000X		(2)
Non Planing	22-30 / 35-48	16 X 13 RH	AL	3	Black Diamond	QA2004X	3850298-5	(2)
Non Planing	24-33 / 39-53	16 X 14 RH	AL	3	Black Diamond	QA2006X		(2)
24-28 / 7.3-8.5	26-36 / 42-58	15 1/2 X 15 RH	AL	3	Black Diamond	QA2008X	3850299-3	(2)
20-27 / 6.1-8.2	34-44 / 55-71	15 X 17 RH	AL	3	Black Diamond	QA1912X	3850300-9	(2)
19-25 / 5.8-7.6	37-47 / 60-76	15 1/2 X 18 RH	AL	3	Black Diamond	QA2014X		(2)
17-22 / 5.2-6.7	39-50 / 63-81	14 1/2 X 19 RH	AL	3	Black Diamond	QA1916X	3850301-7	(2)
16-20 / 4.8-6.1	44-57 / 55-92	14 1/4 X 21 RH	AL	3	Black Diamond	QA1918X	3850302-5	(2)
15-20 / 4.5-6.1	48-62 / 77-100	14 X 23 RH	AL	3	Black Diamond	QA1920X	3850303-3	(2)
20-27 / 6.1-8.2	34-44 / 55-71	15 X 16 RH	AL	4	Diamond 4	QA2182X		(2)
17-22 / 5.2-6.7	39-50 / 63-81	14 1/2 X 18 RH	AL	4	Diamond 4	QA2184X		(2)
16-20 / 4.8-6.1	44-57 / 55-92	14 X 20 RH	AL	4	Diamond 4	QA2186X		(2)
24-28 / 7.3-8.5	26-36 / 42-58	14 1/2 X 15 RH	SS	3	Silverado	QS5050X	3850305-8	(2)
20-27 / 6.1-8.2	34-44 / 55-71	14 1/2 X 17 RH	SS	3	Silverado	QS5052X	3850307-7	(2)
17-22 / 5.2-6.7	39-50 / 63-81	14 X 19 RH	SS	3	Silverado	QS5054X	3850308-2	(2)
16-20 / 4.8-6.1	44-57 / 55-92	13 3/4 X 21 RH	SS	3	Silverado	QS5056X	3850309-0	(2)
20-27 / 6.1-8.2	34-44 / 55-71	13 1/2 X 17 RH	SS	5	QST 5	QS1154X		(2)
17-22 / 5.2-6.7	39-50 / 63-81	13 1/3 X 19 RH	SS	5	QST 5	QS5758X		(2)
16-20 / 4.8-6.1	44-57 / 55-92	13 1/3 X 21 RH	SS	5	QST 5	QS5760X		(2)
24-28 / 7.3-8.5	26-36 / 42-58	15 3/4 X 15 RH	SS	3	Thunderbolt	QS5002X		(2)
20-27 / 6.1-8.2	34-44 / 55-71	15 1/2 X 17 RH	SS	3	Thunderbolt	QS5004X		(2)

VOLVO PENTA STERNDRIVE APPLICATION CHARTS

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
17-22 / 5.2-6.7	39-50 / 63-81	15 1/4 X 19 RH	SS	3	Thunderbolt	QS5006X		(2)
16-20 / 4.8-6.1	44-57 / 55-92	14 3/4 X 21 RH	SS	3	Thunderbolt	QS5008X		(2)
Work/House	to 15 / to 24	16 X 11P RH	SS	3	Q3	48-8M0103516		(2)
Non Planing	22-30 / 36-48	15.6 X 13P RH	SS	3	Q3	48-8M0103517		(2)
Non Planing	24-33 / 39-53	15.3 X 14P RH	SS	3	Q3	48-8M0103518		(2)
24-28 / 7.2-8.5	26-36 / 42-58	15 X 15P RH	SS	3	Q3	48-8M0103519		(2)
24-28 / 7.2-8.5	29-40 / 47-63	14.7 X 16P RH	SS	3	Q3	48-8M0103520		(2)
21-27 / 6.4-8.2	34-44 / 55-71	14.5 X 17P RH	SS	3	Q3	48-8M0103521		(2)
19-25 / 5.8-7.6	37-47 / 60-76	14.2 X 18P RH	SS	3	Q3	48-8M0103522		(2)
17-22 / 5.2-6.7	39-50 / 63-81	14 X 19P RH	SS	3	Q3	48-8M0103523		(2)
(2)17-22 / 5.2-6.7	42-53 / 68-86	13.8 X 20P RH	SS	3	Q3	48-8M0103524		(2)
16-(2)21 / 4.8-6.4	44-57 / 71-92	13.6 X 21P RH	SS	3	Q3	48-8M0103525		(2)
21-27 / 6.4-8.2	34-44 / 55-71	14.6 X 17P RH	SS	4	Q4	48-8M0103526		(2)
17-22 / 5.2-6.7	39-50 / 63-81	14.6 X 19P RH	SS	4	Q4	48-8M0103528		(2)
16-21 / 4.8-6.4	44-57 / 71-92	14.6 X 21P RH	SS	4	Q4	48-8M0103530		(2)
15-20 / 4.5-6.1	48-62 / 77-100	14.6 X 23P RH	SS	4	Q4	48-8M0103530		(2)
LH Propellers (1)		15 X 16 LH	AL	4	Diamond 4	QA2183X		(2)
		14 1/2 X 18 LH	AL	4	Diamond 4	QA2185X		(2)
		14 X 20 LH	AL	4	Diamond 4	QA2187X		(2)
		15 3/4 X 15 LH	SS	3	Thunderbolt	QS5003X		(2)
		15 1/2 X 17 LH	SS	3	Thunderbolt	QS5005X		(2)
		15 1/4 X 19 LH	SS	3	Thunderbolt	QS5007X		(2)
		14 3/4 X 21 LH	SS	3	Thunderbolt	QS5009X		(2)
		14.6 X 17P LH	SS	4	Q4	48-8M0103527		(2)
		14.6 X 19P LH	SS	4	Q4	48-8M0103529		(2)
		14.6 X 21P LH	SS	4	Q4	48-8M0103531		(2)
		14.6 X 23P LH	SS	4	Q4	48-8M0103533		(2)

(2) Use Flo-Torq II attaching hardware kit 835270Q1. Purchase separately.

Volvo Penta DPS Duo Prop

Any HP
All Years

Pitch	Material	Finish	Blades (Front & Rear)	LH Rotation Front Prop	RH Rotation Rear Prop	Model
19	SS	Matte	4 & 3	48-8M8026210	48-8M8026220	Quicksilver Thunderbolt
20	SS	Matte	4 & 3	48-8M8026230	48-8M8026240	Quicksilver Thunderbolt
21	SS	Matte	4 & 3	48-8M8026250	48-8M8026260	Quicksilver Thunderbolt
22.5	SS	Matte	4 & 3	48-8M8026270	48-8M8026280	Quicksilver Thunderbolt
24	SS	Matte	4 & 3	48-8M8026290	48-8M8026300	Quicksilver Thunderbolt
26	SS	Matte	4 & 3	48-8M8026310	48-8M8026320	Quicksilver Thunderbolt
28	SS	Matte	4 & 3	48-8M8026330	48-8M8026340	Quicksilver Thunderbolt

Volvo Penta IPS Duo Prop

Any HP
All Years
Suitable Replacement for Volvo Penta Type T propellers

Size	Material	Finish	Blades (Front & Rear)	Front Prop	Rear Prop	Model
7	SS	Matte	3 & 4	48-8M8026470	48-8M8026480	Quicksilver Thunderbolt
5	SS	Matte	3 & 4	48-8M8026430	48-8M8026440	Quicksilver Thunderbolt
4	SS	Matte	3 & 4	48-8M8026410	48-8M8026420	Quicksilver Thunderbolt
3	SS	Matte	3 & 4	48-8M8026390	48-8M8026400	Quicksilver Thunderbolt

YAMAHA STERNDRIVE APPLICATION CHART

V-6/V-8 - 4 3/4" GEARCASE - Yamaha

3.0 Liter 1989-93
 4.3 liter 1989-93
 5.0 Liter 1989-93
 5.7 Liter 1989-93
 7.4 Liter 1992-93
 130-300 HP - V-6/V-8 - 4 3/4" GEARCASE

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
Work / House	to 26 / to 42	14 X 12 RH	AL	4	Nemesis	48-8M0055531		(2)
Work / House	to 29 / to 46	14 X 14 RH	AL	4	Nemesis	48-8M0055533		(2)
22-26 / 6.7-7.9	36-41 / 58-66	14 X 17 RH	AL	4	Nemesis	48-8M0055534		(2)
21-25 / 6.4-7.6	41-46 / 66-74	14 X 19 RH	AL	4	Nemesis	48-8M0055535		(2)
19-23 / 5.8-7.0	46-51 / 74-82	14 X 21 RH	AL	4	Nemesis	48-8M0055536		(2)
to 20 / to 6.1	51-56 / 74-90	14 X 23 RH	AL	4	Nemesis	48-8M0055537		(2)
24+ / 7.3+	to 10 / to 16	16 X 11 RH	AL	3	Black Diamond	QA2000X		(2)
23-27 / 7.0-8.2	15-18 / 24-29	16 X 12 RH	AL	3	Black Diamond			(2)
23-27 / 7.0-8.2	15-18 / 24-29	16 X 13 RH	AL	3	Black Diamond	QA2004X		(2)
21-25 / 6.4-7.6	22-26 / 36-42	16 X 14 RH	AL	3	Black Diamond	QA2006X		(2)
22-27 / 6.7-8.2	23-36 / 37-58	15 1/2 X 15 RH	AL	3	Black Diamond	QA2008X	6G5-45941-00-98	(2)
22-26 / 6.7-7.8	26-40 / 42-64	16 X 16 RH	AL	3	Black Diamond	QA2010X	6G5-45952-00-98	(2)
21-25 / 6.4-7.6	30-46 / 48-74	15 X 17 RH	AL	3	Black Diamond	QA1912X		(2)
18-22 / 5.5-6.7	32-38 / 52-61	15 1/2 X 18 RH	AL	3	Black Diamond	QA2014X		(2)
19-23 / 5.8-7.0	35-51 / 56-82	14 1/2 X 19 RH	AL	3	Black Diamond	QA1916X		(2)
18-21 / 5.5-6.4	40-56 / 64-90	14 1/4 X 21 RH	AL	3	Black Diamond	QA1918X		(2)
17-20 / 5.2-6.1	44-62 / 71-100	14 X 23 RH	AL	3	Black Diamond	QA1920X	6G5-45949-00-98	(2)
21-25 / 6.4-7.6	30-46 / 48-74	15 X 16 RH	AL	4	Diamond 4	QA2182X		(2)
19-23 / 5.8-7.0	35-51 / 56-82	14 1/2 X 18 RH	AL	4	Diamond 4	QA2184X		(2)
18-21 / 5.5-6.4	40-56 / 64-90	14 X 20 RH	AL	4	Diamond 4	QA2186X		(2)
22-27 / 6.7-8.2	23-36 / 37-58	14 1/2 X 15 RH	SS	3	Silverado	QS5050X	6G5-45970-02-98	(2)
21-25 / 6.4-7.6	30-46 / 48-74	14 1/2 X 17 RH	SS	3	Silverado	QS5052X	6G5-45978-03-98	(2)
19-23 / 5.8-7.0	35-51 / 56-82	14 X 19 RH	SS	3	Silverado	QS5054X	6G5-45974-03-98	(2)
18-21 / 5.5-6.4	40-56 / 64-90	13 3/4 X 21 RH	SS	3	Silverado	QS5056X	6G5-45972-02-98	(2)
21-25 / 6.4-7.6	30-46 / 48-74	13 1/2 X 17 RH	SS	5	QST 5	QS1154X		(2)
19-23 / 5.8-7.0	35-51 / 56-82	13 1/3 X 19 RH	SS	5	QST 5	QS5758X		(2)
18-21 / 5.5-6.4	40-56 / 64-90	13 1/3 X 21 RH	SS	5	QST 5	QS5760X		(2)
22-27 / 6.7-8.2	23-36 / 37-58	15 3/4 X 15 RH	SS	3	Thunderbolt	QS5002X		(2)
21-25 / 6.4-7.6	30-46 / 48-74	15 1/2 X 17 RH	SS	3	Thunderbolt	QS5004X	6R4-45978-A0-00	(2)
19-23 / 5.8-7.0	35-51 / 56-82	15 1/4 X 19 RH	SS	3	Thunderbolt	QS5006X	6R4-45970-A0-00	(2)
18-21 / 5.5-6.4	40-56 / 64-90	14 3/4 X 21 RH	SS	3	Thunderbolt	QS5008X	6R4-45972-A0-00	(2)
24+ / 7.3+	to 10 / to 16		SS	3	Q3	48-8M0103516		(2)
23-27 / 7-8.2	15-18 / 24-29		SS	3	Q3	48-8M0103517		(2)
21-25 / 6.4-7.6	22-26 / 36-42		SS	3	Q3	48-8M0103518		(2)
22-27 / 6.7-8.2	23-36 / 37-58		SS	3	Q3	48-8M0103519		(2)
22-26 / 6.7-7.8	26-40 / 42-64		SS	3	Q3	48-8M0103520		(2)
21-25 / 6.4-7.6	30-46 / 48-74		SS	3	Q3	48-8M0103521		(2)
18-22 / 5.5-6.7	32-38 / 52-61		SS	3	Q3	48-8M0103522		(2)
19-23 / 5.8-7	35-51 / 56-82		SS	3	Q3	48-8M0103523		(2)
19-23 / 5.8-7	32-52 / 59-87		SS	3	Q3	48-8M0103524		(2)
18-21 / 5.5-6.4	40-56 / 64-90		SS	3	Q3	48-8M0103525		(2)
21-25 / 6.4-7.6	30-46 / 48-74	14.6 X 17P RH	SS	4	Q4	48-8M0103526		(2)
19-23 / 5.8-7	35-51 / 56-82	14.6 X 19P RH	SS	4	Q4	48-8M0103528		(2)
18-21 / 5.5-6.4	40-56 / 64-90	14.6 X 21P RH	SS	4	Q4	48-8M0103530		(2)
17-20 / 5.2-6.1	44-62 / 71-100	14.6 X 23P RH	SS	4	Q4	48-8M0103532		(2)

YAMAHA STERNDRIVE APPLICATION CHART

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
LH Propellers (1)		15 X 16 LH	AL	4	Diamond 4	QA2183X		(2)
		14 1/2 X 18 LH	AL	4	Diamond 4	QA2185X		(2)
		14 X 20 LH	AL	4	Diamond 4	QA2187X		(2)
		15 3/4 X 15 LH	SS	3	Thunderbolt	QS5003X		(2)
		15 1/2 X 17 LH	SS	3	Thunderbolt	QS5005X	6R1-45978-A0-00	(2)
		15 1/4 X 19 LH	SS	3	Thunderbolt	QS5007X	6R1-45970-A0-00	(2)
		14 3/4 X 21 LH	SS	3	Thunderbolt	QS5009X	6R1-45972-A0-00	(2)
		14.6 X 17P LH	SS	4	Q4	48-8M0103527		(2)
		14.6 X 17P LH	SS	4	Q4	48-8M0103529		(2)
		14.6 X 17P LH	SS	4	Q4	48-8M0103531		(2)
		14.6 X 17P LH	SS	4	Q4	48-8M0103533		(2)

(2) Use Flo-Torq II attaching hardware kit 835271Q2. Purchase separately.

QUICKSILVER PROPELLER TYPE

Propellers sorted by Pitch, then Diameter, then by Rotation (Right-hand, Left-hand)

QUICKSILVER OUTBOARD PROPELLER SELECTOR CHART

Quicksilver Propeller selector by family for Outboards

Inflatable

Under 16'

Model/Horsepower	Aluminum Propeller	Stainless Steel Propeller
4-15 HP	Black Diamond	
20-40 HP	Black Diamond, Nemesis	Silverado

Aluminum

(under 14')

Model/Horsepower	Aluminum Propeller	Stainless Steel Propeller
4-15 HP	Black Diamond	
20-40 HP	Black Diamond, Nemesis	Silverado

Aluminum

(14-21')

Model/Horsepower	Aluminum Propeller	Stainless Steel Propeller
4-15 HP	Black Diamond	
20-60 HP	Black Diamond, Nemesis	Silverado
70-250 HP	Black Diamond, Nemesis	Silverado, Q3, Q4, QST 5

Fiberglass

to 14'

Model/Horsepower	Aluminum Propeller	Stainless Steel Propeller
4-15 HP	Black Diamond	
20-40 HP	Black Diamond, Nemesis	Silverado

Fiberglass Runabout/Ski Boat/Inflatable RIB

14-17' (closed deck or bowrider, same hull...)

Model/Horsepower	Aluminum Propeller	Stainless Steel Propeller
30-60 HP	Black Diamond, Nemesis	Silverado
70-150 HP	Black Diamond, Nemesis	Silverado, Q3

Fiberglass Fish-Type

14-17' (fish & ski, side console, center console)

Model/Horsepower	Aluminum Propeller	Stainless Steel Propeller
30-60 HP	Black Diamond, Nemesis	Silverado
75-150 HP	Black Diamond, Nemesis	Silverado, Q3

Fiberglass Bass

14-17'

Model/Horsepower	Aluminum Propeller	Stainless Steel Propeller
30-60 HP	Black Diamond, Nemesis	Silverado
75-150 HP	Black Diamond, Nemesis	Silverado, Q3, Torrent, QST 5

Fiberglass Runabout/Ski Boat/Inflatable RIB

17-21' (closed deck or bowrider, same hull...)

Model/Horsepower	Aluminum Propeller	Stainless Steel Propeller
75-140 HP	Black Diamond, Nemesis	Silverado, Lightspeed
150-250 HP	Black Diamond, Diamond 4, Nemesis	Silverado, Q3, Q4, Thunderbolt, QST 5

Fiberglass Fish-Type

17-21' (fish & ski, side console, center console, cuddy)

Model/Horsepower	Aluminum Propeller	Stainless Steel Propeller
75-140 HP	Black Diamond, Nemesis	Silverado, Lightspeed
150-250 HP	Black Diamond, Nemesis	Silverado, Q3, Q4, Thunderbolt, QST 5

Fiberglass Bass

17-21'

Model/Horsepower	Aluminum Propeller	Stainless Steel Propeller
75-140 HP	Black Diamond, Nemesis	Silverado, Lightspeed
150-250 HP	Black Diamond, Nemesis	Silverado, Q3, Torrent, QST 5

Fiberglass Fishing

21' + (side console, center console, cuddy)

Model/Horsepower	Aluminum Propeller	Stainless Steel Propeller
150-250 HP	Black Diamond, Nemesis	Silverado, Q3, Q4, Thunderbolt, QST 5

Aluminum Pontoon

16-28'

Model/Horsepower	Aluminum Propeller	Stainless Steel Propeller
9.9-15 HP	Black Diamond	
20-140 HP	Black Diamond, Nemesis	Silverado
150-225 HP	Black Diamond, Diamond 4, Nemesis	Silverado, Thunderbolt, Q3, Q4

Fiberglass Deckboat

16-24'

Model/Horsepower	Aluminum Propeller	Stainless Steel Propeller
30-140 HP	Black Diamond, Nemesis	Silverado
150-225 HP	Black Diamond, Diamond 4, Nemesis	Silverado, Thunderbolt, QST 5, Q3, Q4

Houseboat/Workboat

Model/Horsepower	Aluminum Propeller	Stainless Steel Propeller
30-150 HP	Black Diamond, Nemesis	Silverado
200-225 HP	Black Diamond, Diamond 4	Silverado, Thunderbolt, Q3, Q4

QUICKSILVER PROPELLER TYPE

QUICKSILVER STERNDRIVE PROPELLER SELECTOR CHART

Quicksilver Propeller selector by family for Sterndrives

Fiberglass Cruiser

21-24'

Model/Horsepower	Aluminum Propeller	Stainless Steel Propeller
4.3L - 5.0L	Black Diamond, Diamond 4, Nemesis	Silverado, Q3, Q4, QST 5
5.7L - 8.2L	Black Diamond, Diamond 4, Nemesis	Silverado, Thunderbolt, Q3, Q4, QST 5

Fiberglass Sportboat

21-24'

Model/Horsepower	Aluminum Propeller	Stainless Steel Propeller
5.7L - 8.2L	Black Diamond, Diamond 4, Nemesis	Silverado, Thunderbolt, Q3, Q4, QST 5

Fiberglass Deckboat/Pontoon Boat

16-26'

Model/Horsepower	Aluminum Propeller	Stainless Steel Propeller
2.5L - 5.0L	Black Diamond, Diamond 4, Nemesis	Silverado, Q3, Q4, QST 5
5.7L - 8.2L	Black Diamond, Diamond 4, Nemesis	Silverado, Thunderbolt, Q3, Q4, QST 5

Houseboat/Workboat

Model/Horsepower	Aluminum Propeller	Stainless Steel Propeller
2.5L - 5.0L	Black Diamond, Diamond 4, Nemesis	Silverado, Q3, Q4,
5.7L - 8.2L	Black Diamond, Diamond 4, Nemesis	Silverado, Thunderbolt, Q3, Q4,

BLACK DIAMOND

General purpose 3-blade aluminum propeller
 Inexpensive and easy to repair
 Recommended for speeds less than 50 MPH and applications less than 250 HP
 4-30 hp are rubber hub propellers
 40-60 hp standard are equipped with the Reflex hub system
 40-60 hp CT (large gearcase) and larger require a Flo Torq II hub system

BLACK DIAMOND OUTBOARD/STERNDRIVE WITH 4 3/4 IN GEARCASE (GROUP E)

BLACK DIAMOND



QA2000X

16 X 11 RH AL 3 BL

QA2004X

16 X 13 RH AL 3 BL

QA2006X

16 X 14 RH AL 3 BL

QA2008X

15 1/2 X 15 RH AL 3 BL

QA2010X

16 X 16 RH AL 3 BL

QA1912X

15 X 17 RH AL 3 BL

QA2014X

15 1/2 X 18 RH AL 3 BL

QA1916X

14 1/2 X 19 RH AL 3 BL

QA1918X

14 1/4 X 21 RH AL 3 BL

QA1920X

14 X 23 RH AL 3 BL

BLACK DIAMOND OUTBOARD WITH 4 1/4 IN GEARCASE (GROUP D)

BLACK DIAMOND



QA2028X

14 X 10 RH AL 3 BL

QA2828X

14 X 10 RH AL 3 BL Extra Cup

QA2030X

14 X 11 RH AL 3 BL

QA2830X

14 X 11 RH AL 3 BL Extra Cup

QA2832X

14 X 13 RH AL 3 BL Extra Cup

BLACK DIAMOND FOR STANDARD 40-60 HP OUTBOARD

BLACK DIAMOND



QA2060X

12 1/2 X 8 RH AL 3 BL

QA2062X

12 1/4 X 9 RH AL 3 BL

QA2064X

11 1/4 X 10 RH AL 3 BL

QA2070X

10 7/8 X 11 RH AL 3 BL

QA2074X

10 5/8 X 12 RH AL 3 BL

QA2072X

10 3/4 X 12 RH AL 3 BL

QA2078X

10 3/8 X 13 RH AL 3 BL

QA2076X

10 1/2 X 13 RH AL 3 BL

QA2082X

10 1/4 X 14 RH AL 3 BL

QA2080X

10 3/8 X 14 RH AL 3 BL

QA2084X

10 1/8 X 15 RH AL 3 BL

BLACK DIAMOND FOR 85-140 HP EVENRUDE/ JOHNSON V-4

Black Diamond Propellers designed to fit 85-140 hp Evenrude/Johnson V-4

BLACK DIAMOND



QA3832X

14 X 13 RH AL 3 BL Extra Cup

BLACK DIAMOND



QA2208X

13 3/4 X 15 RH AL 3 BL

QA2206X

13.25 X 17 RH AL 3 BL

BLACK DIAMOND 4

4-blade aluminum propeller
Inexpensive and easy to repair
Improves acceleration and mid-range performance on many boats

DIAMOND 4



QA2182X

15 X 16 RH AL 4 BL

QA2183X

15 X 16 LH AL 4 BL

QA2184X

14 1/2 X 18 RH AL 4 BL

QA2185X

14 1/2 X 18 LH AL 4 BL

QA2186X

14 X 20 RH AL 4 BL

QA2187X

14 X 20 LH AL 4 BL

NEMESIS

Introducing the Nemesis - the ultimate performance aluminum propeller. Do you want to take your boats performance to the next level? The Nemesis provides 16-25% faster acceleration and superior holding all while maintaining top speed vs. a comparable 3 blade aluminum propeller.

Hub Application:

For 25-30 HP 4-Stroke outboards (Flo-Torq I)

40-60 HP standard gearcase outboards (Flo-Torq Reflex)

40 Bigfoot - 300 HP (Flo-Torq II)

The 10, 11 and 13 pitch propellers for the 40-60 BigFoot are specifically designed for excellent performance in pontoon applications. If engine RPM is appropriate with 3-blade prop, replace with the same pitch Nemesis propeller.

9.5" - 19" pitch RH only

NEMESIS 25-30 HP

25-30 HP 4-Stroke outboards 2006 and newer Flo-Torq I Rubber Hub.

NEMESIS PROPELLER



48-8M8027516

9.3 X 9.5P RH AI 4 BL

QUICKSILVER PROPELLER TYPE

48-8M8027517

9.3 X 11 RH AL 4 BL

NEMESIS 40-60 HP

25 HP BigFoot, 30 HP 4- Stroke (2005 and earlier) 40-60 HP 2-stroke and 4-Stroke outboards.

Equipped with Flo-Torq Reflex Hub system to eliminate clutch rattle.

NEMESIS PROPELLER



48-8M8027511

10.6 X 12 RH AL 4 BL

48-8M8027512

10.3 X 13 RH AL 4 BL

48-8M8027513

10.1 X 14 RH AL 4 BL

48-8M8027514

10.1 X 15 RH AL 4 BL

NEMESIS 40 CT (BIGFOOT) - 125 HP

For 40-60 HP Bigfoot 4-strokes, 75-125 HP 2 and 4-Stroke outboards.

10-13 Pitch propellers are designed for to provide superior holding and lift for pontoon boats.

Flo-Torq II hub system not included

NEMESIS PONTOON PROPELLER



48-8M8027497

13.8 X 10 RH AL 4 BL

48-8M8027498

13.8 X 11 RH AL 4 BL

48-8M8027500

13.8 X 13 RH AL 4 BL

NEMESIS PROPELLER



48-8M8027502

13.4 X 15 RH AL 4 BL

48-8M8027504

13.0 X 17 RH AL 4 BL

48-8M8027506

12.5 X 19 RH AL 4 BL

NEMESIS 90 CT - 300 HP

For 90 CT - 300 HP 2 and 4-Stroke outboards and most 4.75 inch Gearcase Sterndrives.

Flo-Torq II hub system not included

The high performance blade design is not recommended for Alpha One drives with a 1.47 ratio

The New 12 and 14P offering are high performing propellers for 90-115 CT and 150 HP outboard powered pontoons

NEMESIS PROPELLER



48-8M0055531

14 X 12 AL RH 4BL

48-8M0055533

14 X 14 AL RH 4BL

48-8M0055534

14 X 17 RH AL 4 BL

48-8M0055535

14 X 19 RH AL 4 BL

48-8M0055536

14 X 21 RH AL 4 BL

48-8M0055537

14 X 23 RH AL 4 BL


QUICKSILVER Q3

The Q3 is a revolutionary propeller that improves both acceleration and top speed on center consoles, high horsepower pontoons, and sterndrive powered runabouts. The design consists of high rake angles and thin blades resulting in the Q3 being the highest performing 3-blade propeller in the Quicksilver line-up.

Equipped with PVS - Performance Vent System

Flo-Torq II hub system not included

QUICKSILVER Q3 PROPELLER



48-8M0103516

- 16 x 11 RH SS 3 BL
- 48-8M0103517**
- 15.6 x 13P RH SS 3 BL
- 48-8M0103518**
- 15.3 x 14P RH SS 3 BL
- 48-8M0103519**
- 15.0 x 15P RH SS 3 BL
- 48-8M0103520**
- 14.7 x 16P RH SS 3 BL
- 48-8M0103521**
- 14.5 x 17P RH SS 3 BL
- 48-8M0103522**
- 14.2 x 18P RH SS 3 BL
- 48-8M0103523**
- 14.0 x 19P RH SS 3 BL
- 48-8M0103524**
- 13.8 x 20P RH SS 3 BL
- 48-8M0103525**
- 13.6 x 21P RH SS 3 BL

QUICKSILVER Q4 60 CT - 125 HP

Now available for 60 CT - 115 HP outboards

The aggressive 4-blade Q4 generates exceptional lift resulting in a propeller that provides outstanding holeshot, unmatched midrange performance and superior handling, all while running at best-in-class top speeds. The new Q4 is the ideal match on a wide range of boat types (Bass, Multi-Species, Fish and Ski, Center Console, Bay, Pontoon).

Equipped with PVS - Performance Vent System

Flo-Torq II hub system not included

Q4 PROPELLER



48-8M0055559

- 14 X 13 SS RH 4BL
- 48-8M0055560**
- 13.5 x 15 SS RH 4 BL
- 48-8M0055561**
- 13.0 x 17 SS RH 4BL
- 48-8M0055562**
- 12.7 x 19 SS RH 4BL
- 48-8M0055563**
- 12.7 x 21 SS RH 4BL

QUICKSILVER PROPELLER TYPE

QUICKSILVER Q4 90 CT - 350 HP

The Q4 is an innovative propeller that provides outstanding holeshot, unmatched midrange performance, and superior holding on high horsepower walleye boats, center consoles, and sterndrive runabouts.

Available in Right and Left Hand

Equipped with PVS - Performance Vent System

Flo-Torq II hub system not included

Use hub kit 8M0101603 when installing a Q4 propeller on a Mercury Verado 350 hp.

QUICKSILVER Q4 PROPELLER



48-8M0103526

14.6 x 17P RH SS 4 BL

48-8M0103527

14.6 x 17P LH SS 4 BL

48-8M0103528

14.6 x 19P RH SS 4 BL

48-8M0103529

14.6 x 19P LH SS 4 BL

48-8M0103530

14.6 x 21P RH SS 4 BL

48-8M0103531

14.6 x 21P LH SS 4 BL

48-8M0103532

14.6 x 23P RH SS 4 BL

48-8M0103533

14.6 x 23P LH SS 4 BL

SILVERADO

General-purpose 3-blade stainless steel propeller
Over five times more durable than an aluminum prop

SILVERADO 40 - 60 HP

Silverado for most 40 - 60 HP outboards

SILVERADO



QS5164X

11 X 12 RH SS 3 BL

QS5166X

10 1/2 X 13 RH SS 3 BL

QS5168X

10 3/8 X 14 RH SS 3 BL

QS5170X

10 1/4 X 15 RH SS 3 BL

SILVERADO 40 CT - 125 HP

Silverado propeller for most 40 CT (Bigfoot) - 125 HP Outboards

SILVERADO



48-8M0055292

14 X 10 RH SS 3 BL

48-8M0055293

14 X 12 RH SS 3 BL

QS5114X

13 3/8 X 14 RH SS 3 BL

QS5116X

13 1/8 X 16 RH SS 3 BL

QS5118X

13 X 18 RH SS 3 BL

SILVERADO 90 CT - 350 HP

Silverado for most 90/115 CT, 135+ hp outboards and Sterndrives

SILVERADO



QS5050X

14 1/2 X 15 RH SS 3 BL

QS5052X

14 1/2 X 17 RH SS 3 BL

QS5054X

14 X 19 RH SS 3 BL

QS5056X

13 3/4 X 21 RH SS 3 BL

QS5058X

13 1/2 X 23 RH SS 3 BL

THUNDERBOLT

3-blade stainless performance propeller with more blade area for large boats with big V-6 outboards and V-8 sterndrives
Outstanding on Bravo One and TRS sterndrives
Good prop for sport/performance style boats as well as cruisers
Equipped with PVS - Performance Vent System

Flo-Torq II hub system not included

THUNDERBOLT



QS5004X

15 1/2 X 17 RH SS 3 BL

QS5005X

15 1/2 X 17 LH SS 3 BL

QS5006X

15 1/4 X 19 RH SS 3 BL

QS5007X

15 1/4 X 19 LH SS 3 BL

QS5008X

14 3/4 X 21 RH SS 3 BL

QS5009X

14 3/4 X 21 LH SS 3 BL

QS5011X

14 5/8 X 23 LH SS 3 BL

QST 5

5-blade design is excellent for tow-sports. The design also provides superior handling and control, making this propeller an excellent choice for freshwater fishermen who need control in rough water. This propeller also makes an excellent choice for anglers who want to maintain low speeds while back trolling.

Equipped with PVS - Performance Vent System
Flo-Torq II hub system not included

QST 5 PROPELLER



QS1154X

13 1/2 x 17 RH SS 5 BL

QS5758X

13 1/3 x 19 RH SS 5 BL

QS5760X

13 1/3 x 21 RH SS 5 BL

TORRENT

The ultimate propeller for high power, high speed bass, walleye and bay boats.

Higher rake and more cup provides better handling and bow lift on big V-6 powered outboard powered boats.

Equipped with PVS - Performance Vent System
Flo-Torq II hub system not included

TORRENT



QS5862X

14.625 X 21 RH SS 3 BL

QS5864X

14.625 X 23 RH SS 3 BL

QS5866X

14.625 X 25 RH SS 3 BL

QUICKSILVER PROPELLER TYPE

LIGHTSPEED

Note: The Lightspeed propeller has been discontinued. For 75-125 hp engines, Quicksilver recommends using the Silverado of the equivalent pitch. For 135+ hp engines and sterndives, Quicksilver recommends the Torrent or the new Q3 propeller of the equivalent pitch.


TYPHOON

Note: The Typhoon propeller has been discontinued. For 135+ hp engines and sterndives, Quicksilver recommends the new Quicksilver Q3 or Quicksilver Q4 propeller of the equivalent pitch.

BLACK DIAMOND BII - BRAVO TWO

General purpose 3-blade aluminum propeller
Right and left-hand rotation
11-25" pitch

BLACK DIAMOND BRAVO TWO PROPELLER



48-8M0078084

20 X 11 RH Alum 3 BL

48-8M0078085

20 X 11 LH Alum 3 BL

48-8M0078086

19.5 X 13 RH Alum 3 BL

48-8M0078087

19.5 X 13 LH Alum 3 BL

48-8M0078088

19.25 X 15 RH Alum 3 BL

48-8M0078089

19.25 X 15 LH Alum 3 BL


48-8M0078090

18.75 X 17 RH Alum 3 BL

48-8M0078091

18.75 X 17 LH Alum 3 BL

BLACK DIAMOND BRAVO TWO



QA1940R

18 1/4 x 19 RH AL 3 BL

QA1941R

18 1/4 x 19 LH AL 3 BL

QA1946R

17 3/4 x 21 RH AL 3 BL

QA1947R

17 3/4 x 21 LH AL 3 BL


QA1952R

17 1/2 x 23 RH AL 3 BL

QA1953R

17 1/2 x 23 LH AL 3 BL

BLACK DIAMOND BRAVO TWO PROPELLER



48-8M0078092

17.25 X 25 RH Alum 3 BL


48-8M0078093

17.25 X 25 LH Alum 3 BL

THUNDERBOLT BIII - BRAVO THREE

Twin counter rotating stainless steel propellers
Large diameter forward propeller
Small diameter aft propeller
Unbelievable handling and boat control
Tough matte finish
22-28" pitch

THUNDERBOLT BIII



QS3320S

14 3/8 x 20 RH SS 3 BL

QS3321S

16 x 20 LH SS 3 BL

QS3322S

14 1/4 x 22 RH SS 3 BL

QS3323S

15 3/4 x 22 LH SS 3 BL

QS3324S

14 1/4 x 24 RH SS 3 BL

QS3325S

15 1/2 x 24 LH SS 3 BL

QS3326S

14 x 26 RH SS 3 BL

QS3327S

15 1/4 x 26 LH SS 3 BL

QS3328S

13 3/4 x 28 RH SS 3 BL

QS3329S

15 x 28 LH SS 3 BL

THUNDERBOLT - FOR VOLVO PENTA DPS DRIVES

Twin counter rotating stainless steel propellers for Volvo Penta DPS Drives. Large diameter 4 blade front propeller provides superior holding and acceleration. Suitable replacement for Volvo Penta Type F or Type X Duo Prop propellers.

Tough matte finish

19-28 pitch

Replace Volvo Type F propeller with corresponding Thunderbolt propeller according to the chart below:

Volvo Type F Propeller Set

F3	F4	F5	F6	F7	F8
19P	20P	21P	22.5P	24P	26P

Quicksilver Thunderbolt Equivalent Propeller Set

QUICKSILVER THUNDERBOLT



48-8M8026210

16 X 19 LH SS 4 BL - Front
Matte Finish

48-8M8026220

14.4 X 19 RH SS 3 BL - Rear
Matte Finish

48-8M8026230

16 X 20 LH SS 4 BL - Front
Matte Finish

48-8M8026240

14.4 X 20 RH SS 3 BL - Rear
Matte Finish

48-8M8026250

15.9 X 21 LH SS 4 BL - Front
Matte Finish

48-8M8026260

14.3 X 21 RH SS 3 BL - Rear
Matte Finish

48-8M8026270

15.75 X 22.5 LH SS 4 BL - Front
Matte Finish

48-8M8026280

14.25 X 22.5 RH SS 3 BL - Rear
Matte Finish

48-8M8026290

15.5 X 24 LH SS 4 BL - Front
Matte Finish

48-8M8026300

14 X 24 RH SS 3 BL - Rear
Matte Finish

48-8M8026310

15.25 X 26 LH SS 4 BL - Front
Matte Finish

48-8M8026320

13.75 X 26 RH SS 3 BL - Rear
Matte Finish

48-8M8026330

15 X 28 LH SS 4 BL - Front
Matte Finish

48-8M8026340


13.5 X 28 RH SS 3 BL - Rear
Matte Finish

THUNDERBOLT - FOR VOLVO PENTA IPS DRIVES

The first performance aftermarket propeller for Volvo Penta IPS drives. Manufactured using 15-5 stainless steel alloy - a material twice as strong as NiBrAl - providing superior durability and reliability. Suitable replacement for Volvo Penta Type T Duo Prop propellers.

Replace Type T propellers with Thunderbolt propellers of equivalent size. Available in sizes 7, 5, 4 and 3

QUICKSILVER THUNDERBOLT IPS



48-8M8026390

Size 3 SS 3 BL - Front
Matte Finish

48-8M8026400

Size 3 SS 4 BL - Rear
Matte Finish

48-8M8026410

Size 4 SS 3 BL - Front
Matte Finish

48-8M8026420

Size 4 SS 4 BL - Rear
Matte Finish

48-8M8026430

Size 5 SS 3 BL - Front
Matte Finish

48-8M8026440

Size 5 SS 4 BL - Rear
Matte Finish

48-8M8026470

Size 7 SS 3 BL - Front
Matte Finish

48-8M8026480

Size 7 SS 4 BL - Rear
Matte Finish

PROPELLER HARDWARE

PROPELLER HARDWARE

HUB CROSS-REFERENCE CHART

Mercury Rubber Hub Cross-Reference Chart

Application	Name	Hub Style	Hub or Sleeve P/N	Thrust Washer	Aft Washer / Sheer Pin	Nut	Cotter Pin	Nut Kit
Mercury/Mariner 2.5-3.5 HP FourStroke	Flo-Torq I	Rubber	N/A	N/A	17-815111Q02	N/A	18- 95295	N/A
Mercury/Mariner 4-6 HP FourStroke	Flo-Torq I	Rubber	N/A	16145Q01	12- 16146	11- 16147	18-815026	N/A
Mercury/Mariner 8-9.9 HP(2005 and Newer)	Flo-Torq I	Rubber	897453T	8M0070881	12- 16146	11- 16147	18-815026	803743Q02
Mercury/Mariner 6-15 HP 2-Stroke, 9.9 HP FourStroke (1995-2004), 15 HP FourStroke (Thru 2007)	Flo-Torq I	Rubber	827598T	821932 1	821932 1	11- 40140	N/A	11- 13914Q02
Mercury/Mariner 9.9 HP BigFoot, ProKicker (2005 and Newer) 15-20 FourStroke (2007 and Newer)	Flo-Torq I	Rubber	8M0054769	803743	12- 16140 2	11- 16147 1	18-815026 4	803743Q01
Mercury/Mariner 20/25 HP 2-Stroke (1980-2006), 9.9 & 15 HP BigFoot (1999-2004)	Flo-Torq I	Rubber	19669T	858498	N/A	11- 40119 12	N/A	11- 40119Q02
Mercury/Mariner 25-30 HP FourStrokes (2006 and Newer)	Flo-Torq I	Rubber	897001T	16145 2	12- 16140 2	11- 16147 1	N/A	13914Q03
Mercury/Mariner 25 HP BigFoot, 30 HP 2-Stroke, 40-60 HP 2-Stroke and FourStrokes excluding BigFoot(1977 and Newer)	Flo-Torq I	Rubber	43676T	73345A 1	14- 76281Q	11- 69578Q 1	N/A	11- 31990Q02
Mercury/Mariner 40-60 BigFoot FourStrokes with Silver (A33) Propellers	Flo-Torq I	Rubber	859173	12-835467Q01	12- 31211Q03	11- 52707Q 1	N/A	11-827614Q01

FLO-TORQ II APPLICATION CHARTS

Mercury/Mariner/Force & MerCruiser Sterndrive

Application	Flo-Torq Hub Kit	Forward Trust Washer	Drive Sleeve	Bushing	Aft Adaptor	Aft Spacer/ Washer	Nut	Cotter Pin
Mercury 75 2 Stroke 1984 & Newer, 90 & 115 2 Stroke 1978 & Newer, 125 HP 1994 & Newer, Verado 200-300 HP, Alpha & Bravo 1 Sterndrives	835257Q 1	12-835467Q01	835290Q 1	N/A	826074Q 1	8M0042130	11- 52707Q 1	N/A
Force 75 1999, 90-150 1995 and Newer	835257Q 1	12-835467Q01	835290Q 1	N/A	826074Q 1	8M0042130	11- 52707Q 1	N/A
Mercury 40-60-HP BigFoot and 90-115 4 Stroke	835257Q 9	12-835467Q01	881940Q 1	N/A	8M0061986	8M0042130	11- 52707Q 1	N/A
Mercury Verado 135-175 (Flo-Torq IV)	835257Q10	12-835467Q01	896233Q01	N/A	8M0061986	8M0042130	11- 52707Q 1	N/A
Mercury V-6 For Use With Surfacing Propellers; Tempest Plus, Trophy Plus, & Fury	835257Q 6	12-835467Q01	835290Q 1	23-856163Q 1	826074Q 1	8M0042130	11- 52707Q 1	N/A
Mercury Racing Choppers & Cleavers for V-6 Outboards	835258Q 1	12-835467Q01	850821Q11	N/A	826074Q 1	8M0042130	11- 52707Q 1	N/A
Mercury 400+ Bravo I	835258Q 2	12-835467 5	850821Q2	849501	826074Q 1	8M0042130	11- 52707Q 1	N/A
Verado 350 SCI, MerCruiser XZ and XR Racing Sport and Torque Master (1.25 Shaft)	840389Q06	N/A	N/A	N/A	N/A	N/A	N/A	N/A

Yamaha Flo-Torq

Application	Flo-Torq II Hub Kit	Forward Trust Washer	Drive Sleeve	Bushing	Aft Adaptor	Aft Spacer/ Washer	Nut	Cotter Pin
Yamaha 115, 130 HP 1984 and newer	835271Q 2	12-853948T	835290Q 1	N/A	826074Q 1	12-850076	859939	18- 47959
Yamaha 50-100 HP	835272Q 1	12-853555	835290Q 1	N/A	826074Q 1	12-850076	859939	18- 47959
Yamaha 150-300 HP 4-Stroke, Including SHO	835274Q 1	12-853948T	835290Q 1	N/A	826074Q 1	12-887972	859939	18- 47959
Yamaha 150-300 HP 2-Stroke, HPDI, VMAX and 130-300HP Sterndrives	835271Q 2	12-853948T	835290Q 1	N/A	826074Q 1	12-850076	859939	18- 47959
Yamaha 200-250 HP VMAX SHO 4-Stroke	8M0075402	23-8M0064826	835290Q 1	23-856163Q 1	826074Q 1	12-887972	859939	18- 47959

Evinrude/Johnson/OMC & Volvo SX Flo-Torq

Application	Flo-Torq II Hub Kit	Forward Thrust Washer	Drive Sleeve	Bushing	Aft Adaptor	Aft Spacer/ Washer	Nut	Cotter Pin
Evinrude/Johnson V-4	835266Q 1(1)	859915	835290Q1(Delrin)	N/A	834839Q	N/A	859929	18- 89961
Johnson 90-115 HP 4-Stroke	835283Q 1	12-888939	835290Q1(Delrin)	N/A	826074Q 1	12-887972	859939	18- 47959
Johnson 140 HP 4-Stroke Outboard	835283Q 2	12-835467008	835290Q1(Delrin)	N/A	826074Q 1	12-887972	859939	18- 47959
Evinrude/Johnson/OMC Stern Drives V-6, V-8 1991 & Newer	835265Q02	12-835467008	835290Q1(Delrin)	N/A	834839Q	Included with Nut	802009Q 1	Included with Nut
Evinrude/Johnson 250 V-6 2002 & Newer	835265Q02	12-835467008	835290Q1(Delrin)	N/A	834839Q	Included with Nut	802009Q 1	Included with Nut
Evinrude/Johnson/OMC Stern Drives V-6, V-8/ 1990 & Older	835267Q 1	12-835467Q01	835290Q1(Delrin)	N/A	834839Q	Included with Nut	802009Q 1	Included with Nut
OMC Cobra SX/Volvo SX 1994 & Newer (19 tooth spline)	835270Q 1	12-835467008	835290Q1(Delrin)	N/A	850330Q	879143	802126Q 1	Included with Nut

(1) Use hub kit only with Quicksilver small labyrinth seal propellers: QA2202X thru QA2208X, QA 3828X thru QA3832X and QS5136X thru QS5144X.

Honda Flo-Torq

Application	Flo-Torq II Hub Kit	Forward Thrust Washer	Drive Sleeve	Bushing	Aft Adaptor	Aft Spacer/ Washer	Nut	Cotter Pin
Honda 75-90 HP 1999 & Newer, 115-130 HP All YRS.	835279Q 2	12-853359	835290Q1(Delrin)	N/A	826074Q 1	8M0042130	11- 52707Q 1	N/A
Honda 75-90 HP thru 1998	835277Q 1	12-835467Q01	835290Q1(Delrin)	N/A	826074Q 1	8M0042130	11- 52707Q 1	N/A
Honda 135-250 HP 4-Stroke	835278Q 1	12-888451	835290Q1(Delrin)	N/A	826074Q 1	12-887972	859939	18- 47959

Suzuki & Tohatsu/Nissan Flo-Torq

Application	Flo-Torq II Hub Kit	Forward Thrust Washer	Drive Sleeve	Bushing	Aft Adaptor	Aft Spacer/ Washer	Nut	Cotter Pin
Suzuki 60 HP 4-Stroke (1998 and newer), 70 HP 4-Stroke (1998-2008), 75-140 HP 2-Stroke	835282Q 1(1)	12-854621	835290Q 1	N/A	834839Q	12-887972	859939	18- 47959
Suzuki 70-90 HP (2009 and newer)	835283Q03	12-8M0042329	835290Q 1	N/A	826074Q 1	12-887972	859939	18- 47959
Suzuki 90-115 HP 4-Stroke (2001-2008)	835283Q 1	12-888939	835290Q 1	N/A	826074Q 1	12-887972	859939	18- 47959
Suzuki 140 HP 4-Stroke, 100-115 HP 4-Stroke (2009 and newer)	835283Q 2	12-835467008	835290Q 1	N/A	826074Q 1	12-887972	859939	18- 47959
Suzuki 150-300 HP	835281Q 1	12-853359	835290Q 1	N/A	826074Q 1	12- 31211Q03	859939	18- 47959
Tohatsu/Nissan 60-140 HP	835284Q 1	12-853948T	835290Q 1	N/A	826074Q 1	12- 16140	11- 16147	18-815026

(1) Use hub kit only with Quicksilver small labyrinth seal propellers: QA2202X thru QA2208X, QA 3828X thru QA3832X and QS5136X thru QS5144X.

FLO-TORQ REFLEX HUB KITS

FLO-TORQ REFLEX HUB KIT QUICKSILVER




835257Q12

Kit includes: Forward thrust washer, Reflex drive sleeve (8M0047148), Aft Washer and Prop Nut.

Mercury/Mariner 40-60 HP FourStroke (not BigFoot), 30 HP FourStroke 1994-2005, 30-60 HP 2-Stroke 1977 and newer, 25 HP BigFoot, 55 HP SeaPro/ Marathon, Yamaha 40-60 HP (Excluding 50T and 60T), Honda 40-50 HP with separately purchased 8M0046466 Thrust Washer, Suzuki 35-60 HP with separately purchased 8M0088039 Thrust Washer, Tohatsu 35-50 hp with separately purchased 8M0053074 Thrust Washer
Quicksilver Branded, Hanging Box Point of Sale Packaged.

DRIVE SLEEVE




8M0047148

Plastic drive sleeve Flo-Torq Reflex Composite Drive Sleeve

PROPELLER HARDWARE

FLO-TORQ II, III, IV & HD HUB KITS

Quicksilver Propellers can improve performance of any Boat. Use the following Flo-Torq II chart for proper hardware selection.



FLO-TORQ II HUB KIT MERCURY



835257Q 1

- 12-835467 1 Forward thrust washer
- 835290A1 Plastic drive sleeve
- 826074Q1 Aft adapter
- 8M0042130 Tab washer
- 11-827614 Prop nut

Mercury/Mariner 40-60 HP Bigfoot, 70-250 HP, Force 90-120, Verado 200-275, MerCruiser Alpha, Alpha One & Bravo One (under 400 HP)
Quicksilver Branded, Hanging Box Point of Sale Packaged.

FLO-TORQ II HUB KIT WITH BUSHING MERCURY



835257Q 6

- 12-835467 1 Forward thrust washer
- 835290A1 Plastic drive sleeve
- 23-856163A1 Bushing
- 826074T1 Aft adapter
- 14-816629Q Tab washer
- 8M0042130 Prop nut

Typically used with the Fury, Tempest Plus, Trophy Plus, Revolution 4 & Bravo 1 in a surface piercing application.

Quicksilver Branded, Hanging Box Point of Sale Packaged.

FLO-TORQ III HUB KIT MERCURY



835257Q 9

- 12-835467 1 Forward thrust washer
- 881940A1 Drive sleeve assembly
- 878584 Aft adapter
- 14-816629Q Tab washer
- 11-52707Q1 Prop nut

Flo-Torq III 40-60 HP FourStroke Bigfoot, 75-115 HP FourStroke and Opti-Max (Aluminum or Stainless steel props, reduces rattle)

Quicksilver Branded, Hanging Box Point of Sale Packaged.

FLO-TORQ IV HUB KIT MERCURY



835257Q10

- 12-835467 1 Forward thrust washer
- 896233A01 Drive sleeve assembly
- 878584 Aft adapter
- 14-816629Q Tab washer
- 11-52707Q1 Prop nut

Flo-Torq IV hub kit for Verado L4SC 135-175 HP (Aluminum or Stainless steel props, reduces prop rattle).

Quicksilver Branded, Hanging Box Point of Sale Packaged.

Quicksilver Branded

FLO-TORQ II SOLID HUB KIT



835258Q 1

12-835467 5 Forward thrust washer (hardend)
 850821Q11 Steel (3 7/8 in.) drive sleeve
 826074Q1 Aft adapter
 8M0042130 Tab washer
 11-827614 Prop nut
 For use with Chopper, Cleaver, Lightning ET, Pro ET & old style Bravo I (with MerCruiser logo) propellers.
 Quicksilver Branded, Hanging Box Point of Sale Packaged.

FLO-TORQ II SOLID HUB KIT



835258Q 2

12-835467 5 Forward thrust washer (hardend)
 850821Q12 Steel (3 5/8) drive sleeve
 826074Q1 Aft adapter
 8M0042130 Tab washer
 11-827614 Prop nut
 Standard length hub for use with Fury, Tempest Plus, Mirage Plus, REV 4, Trophy Plus, Bravo I & Maximus propellers (Bravo One Sterndrive 400HP+, 1" prop shaft).
 Quicksilver Branded, Hanging Box Point of Sale Packaged.

QUICKSILVER FLO-TORQ SSR HD



8M0101603

840383A 2 prop nut & washer kit
 For use with Mercury/Mariner outboards with a 1.25" propeller shaft. 225-250 HP Pro XS with Torque Master II gearcase, 300 and 350 HP Verado with 5.44" HD gearcase, and Verado 400R
 Quicksilver Branded

FLO-TORQ II HD SOLID HUB KIT MERCURY



840389Q06

840382A02 black snubber strip replacement kit
 840383A 2 prop nut & washer kit
 For use with HD (Heavy Duty) 1.25" propshaft when installed on Mercury Racing 200XS, 225X, 2.5 EFI, 225(Pro X, Pro XS, Sport XS), 250(XS, Pro XS, Sport XS), 300 (X, XS), Sport, Torque and HD Fleet Master gearcases (not Fleet Masters with 1" propshafts), MerCruiser Bravo One XR or XZ, Sport Master and shorty Sport Master sterndrives.
 Quicksilver Branded, Hanging Box Point of Sale Packaged.

FLO-TORQ REFLEX HUB KIT QUICKSILVER



835257Q12

Kit includes: Forward thrust washer, Reflex drive sleeve (8M0047148), Aft Washer and Prop Nut.
 Mercury/Mariner 40-60 HP FourStroke (not BigFoot), 30 HP FourStroke 1994-2005, 30-60 HP 2-Stroke 1977 and newer, 25 HP BigFoot, 55 HP SeaPro/Marathon, Yamaha 40-60 HP (Excluding 50T and 60T), Honda 40-50 HP with separately purchased 8M0046466 Thrust Washer, Suzuki 35-60 HP with separately purchased 8M0088039 Thrust Washer, Tohatsu 35-50 hp with separately purchased 8M0053074 Thrust Washer
 Quicksilver Branded, Hanging Box Point of Sale Packaged.

FLO-TORQ II HUB KIT HONDA



835277Q 1

12-835467 1 Forward thrust washer
 835290A1 Plastic drive sleeve
 826074Q 1 Aft adapter
 8M0042130 Tab lock washer
 11-827614 Prop nut
 Honda outboards (75-90 HP thru 1998)
 Quicksilver Branded, Hanging Box Point of Sale Packaged.

PROPELLER HARDWARE

FLO-TORQ II HUB KIT HONDA



835279Q 2

- 12-853359 Fwd thrust washer
- 835290A1 Plastic drive sleeve
- 826074Q 1 Aft adapter
- 12-887972 Washer
- 859939 Lock
- 18-47959 Cotter pin

Honda outboards (75-90 HP 1999-present, 115-130 HP)
Quicksilver Branded, Hanging Box Point of Sale Packaged.

FLO-TORQ II HUB KIT HONDA




835278Q 1

- 12-888451 Forward thrust washer
- 835290A1 Plastic drive sleeve
- 826074Q 1 Aft adapter
- 12-887972 Spacer
- 859939 Nut
- 18-47959 Cotter Pin

Honda 135, 150, 200, 225 and 250 HP 4-Stroke. Can be used with Mercury Racing propellers.

FLO-TORQ II HUB KIT EVINRUDE E-TEC G2



8M0107220

- Forward thrust washer
- Plastic drive sleeve
- Aft adapter
- Nut Kit
- (Cotter pin and spacer included with Nut kit)

Evinrude E-TEC G2, 2014 AND NEWER
Quicksilver Branded, Hanging Box Point of Sale Packaged.

FLO-TORQ II HUB KIT EVINRUDE, JOHNSON & OMC



835265Q02

- 12-835467-008 Forward thrust washer, 835290A1 Plastic drive sleeve, 834899Q Aft adapter, 12- 887972 Aft Washer, 802009Q1 Nut, Cotter pin and spacer

Evinrude, Johnson outboards & OMC stern drive (V-6 & V-8 gearcase, 1991 & Newer including new 250 HP V-6 outboard and 2003 V-6 with Crescent gearcase). Can be used with Mercury Racing propellers.

FLO-TORQ II HUB KIT EVINRUDE, JOHNSON & OMC



835267Q 1

- 12-835467 1 Forward thrust washer
- 835290A1 Plastic drive sleeve
- 834899Q Aft adapter
- 802009Q 1 Nut Kit
- (Cotter pin and spacer included with Nut kit)

Evinrude/Johnson, OMC stern drives (V-6 & V-8 gearcase, 1984-1990)
Quicksilver Branded, Hanging Box Point of Sale Packaged.

FLO-TORQ II HUB KIT EVINRUDE & JOHNSON



835266Q 1

- 859915 Thrust washer
- 835290A 1 Plastic drive sleeve
- 834839Q Aft adapter
- 859929 Nut
- 18-89961 Cotter pin

Evinrude & Johnson outboards (V-4 gearcase, 1968-present). For use with propellers that have cut down labyrinth seal.

Quicksilver Branded, Hanging Box Point of Sale Packaged.

FLO-TORQ II HUB KIT



835283Q 1

12-888939 Fwd thrust washer
 835290A1 Plastic drive sleeve
 826074Q1 Aft adapter
 12-887972 Washer
 859939 Nut
 18-47959 Cotter Pin
 Johnson & Suzuki 90-115 HP 4-Stroke O/B
 Quicksilver Branded, Hanging Box Point of Sale Packaged.

FLO-TORQ II HUB KIT SUZUKI



835281Q 1

12-853359 Fwd thrust washer
 835290A1 Plastic drive sleeve
 826074Q1 Aft adapter
 12-31211A3 Washer
 859939 Nut
 18-47959 Cotter Pin
 Suzuki 150-225 HP 2-Stroke Outboards and 150-250 HP 4-Stroke Outboards. Can be used with Mercury Racing propellers.
 Quicksilver Branded, Hanging Box Point of Sale Packaged.

FLO-TORQ II HUB KIT SUZUKI



835283Q 2

12-835467 1 Fwd thrust washer
 835290A1 Plastic drive sleeve
 826074Q1 Aft adapter
 12-887972 Washer
 859939 Nut
 18-47959 Cotter Pin
 Johnson & Suzuki 140 HP 4-Stroke O/B
 Quicksilver Branded, Hanging Box Point of Sale Packaged.

FLO-TORQ II HUB KIT SUZUKI



835283Q03

12-8M0042329 Fwd thrust washer
 835290Q 1 Plastic drive sleeve
 826074Q 1 Aft adapter
 12-887972 Washer
 859939 Nut
 18-47959 Cotter Pin
 Suzuki 70-90 HP 2009 and Newer
 Quicksilver Branded, Hanging Box Point of Sale Packaged.


FLO-TORQ II HUB KIT SUZUKI



835282Q 1

12-854621 Fwd thrust washer
 835290A1 Plastic drive sleeve
 834839Q Aft adapter
 12-887972 Washer
 859939 Nut
 18-47959 Cotter Pin
 Suzuki 60 HP 4-Stroke (1998 and Newer) 70 HP 4-Stroke (1998-2008) 75-140 HP 2-Stroke
 Quicksilver Branded, Hanging Box Point of Sale Packaged.

FLO-TORQ II HUB KIT TOHATSU



835284Q 1

12-853948T Fwd thrust washer
 835290A1 Plastic drive sleeve
 826074Q1 Aft adapter
 12-16140 Washer
 11-16147 Nut
 18-815026 Cotter Pin
 Tohatsu/Nissan (70C, 90-140 HP)
 Quicksilver Branded, Hanging Box Point of Sale Packaged.

PROPELLER HARDWARE

FLO-TORQ II HUB KIT



835270Q 1

12-835467 7 Forward thrust washer
 835290A1 Plastic drive sleeve
 850330Q Aft adapter
 879143 Spacer
 802126Q 1 Nut
 Cotter pin included with Nut
 OMC Cobra/Volvo SX sterndrives (19 tooth spline, 1996-present)
 Caution! When installing stainless steel propellers, remove the anode to bearing carrier and check clearance before operation.
 Quicksilver Branded, Hanging Box Point of Sale Packaged.

FLO-TORQ II HUB KIT YAMAHA



835272Q 1

12-853555Q Forward thrust washer
 835290A1 Plastic drive sleeve
 826074Q 1 Aft adapter
 12-850076 Spacer
 859939 Nut
 18-47959 Cotter Pin
 Yamaha outboards (50-100 HP, splined forward thrust washer)
 Quicksilver Branded, Hanging Box Point of Sale Packaged.

FLO-TORQ III HUB KIT YAMAHA



835272Q09

12-853555Q Forward thrust washer
 881940A 1 Drive Sleeve Assembly
 878584 Aft adapter
 12-850076 Spacer
 859939 Nut
 18-47959 Cotter Pin
 Yamaha outboards (50-100 HP, splined forward thrust washer)
 Quicksilver Branded, Hanging Box Point of Sale Packaged.

FLO-TORQ II HUB KIT YAMAHA



835271Q 2

12-853948T Forward thrust washer
 835290A1 Plastic drive sleeve
 826074Q 1 Aft adapter
 12-850076 Spacer
 859939 Nut
 18-47959 Cotter Pin
 Yamaha 150-300 HP HPDI 2-stroke outboards using a one piece thrust washer and all Yamaha stern drives
 Quicksilver Branded, Hanging Box Point of Sale Packaged.

FLO-TORQ II HUB KIT YAMAHA



8M0075402

8M0064826 Forward thrust washer
 835290A1 Plastic drive sleeve
 826074Q 1 Aft adapter
 12-887972 Spacer
 859939 Nut
 18-47959 Cotter Pin
 200-250 HP VMAX SHO 4 stroke outboards using a two piece thrust washer.
 Quicksilver Branded, Hanging Box Point of Sale Packaged.

FLO-TORQ III HUB KIT YAMAHA



835271Q09

12-853948T Forward thrust washer
 881940A 1 Drive Sleeve Assembly
 878584 Aft adapter
 12-850076 Spacer
 859939 Nut
 18-47959 Cotter Pin
 Yamaha outboards & stern drives (V-4 & V-6 gearcase, 1980-present), excluding the four stroke 225EFI.
 Quicksilver Branded, Hanging Box Point of Sale Packaged.

FLO-TORQ II HUB KIT



835274Q 1

12-853948-1 Forward thrust washer
 835290A1 Plastic drive sleeve
 826074Q 1 Aft adapter
 12-887972 Spacer
 859939 Nut
 18-47959 Cotter Pin
 150-300 HP 4 stroke outboards (Excluding SHO outboards).
 Quicksilver Branded, Hanging Box Point of Sale Packaged.


DRIVE SLEEVE



835290Q 1

Plastic drive sleeve Flo-Torq II
 Quicksilver Branded, Hanging Box Point of Sale Packaged.

DRIVE SLEEVE



8M0047148

Plastic drive sleeve Flo-Torq Reflex Composite Drive Sleeve

DRIVE SLEEVE



881940Q 1

Flo-Torq III Spring Drive Sleeve
 For use with 40 - 60 BigFoot, 75 - 115 HP FourStroke outboards (Reduce prop rattle)

DRIVE SLEEVE



896233A01

Flo-Torq IV Spring Drive Sleeve
 For use with Verado L4SC 135-175 HP (Aluminum or Stainless steel props, reduces prop rattle).

HUB ASSEMBLY WITH SLEEVE



850821Q11

Long, (3 7/8") with bushing (849501-1), included in steel hub kits
 Stainless steel drive sleeve for A45/A55 P/N suffix (400 HP+) for use with Chopper, Cleaver, Lightning ET, Pro ET & Bravo I (with MerCruiser logo) propellers. Used with Mercury and selected Yamaha propshafts.
 Quicksilver Branded, Hanging Box Point of Sale Packaged.

HUB ASSEMBLY WITH SLEEVE




850821Q12

Short, (3 5/8") with bushing (849501-1), included in steel hub kits
 Stainless steel drive sleeve for A46/A47/A56 P/N suffix (400 HP+). Standard length hub for use with Tempest Plus, Mirage Plus, REV 4, Trophy Plus, Bravo I & Maximus propellers (Bravo One Sterndrive 400HP+, 1" prop shaft). Used with Mercury and selected Yamaha propshafts.
 Quicksilver Branded, Hanging Box Point of Sale Packaged.

PROPELLER HARDWARE

DRIVE SLEEVE ADAPTOR



826074Q 1

Adaptor for use with Flo-Torq II plastic Drive Sleeve (15 Spline)
Mercury 40 BigFoot - 250 HP outboards & MerCruiser Alpha and Bravo One Stern drives, Honda 75 - 225 HP, Suzuki 90 - 140 4-stroke & 150 - 225 HP, Tohatsu/Nissan 40 - 140 HP, Yamaha 50 - 225 HP outboards (1" prop shaft).
Quicksilver Branded, Hanging Box Point of Sale Packaged.

AFT ADAPTER - DRIVE SLEEVE



8M0061986

Drive sleeve for use with Flo-Torq III and IV. (15 Spline) Includes pin style tab washer

AFT ADAPTER - DRIVE SLEEVE



834839Q

Adaptor OMC, Suzuki V-4 (Flo-Torq II) 13 spline

DRIVE SLEEVE ADAPTOR



834899Q

Adaptor OMC V-6, V-8 outboard (Flo-Torq II) 15 Spline

AFT ADAPTER - DRIVE SLEEVE



850330Q

Adaptor Volvo SX, 19 spline (Flo-Torq II)

BUSHING - PROP HUB



23-849501Q 1

Included in steel hub kits
(Flo-Torq II)

BUSHING - PROP HUB



23-856163Q 1

Forward bushing for Flo-Torq II drive sleeve

Typically used for Tempest Plus, Trophy Plus, Revolution 4 & Bravo 1 in a surface piercing application with Flo-Torq II.

Note, this bushing is included in Flo-Torq kit # 835257K6 / 835257Q 6.

BUSHING



23-823516

Blade bushing Power 2 shifting prop

Priced individually, sold @ multiples of 6

PROP EXHAUST SEAL RING



878421

Will reduce ventilation when using Trophy Plus on a V-6 gearcase (prevents over/under exhaust).
Recommended on 200- 275 Verado when using Trophy Plus.

PROP REVERSE KIT



822559Q01

Prop reverse kit (6-15 HP 2-Stroke)
Priced individually, sold @ multiples of 2

ANODES

PROP NUT ANODE KIT



809664A 1

1-1/8 in. Shaft, 3/4 in. NF 16
Fits Mercury/Mariner 70 hp and higher outboards (except 225 EFI FourStroke);
Also fits MC-I, R, MR, Alpha, Bravo One & TRS sterndrives (1970 & newer)

PROP NUT ANODE KIT



809666A02

Aluminum, For use in saltwater or freshwater.
1-3/8 in. Shaft, 1 in. NF 14
Fits Bravo III drives (s/n 0M179451 and below)

809666A03

Magnesium, For use in freshwater only.
1-3/8 in. Shaft, 1 in. NF 14
Fits Bravo III drives (s/n 0M179451 and below)

REPLACEMENT PROP NUT ANODE



809662T

2 in. Aluminum Anode Shell
Replacement Shell for 809662A 1

REPLACEMENT PROP NUT ANODE



809666T

2-5/16 in. Aluminum Anode Shell
Replacement Shell for 809666A 1 and 809666A02

REPLACEMENT PROP NUT ANODE




809670T

2-1/2 in. Aluminum Anode Shell
Replacement Shell for 809670A 1

PROPELLER HARDWARE

ANODIC PLATE



76214Q 5

Aluminum
Provides additional clearance for high rake propellers.
Fits Mercury/Mariner 35-300hp, Force 90 & 120hp 1995 and newer, MerCruiser Alpha One Gen II and Bravo I, II, III, X XR & XZ drives.
Priced individually, sold @ multiples of 2
Quicksilver Branded, Clamshell Package Point of Sale Packaged.

DIFFUSER RINGS

DIFFUSER RING



87715T

Mercury 20-25 HP (current product)

DIFFUSER RING



68861T

Mercury/Mariner 25 (4-Stroke), 30-60 HP, Force 40-75 HP

DIFFUSER RING



68858T

Mercury/Mariner 41/4" gearcase current Black Max (75-125 HP)

DIFFUSER RING



45676T

Mercury/Mariner V-6, Alpha, Bravo I & TRS (current 43/4" gearcase propellers)

DIFFUSER RING



54737T

MerCruiser Bravo II

DIFFUSER RING



42594T

OMC 9.9 - 15 HP

DIFFUSER RING



859878

Suzuki 15

DIFFUSER RING



859879

Suzuki 25 - 30

DIFFUSER RING



859871

Yamaha 8
OEM P/N 6G1-45986-00-94

DIFFUSER RING




859873

Yamaha 25 - 30
OEM P/N 6J8-45986-10-98

PROP NUT KITS

PROP NUT KIT



FA94094-2

819883 Prop nut
18-89961 Cotter pin
25-20195 O-Ring
Force 30, 40, 50

PROP NUT KIT



11-817752A 1

820100 Prop nut
18-45882 Cotter pin
Force 4, 5, 7.5 & 15


PROP NUT KIT



11- 13914Q02

821932 1 Thrust washer, 23-42091 1 Spacer, 11-40140 Prop nut
Mercury/Mariner 6-15 HP 2-cycle, 9.9 hp FourStroke (1994-2004), 15 hp
FourStroke (1994-2006), Force 9.9/15 hp 2-cycle 1998 & newer.
Priced individually, sold @ multiples of 2
Quicksilver Branded, Clamshell Package Point of Sale Packaged.

PROP NUT KIT



13914Q03

Prop nut, thrust hub, cotter pin & washer
Fits the Mercury/Mariner 25 & 30 hp. EFI FourStroke outboards beginning with
MY2006.
Priced individually, sold @ multiples of 2

PROPELLER HARDWARE

PROP NUT KIT



803743Q01

803743 THRUST HOLDER
12-16140 2 WASHER
11-16147 1 PROP NUT
18-815026 4 COTTER PIN

Fits the Mercury / Mariner 9.9 HP BF FS/ Pro Kicker, 15/20 HP FS (9.9 Big Foot Model Year 2005 and Newer) (15/20 HP FS 2007 and Newer).

Priced individually, sold @ multiples of 2

PROP NUT KIT



803743Q02

8M0070811 THRUST HOLDER
12-16146 WASHER
11-16147 PROP NUT
18-815026 1 COTTER PIN

Mercury / Mariner 8/9.9 HP FS, (Model Year 2005 and Newer)

Priced individually, sold @ multiples of 2

PROP NUT KIT



11- 64075A 1

23-65439 Spacer
12-79552 Washer
11-61075(11-89103) Prop nut
Mercury/Mariner 200 (old 20 HP)

PROP NUT KIT




11- 40119Q02

858498 Front thrust washer, 11-40119 12 Prop nut
Mercury/Mariner 18-25 HP (1980 to present)

Priced individually, sold @ multiples of 2

Quicksilver Branded, Clamshell Package Point of Sale Packaged.

PROP NUT KIT



11- 69578Q 1

Kit includes a special locking nut and two tab washers.

For use on Mercury/Mariner 30-60 hp. outboard engines.

Priced individually, sold @ multiples of 2

Quicksilver Branded, Clamshell Package Point of Sale Packaged.

HARDWARE KIT



8M0088039

Adapts 40-60 HP Black Diamond, Nemesis, and Silverado propellers with Flo-Torq Reflex Hubs to fit Suzuki 35-65 HP engines. Kit contains both forward and aft washers.

HARDWARE KIT



8M0053074

Adapts Mercury 30-60 HP Black Max, Trophy Sport & Vengeance propellers with Flo-Torq Reflex Hubs to fit Tohatsu 40-50 HP engines. Kit contains both forward and aft washers.

PROP NUT KIT



11- 31990Q02

73345A1 Front thrust washer, 14-76281 Tab washer, 11-69578Q1 Prop nut Mercury/Mariner 30/40 HP (1989 to present), 50-60 HP (1991 to present, excluding Bigfoot), Force 40-50 HP (1995 & newer), Force 70 HP (1991 & newer), Force 75 HP (1996). Rubber hub propellers only. Purchase this hardware kit to complete install of a rubber hub propeller when propeller hardware is not included with engine.

Priced individually, sold @ multiples of 2
Quicksilver Branded, Clamshell Package Point of Sale Packaged.

PROP NUT KIT




11-827614Q04

13191A1 Front thrust washer, 14-816629Q Tab washer, 11-52707Q1 Prop nut For Aft-Installed Rubber Hub Props: Fits Mercury/Mariner 70-140 (Inline 6 cyl. 1977 and newer), Mercury/Mariner 60 HP BigFoot and 75-125 HP (1987 & newer) 2-cycle outboards, Force 90-120 HP (1995 & newer) 2-cycle outboards.

Priced individually, sold @ multiples of 2
Quicksilver Branded, Clamshell Package Point of Sale Packaged.

PROP NUT KIT



11-827614Q01

12-835467 1 Front thrust washer, 13-42351 1 Continuity washer, 12-31211A3 Washer, 14-816629Q Tab washer, 11-52707Q1 Prop nut Mercury/Mariner 70 HP+ (non Flo-Torq II)

Priced individually, sold @ multiples of 2
Quicksilver Branded, Clamshell Package Point of Sale Packaged.

PROP NUT KIT



12-840383A 2

Kit includes locking prop nut, 1.5 in. washer, 1.5 in. cupped bellville washer & 1 13/16 in. spacer.

For use with HD (Heavy Duty) 1.25" propshaft when installed on Sport Master, Torque Master I and II, Fleet Master and Verado 5.25" gearcase and MerCruiser Bravo One XR or XZ, Sport Master and shorty Sport Master Bravo I XR Sport sterndrives. Tighten propeller nut to 55 lb-ft (75Nm).

PROP NUT KIT



11-8M0056234

Tab washer and Nut
Mercury/Mariner 75HP and up and Mercruiser Alpha and Bravo I sterndrives
Quicksilver Branded, Clamshell Package Point of Sale Packaged.

11-8M0056235

Tab washer and nut
Mercury outboards 75 HP and up and Mercruiser Alpha and Bravo 1 sterndrives
Mercury Branded, Clamshell Package Point of Sale Packaged.

PROP NUT KIT



11- 52707Q 1

Kit includes a special locking nut and two tab washers.
For use on Mercury/Mariner 75 hp. and higher outboard engines (except 225 EFI FourStroke) and for use on MerCruiser Alpha One and Bravo I drives.

Priced individually, sold @ multiples of 2
Quicksilver Branded, Clamshell Package Point of Sale Packaged.

PROPELLER HARDWARE

PROP NUT KIT



11-827614A 3

14359 Front thrust washer
12-31211A3 Washer
Bravo 1 (four blade stainless prop) & Mirage Plus (A50) solid hub (not Flo-Torq II)

PROP NUT KIT



802002Q 1

Fits all Johnson/Evinrude 20, 25, 30 & 35 HP 1976-2000 except 1991 25 HP DR, DE and DT International models.
Priced individually, sold @ multiples of 2
Quicksilver Branded, Clamshell Package Point of Sale Packaged.


PROP NUT KIT



802010Q 1

Fits all Johnson/Evinrude 2 cylinder 40-60 HP 1974 and newer, and 3 & 4 cylinder 60-140 HP 1971 and newer. Fits Stinger 400 1978-1986, OMC Cobra 4 cylinder 1986-1989, and OMC Cobra 2.3 Liter 1990.
Priced individually, sold @ multiples of 2
Quicksilver Branded, Clamshell Package Point of Sale Packaged.

PROP NUT KIT



802009Q 1

Fits all Johnson/Evinrude Loop V-4 120-140 HP 1985, Loop V-4 140 HP Longshaft 1989-1994, Loop V-4 130 HP 1995 and newer, and V-6 & V-8 150-300 HP 1976 and newer. Also fits Stinger 800 1978-1986, OMC Cobra V Series 1986-1987 and Cobra/King Cobra 1992-1993.
Priced individually, sold @ multiples of 2
Quicksilver Branded, Clamshell Package Point of Sale Packaged.

PROP NUT KIT



802126Q 1

Fits all Johnson/Evinrude V-6 & V-8 150-300 HP 1976 and newer. Fits all OMC stern drives and Cobra SX models 1978 and newer (except Stinger 400 1978-1986, OMC Cobra 4 cylinder 1986-1989, and Cobra 2.3 Liter 1990).
Priced individually, sold @ multiples of 2
Quicksilver Branded, Clamshell Package Point of Sale Packaged.

PROP NUTS

PROP NUT



11-826711 12

Power 2 Shifting Prop
Priced individually, sold @ multiples of 2

PROP NUT



11-F7048

Force 60, 85-150 (single exhaust)
Priced individually, sold @ multiples of 2

PROP NUT



11- 80103M

Mariner 3.5 HP

PROP NUT



859946

Mariner 15 (651) 20 (653) 25 (648, 694), Yamaha 15

PROP NUT



11- 14279M

Mariner 40 HP (676A)

PROP NUT



11-826709 11

Mercury 3.9, 3.6, 39, 40, 60, 110
Priced individually, sold @ multiples of 5


PROP NUT



11- 34933

7/16-20, nylon insert
For MCM inner studs and prop nut for Mercury 39, 60 (1968 & newer, 8 spline)
Priced individually, sold @ multiples of 10

PROP NUT



11- 16147

Fits Mercury 4 & 5 HP, and fits the 8/9.9 hp. FourStroke standard gearcase outboards (Model Year 2005 & newer).

PROP NUT



11- 40140

Mercury/Mariner 5-15 HP outboards using a Brass propnut with M10x1.5 threads and nylon insert.
Priced individually, sold @ multiples of 2

PROPELLER HARDWARE

PROP NUT



11- 88228

A special molded nylon propnut fitting the 18/20/25 Hp. 2-cycle Mercury/Mariner outboards (1980 & newer), and the F9.9/15, 323cc BigFoot FourStroke outboards. Priced individually, sold @ multiples of 2

PROP NUT KIT



11- 64075A 1

23-65439 Spacer
12-79552 Washer
11-61075(11-89103) Prop nut
Mercury/Mariner 200 (old 20 HP)

PROP NUT



11- 40119 12

Mercury/Mariner 15/20/25 Hp. Lightning/SeaPro/Marathon outboards using a Brass propnut with M12x1.75 threads and nylon insert.

PROP NUT



11- 46335

Mercury/Mariner 18-25 HP (1980-present)

PROP NUT



11-862907

Bravo III, aft (use 1-7/16 in. socket)

PROP NUT



11-859131

Bravo III, forward (use prop wrench 91-805457T1)


PROP NUT



11-826711 27

12-39817 Prop washer
For use with Mercury Racing Six Drive


PROP NUT



818911 2

Thruster (R, RL, RX,T series)


PROP NUT



859929

OMC 40-140 HP V-4 (OEM P/N 314053)

PROP NUT



859939

Suzuki DT 40-65, 75-115 HP V-4, V-6 (OEM P/N 09141-18005), Yamaha V-4 & V-6 (OEM P/N 90171-18M04-00), Honda 75-115 & FS200-225 HP (OEM P/N 90301-ZW1-B00)

SHEAR PINS

SHEAR PIN KIT



FA324101

17-820150 Shear Pin (3) 18-45882 Cotter Pin
Force 4-15 HP

SHEAR PIN KIT



FK247

17-819834 Shear Pin (6) 18-89961 Cotter Pin
Force 30-50 HP

SHEAR PIN



17- 17554M

Mariner 3.5/4/5 HP
Priced individually, sold @ multiples of 10

SHEAR PIN



17- 81900M

Mariner 15 (651) 20 (653) 25 (648, 694)
Priced individually, sold @ multiples of 5


SHEAR PIN



18- 97028M

Mariner 30 (689B)

SHEAR PIN



17- 83443M

Mariner 40 (676A)
Priced individually, sold @ multiples of 5

PROPELLER HARDWARE

SHEAR PIN



17-815111Q02

Fits the Mercury/Mariner/Force 2/2.5/3/3.3hp 2-cycle and 2/2.5/3.5hp FourStroke outboards. Visit the prop charts or parts catalogs for proper matching selections. Priced individually, sold @ multiples of 2
Quicksilver Branded, Clamshell Package Point of Sale Packaged.

SHEAR PIN



17-70733

Thruster (gear/direct drive)
Priced individually, sold @ multiples of 5

COTTER PINS

COTTER PIN



18-45882

Force 4, 5, 7.5 & 15
Priced individually, sold @ multiples of 2

COTTER PIN



18-89961

1/8" X 1-1/4"
Force 30, 40, 50

COTTER PIN



18-82134M

Mariner 2 (6A1) 3.5 (692)
Priced individually, sold @ multiples of 2

COTTER PIN



18-82132M

Mariner 4-75
Priced individually, sold @ multiples of 5

COTTER PIN



18-815026

Fits Mariner 9.9C (682) 15C (684), and fits Mercury/Mariner 8/9.9 hp. FourStroke standard gearcase outboards (Model Year 2005 & newer).
Priced individually, sold @ multiples of 5

COTTER PIN



18-95295

Thruster (R, RL, RX, T series) Mariner 30 (689B)
Priced individually, sold @ multiples of 5

SPACERS


SPACER



F531299

Force 20, 25 & 60 (1973-78)


SPACER



23- 42091 1

Mariner 9.9-15 HP

PROP NUT KIT



11- 64075A 1

23-65439 Spacer
12-79552 Washer
11-61075(11-89103) Prop nut
Mercury/Mariner 200 (old 20 HP)

SPACER



23- 86918T

Mercury 650-800 (newer prop on old engine)

THRUST WASHER



859891

OMC 25, 30, 35 (OEM P/N 323943) Thru hub exhaust

SPACER



12-850076

Yamaha 60-250 HP, includes sterndrives (Flo-Torq II)

SPACER



12- 29710

Cupped Washer, 40HP Big Foot - old V6
Priced individually, sold @ multiples of 3

SPACER



12- 56355

Cupped Washer, Mercury/Mariner 30-60 HP
Priced individually, sold @ multiples of 5

PROPELLER HARDWARE

SPACER



12- 54738

Cupped Washer, Bravo II

SPACER



12- 55072

Cupped Washer, Bravo II

SPACER



12-F1866

Washer, Force 60, 85-150 (single exhaust)

SPACER



12-F8167

Washer, Force 85-150 (single exhaust)

WASHERS

WASHER



F697299

Force 90-150 (Dual Exhaust)

WASHER



12- 83447M

Mariner 30 (689B)

WASHER



12- 31211Q03

Fits following product with rubber hub propellers (non-Flo-Torq II): Mercury/Mariner 135-275 (V-6, 2-cycle) and Alpha, Bravo I (w/o Flo-Torq II Hub).

Priced individually, sold @ multiples of 2

Quicksilver Branded, Peg Display Card Point of Sale Packaged.

WASHER



12- 20084

Mercury 39, 60, 110 (1967 & older, 6 spline)

Priced individually, sold @ multiples of 5

WASHER



12- 27025

Mercury 39, 60, 65, 110
Priced individually, sold @ multiples of 5


WASHER



12- 16146

Fits Mercury 4 & 5HP, and fits the 8/9.9 hp. FourStroke standard gearcase outboards (Model Year 2005 & newer).


WASHER



12- 32007

Mercury 350-700

WASHER



12- 31013

Mercury 650-800 (newer prop on old engine)
Priced individually, sold @ multiples of 2

WASHER



12- 39701

Bravo I

WASHER



12- 55073A 2

Bravo II

WASHER



12- 39817

For use with Mercury Racing Six Drive prop shaft.

WASHER



12-887972

Washer
Evinrude/Johnson V6 Outboards and Sterndrives 1991 and newer, Yamaha 150-300 HP 4-Stroke outboards and Honda outboards 75-225HP
Priced individually, sold @ multiples of 2
Quicksilver Branded

PROPELLER HARDWARE

WASHER



859908

Suzuki DT 9.9-15 HP (OEM P/N 09160-12066)

CONTINUITY WASHER




13- 42351 1

Mercury/Mariner 135-275 V-6, Alpha, Bravo I, (w/o Flo-Torq II Hub)
Priced individually, sold @ multiples of 2

TAB WASHERS

TAB WASHER



14- 76281

Fits Mercury/Mariner 30-60 hp. (non-Bigfoot) outboard engines.
Priced individually, sold @ multiples of 5


TAB WASHER



8M0042130

For Mercury/Mariner 40-60 hp FourStroke BigFoot, 75-300 hp 2-stroke and 4-stroke outboards, Alpha and Bravo I sterndrives using a stainless steel two pin drive sleeve adapter.

TAB WASHER



14-816629Q

For Mercury/Mariner 40-60 hp FourStroke BigFoot, 75-300 hp 2-stroke and 4-stroke outboards, Alpha and Bravo I sterndrives using a bronze drive sleeve adapter.

Priced individually, sold @ multiples of 2

Quicksilver Branded, Peg Display Card Point of Sale Packaged.

TAB WASHER



14- 34817

Bravo II

THRUST WASHERS

THRUST WASHER



65091Q01

Mercury 650-1500 (1969-77)

Priced individually, sold @ multiples of 2

Quicksilver Branded, Peg Display Card Point of Sale Packaged.

THRUST WASHER



23-819058

Force 85-150 (single exhaust)

THRUST WASHER



23-819057

Force 90-120 HP (dual exhaust)

THRUST WASHER



803890T

Force 90-150 (dual exhaust)

THRUST WASHER



23- 11654M

Mariner 6 (6H8) 8 (6G1)

THRUST WASHER



73345A 1

For use with 3 blade stainless steel - Cleaver or Chopper II
Fits Mercury 40-60 Standard Gearcase. Use with rubber props only - do not use with Flo-Torq Reflex propellers.

THRUST WASHER



16145Q01

Mercury 4-5 HP
Priced individually, sold @ multiples of 2
Quicksilver Branded, Peg Display Card Point of Sale Packaged.

FORWARD THRUST WASHER



8M0070881

Fits the standard prop on the Mercury/Mariner 8/9.9 hp. FourStroke standard gearcase outboards, Model Year 2005 & newer.

THRUST WASHER



821932

Mercury 6, 8, 9.9, 9.9 4-Stroke, 15 HP (full-length spine)

THRUST WASHER



821932 1

Mercury 6-15 HP (1984-Present)

PROPELLER HARDWARE

THRUST WASHER



23- 85964A 1

Mercury 200 (old 20 HP)

THRUST WASHER



858498

For use with 3 blade stainless steel - Cleaver & Chopper II
Fits Mercury 20-25

THRUST WASHER



73345A 1

For use with 3 blade stainless steel - Cleaver or Chopper II
Fits Mercury 40-60 Standard Gearcase. Use with rubber props only - do not use with Flo-Torq Reflex propellers.

THRUST WASHER



38859A 1

Mercury 350-700 (old 35-75 HP)

THRUST WASHER



13191Q01

Flat type

Fits 75 - 125 hp outboards with rubber hub props
Fits 40-60 hp FourStroke BigFoot
Rubber Hub Chopper

Priced individually, sold @ multiples of 2

Quicksilver Branded, Peg Display Card Point of Sale Packaged.

THRUST WASHER



14359

Mercury/MerCruiser A50 solid hub & Power 2

THRUST WASHER



12-835467Q01

Fits the following product when used with Flo-Torq II hub propellers:

Mercury/Mariner 40-60 hp BigFoot FourStroke
Mercury/Mariner 75-125 hp 2-cycle and FourStroke
Mercury/Mariner 135-275 hp 2-cycle
Force 75 hp (1999) & 90-1150 hp (1995 and newer)
Mercury MerCruiser Alpha and Bravo I sterndrives
Evinrude/Johnson V-6 outboards 1990 and prior
OMC sterndrives V-6 & V-8 gearcases 1984-1990
Honda 75-90 hp outboards 1998 and prior
Suzuki 140 hp 4-stroke outboards

Caution should be exercised to assure the correct thrust hub is matched with the prop in use. Used with Flo-Torq II & III Delrin (plastic) hub kit propellers.

Priced individually, sold @ multiples of 2

Quicksilver Branded, Peg Display Card Point of Sale Packaged.

THRUST WASHER



12-835467 5

Front, included in steel hub kits
Mercury/MerCruiser A55 & A56 solid hub applications (Flo-Torq II)

THRUST WASHER



56292Q04

MerCruiser I (pre-1983)
Priced individually, sold @ multiples of 2
Quicksilver Branded, Clamshell Package Point of Sale Packaged.

THRUST WASHER



55074T

Bravo Two (front)

THRUST WASHER



805100

Bravo Three (front)

THRUST WASHER



805101T

Bravo Three (rear)

THRUST WASHER



12-8M0046466

Adapts Mercury 30-60 HP Black Max, Trophy Sport & Vengeance propellers with Flo-Torq Reflex Hubs to fit Honda 40-50 HP engines.

THRUST WASHER



835278A 1

Adapts Mercury 30-60 HP Black Max, Trophy Sport & Vengeance Rubber Hub props to Honda 40-50 HP & Nissan/Tohatsu 40-50 HP

THRUST WASHER




12-853359

Honda 75-90 HP (1999-present), 115-130 HP (1998-present) Suzuki V-6 (Flo-Torq II Hub)

PROPELLER HARDWARE

THRUST WASHER



12-888451

Forward Thrust Washer
Honda 135-225 HP outboards
Quicksilver Branded

THRUST WASHER



859891

OMC 25, 30, 35 (OEM P/N 323943) Thru hub exhaust

THRUST WASHER



859915

OMC 45, 60, 70 HP V-4 (OEM P/N 127084/318841)

THRUST WASHER



12-835467 7

OMC V-6, V-8 outboard, 1991-present (Flo-Torq II)

THRUST WASHER



12-854621

Suzuki V-4 (Flo-Torq II)

THRUST WASHER



12-853948T

Tohatsu/Nissan 75-140 HP (Flo-Torq II)

THRUST WASHER



12-853555

Yamaha 60-90 HP (Flo-Torq II)

THRUST WASHER



23-8M0064826

Yamaha 200-250 SHO Adapts to Yamaha two piece thrust washer

TRIM TABS

TRIM TAB



31640Q 4

Aluminum
Fits most Mercury/Mariner outboards 35 hp. & above and all MerCruiser except Bravo. Check for adequate propeller clearance prior to operation.
Quicksilver Branded, Clamshell Package Point of Sale Packaged.

TRIM TAB ANODE



822777Q 1

Aluminum
For applications where extra clearance is required for high rake propellers.
Fits most Mercury/Mariner 35 hp and above, Force 90/120 (1995 and newer), and all Mercury MerCruiser engines.
Quicksilver Branded, Clamshell Package Point of Sale Packaged.

ANODIC PLATE



76214Q 5

Aluminum
Provides additional clearance for high rake propellers.
Fits Mercury/Mariner 35-300hp, Force 90 & 120hp 1995 and newer, MerCruiser Alpha One Gen II and Bravo I, II, III, X XR & XZ drives.
Priced individually, sold @ multiples of 2
Quicksilver Branded, Clamshell Package Point of Sale Packaged.

RUBBER HUBS

RUBBER HUB



819429A 1

Rubber Hub Force 35-90HP (pre-1998)

RUBBER HUB



8M0057162

3.125 in long, 8 splines
Mariner 9.9-15 HP (Japanese origin)

RUBBER HUB



8M0054769

Rubber Hub Mercury/Mariner 9.9 BF, 15/20HP 4Stroke
9.9HP Bigfoot Model Year 2005 and Newer
15/20HP Model Year 2007 and Newer

897453T

Rubber Hub Mercury/Mariner 8-9.9 HP FourStroke
2005 and Newer

RUBBER HUB



897001T

Rubber Hub Mercury/ Mariner 25/30HP 4-Stroke
Model Year 2006 and Newer

PROPELLER HARDWARE

RUBBER HUB



83872M

2-7/8" long, 8 splines
Mariner 25, 28, 30 HP (Japanese origin)

RUBBER HUB



42630 1

2-3/16" long, 8 splines
Mercury 7.5 & 9.8 HP (1968-84)

RUBBER HUB



827598T

Mercury 9.9-15 HP 2-Stroke, 9.9 HP FourStroke 1995-2004, 15 HP FourStroke (Thru 2007)

RUBBER HUB



43549

Nut on aft end of hub 3-3/4" long, 10 splines, 1-3/8" cavity size
Mercury 18-25 HP (1980-1988)

RUBBER HUB



19669T

Mercury 20-25 HP

RUBBER HUB



859173

Mercury 40-60 HP BigFoot Engines 15 Tooth Spline 60HP Maximum

RUBBER HUB



92418

Mercury 28, 28A, 200, 250 series

RUBBER HUB



32053T

2-3/4" long, 11 splines
Mercury 300, 350, 400, 450, 500 series (1962-1969)

RUBBER HUB



62999

2-3/4" long, 13 splines
Mercury 300, 350, 400, 450, 500 & 650 series (1970-1976)

RUBBER HUB



43672

OB rear insertion
Mercury Stainless steel Chopper & Lightning ET propeller hub

RUBBER HUB



43676T

3-3/8" long, 13 splines
Mercury 402, 500, 700 series (1977-85) Mercury 30-60 HP

RUBBER HUB



88437

MerCruiser 1A, 1B, 1C, 120, 140, 175, 888, 225S, 233, 255TRS & 80 TRS

RUBBER HUB



17611T

Mercury 80-140 HP (1978 & later in-line motors) Stainless steel applications

RUBBER HUB



43636T

4-5/8" long, 19 splines
MerCruiser TR215, Bravo II

RUBBER HUB



43615T 1

OB front insertion 4" long, 15 splines
Mercury 150-200 HP (1978 & later V-6) aluminum, ET, Chopper and Outboard Cleaver

RUBBER HUB



859818

OMC 40, 70 (OEM P/N 386787)

PROPELLER HARDWARE

RUBBER HUB



859834

Suzuki 55 (OEM P/N 58120-95300)

RUBBER HUB



859825

Yamaha 9.9, 15 (OEM P/N 683-45981-00-00)

SKEGS


REPLACEMENT SKEG



15985A02

Precision die cast 360XK alloy for stronger, more uniform welds.
Fits Mercury / Mariner 50/55/60 Bigfoot (3 cyl.), 70/75/80/90 (USA 0A996142 and Newer, BEL 9483121 and Newer), 100/115/125 (0B209468 and Newer), Force 90/120 (s/n 0E093700 and Newer) and 75/90/115 FourStroke (1B366823-2B094955).

REPLACEMENT SKEG



815632A02

For MCM Bravo One & Bravo Three drives

REPLACEMENT SKEG



859447A 1

Precision die cast 360XK alloy for stronger, more uniform welds.
Fits Mercury / Mariner 75/80 (4 cyl.), 90/115 (6 cyl.) and most V-6 outboard models including 2.5L OptiMax. Has adequate depth for the 3.0L models but is not an exact silhouette of the original skæg.

REPLACEMENT SKEG



90185A 1

Will not fit original Alpha One drives
For MCM Alpha One Gen II drives (s/n 0D469859 and above)

REPLACEMENT SKEG



898245A01

Fits Verado outboards, 135 through 300 hp. and 3.0L gearcases that have a 4.80 inch diameter torpedo.

PERFORMANCE VENT PLUGS


VENT PLUG



19220A 4

R/H Laser II props (Old style A41, A45 P/N suffix)

VENT PLUG



816318A 4

L/H Laser II props (Old Style A41, A45 P/N suffix)


VENT PLUG



19-824431

Used with Large tube Trophy (A41, A45 P/N suffix), replaces 19-32652A1 (welch plug)
Priced individually, sold @ multiples of 4

VENT PLUG



19-855267A 1

Tempest (A40, A41, A45 P/N suffix)

PVS VENT FITTING



19-889725

Solid PVS plug (A46, A47, A48 P/N suffix)
Superseded from 19-856622
Priced individually, sold @ multiples of 5

PVS VENT FITTING



19-889725T28

Small PVS plug (.280/7mm) (A46, A47, A48 P/N suffix).
Priced individually, sold @ multiples of 5

PVS VENT FITTING



19-889725T35

Medium PVS plug (.350/9mm)
Priced individually, sold @ multiples of 5

PVS VENT FITTING



19-889725047

Large PVS plug (.470/12mm)(A46, A47, A48 P/N suffix)
Superseded from 19-856622 47
Priced individually, sold @ multiples of 5

FLOATING PROP WRENCH

FLOATING PROP WRENCH



91-859046Q 1

Fits 9/16" Nut, Purple (Mercury / Mariner 6,8,9.9 & 15 HP)
Quicksilver Branded, Peg Display Product Point of Sale Packaged.

PROPELLER HARDWARE

FLOATING PROP WRENCH



91-859046Q 2

Fits 13/16" Nut, Green (Mercury / Mariner 20 & 25 HP) (Johnson / Evinrude 9.9, 15, 20 & 30 HP)

Quicksilver Branded, Peg Display Product Point of Sale Packaged.

FLOATING PROP WRENCH



91-859046Q 3

Fits 15/16" Nut Orange (Mercury / Mariner 30, 40, 50 & 60 HP)

Quicksilver Branded, Peg Display Product Point of Sale Packaged.

FLOATING PROP WRENCH



91-859046Q 4

Fits 1-1/16" Nut, Yellow (Fits most stern drives / 4 cylinder & larger outboards)

Quicksilver Branded, Peg Display Product Point of Sale Packaged.

MARINE GREASE

Quicksilver 2-4-C Marine Grease with PTFE is a high quality, extremely versatile lithium-based, NLGI 2 grease that won't break down when mixed with water. It also has:

- Excellent resistance to oxidation and degradation
 - Extreme pressure additives to withstand friction in a wide variety of operations and temperatures
- Replaces Quicksilver Special 101 Lubricant part number 92-802865Q02

For use in the following marine applications:

- Steering systems/cable linkages
- Throttle and shift cables and linkages
- Remote controls
- Prop shafts
- Swivel pins
- Tilt lock mechanisms/tilt tube
- Hinge pins
- Boat trailer wheel bearings

2-4-C MARINE LUBRICANT



92-802861Q 1

Priced individually, sold @ multiples of 10

3 - 85 g tubes (3 - 3 oz tubes) cartridge

Quicksilver Branded, Clamshell Package Point of Sale Packaged.

2-4-C MARINE LUBRICANT & CARTRIDGE GUN



91-74057Q 5

Cartridge gun and one 3 oz. (85 g) cartridge.

Priced individually, sold @ multiples of 4

Quicksilver Branded, Clamshell Package Point of Sale Packaged.

2-4-C MARINE LUBRICANT



92-802859Q 1

Priced individually, sold @ multiples of 12
227 g (8 oz) tube
Quicksilver Branded

2-4-C MARINE LUBRICANT



92-802863Q 1

Fits standard 14 oz grease guns
Priced individually, sold @ multiples of 4
397 g (14 oz) cartridge
Quicksilver Branded

PAINTS

PHANTOM BLACK PAINT



92-802878Q 1

For all Mercury outboards and MCM/MIE engines and drives.
Priced individually, sold @ multiples of 6
340 g (12 oz) spray can
Quicksilver Branded

EDP PROPELLER BLACK PAINT



92-802878Q50

Priced individually, sold @ multiples of 6
340 g (12 oz) spray can
Quicksilver Branded

MISCELLANEOUS



90-8M0119543

2017 Quicksilver Propeller Guide

OEM - QUICKSILVER CROSS REFERENCE CHARTS

OEM - QUICKSILVER CROSS REFERENCE CHARTS

EVINRUDE/JOHNSON/OMC PROP CROSS REFERENCE

Evinrude/Johnson/OMC Prop Cross Reference

OEM	QUICKSILVER
174813	QS5059X
174816	QS5058X
174817	QA3170R
174926	QS5050X
174950	QA3168R
175190	QA3114R
175191	QA3118R
176214	N.L.A.
176215	N.L.A.
176216	N.L.A.
176421	QA3084R
176422	QA3088R
176423	
176571	QS5136X
176572	QS5138X
176573	QS5140X
176574	QS5142X
176615	QS5052X
176616	QS5053X
176617	QS5054X
176618	QS5055X
176619	QS5056X
176620	QS5057X
176623	QS5138X
176624	QS5140X
176625	QS5142X
176626	QS5052X
176627	QS5054X
176628	QS5056X
176629	QS5053X
176630	QS5055X
176902	QS5057X
176969	QS5052X
176970	QS5054X
176973	QS5053X
176974	QS5055X
177034	QS5136X
177035	QS5138X
177036	QS5140X
177042	QS5136X
380637	N.L.A.
382761	N.L.A.
383629	QA3150R
384460	N.L.A.
386786	QA3084R
386841	QA3088R
386907	QA3080R

OEM	QUICKSILVER
386908	
386909	QA3082R
387334	QA3178R
388088	QA3152R
388883	
389019	QS5058X
389510	QS5140X
389512	QS5142X
389788	N.L.A.
389923	QS5056X
389924	QS5054X
389944	N.L.A.
389948	QS5138X
389949	QS5136X
390237	QA3190R
390380	QA3122R
390821	QS5055X
390822	QS5057X
390823	QS5059X
390896	N.L.A.
391198	N.L.A.
391199	N.L.A.
391200	QA1912X
391201	QA1916X
391202	QA1918X
391203	QA1920X
391290	QS5052X
391535	QA2008X
391536	QA2004X
391668	N.L.A.
394752	QS5070X
394753	QS5072X
394754	QS5074X
394755	QS5076X
394759	QS5140X
394760	QS5142X
394761	N.L.A.
398502	
398503	QS5075X
398504	N.L.A.
431390	QS5053X
3850298	QA2004X
3850299	QA2008X
3850300	QA1912X
3850301	QA1916X
3850302	QA1918X
3850303	QA1920X
3850305	QS5050X
3850307	QS5052X
3850308	QS5054X
3850309	QS5056X
3850310	QS5058X

OEM - QUICKSILVER CROSS REFERENCE CHARTS

OEM	QUICKSILVER
3850311	QS5052X
3850312	QS5054X
3850313	QS5056X
3850314	QS5058X
3850316	QS5053X
3850317	QS5055X
3850318	QS5057X
3850319	QS5059X
3850320	QS5053X
3850321	QS5057X
3850322	QS5057X
3850323	QS5059X
3855142	QS5072X
3855144	QS5074X
3855146	QS5076X
3855152	
3855154	QS5075X
3855156	N.L.A.
3858026	QS5052X
3858027	QS5054X
3858028	QS5056X
3858029	QS5053X
3858030	QS5055X
3858031	QS5057X
5031619	QA2078X
5031620	N.L.A.
5031623	N.L.A.
5031627	QA2234R

FORCE PROP CROSS REFERENCE

Force Prop Cross Reference

OEM	QUICKSILVER
16986A45	QS5116X
48-16986A46	QS5116X
48-16988A45	QS5118X
48-16988A46	QS5118X
48-16990A45	QS5120X
48-16990A46	QS5120X
48-16992A45	QS5122X
48-16992A46	QS5122X
48-16994A45	QS5124X
48-16994A46	QS5124X
48-16996A45	QS5126X
48-16996A46	QS5126X
48-17314A45	QS5114X
48-17314A46	QS5114X
48-19638A40	N.L.A.
48-19640A40	QA2106R
48-19642A40	N.L.A.
48-19644A5	QS5180R
48-42738A11	QA2060X
48-42740A11	N.L.A.
48-73132A40	QA2064X

OEM	QUICKSILVER
48-73134A40	QA2074X
48-73136A40	QA2078X
48-73138A40	QA2082X
48-73140A40	QA2084X
48-73144A40	N.L.A.
48-77338A40	QA2030X
48-77338A45	QA2030X
48-77340A40	QA2032X
48-77340A45	QA2032X
48-77342A40	QA2034X
48-77342A45	QA2034X
48-77344A40	QA2036X
48-77344A45	QA2036X
48-77346A40	QA2038X
48-77346A45	QA2038X
48-77348A40	QA2040X
48-77348A45	QA2040X
48-77350A40	QA2042X
48-77350A45	QA2042X
48-816702A40	QA2072X
48-816704A40	QA2076X
48-816706A40	QA2080X
48-827312A11	N.L.A.
48-828148A12	
48-828150A12	N.L.A.
48-828152A12	QA2124R
48-828154A12	QA2126R
48-828156A12	QA2128R
48-828158A12	QA2130R
48-854340A45	QA2026X
48-854342A45	QA2028X
48-855856A5	QS5164X
48-855858A5	QS5166X
48-855860A5	QS5168X
48-855862A5	QS5170X
48-85632A40	QA2070X
48-87818A11	QA2062X

HONDA PROP CROSS REFERENCE

Honda Prop Cross Reference

OEM	QUICKSILVER
08M60-ZW7-A00	QS5116X
08M60-ZW7-A10	QS5118X
58110-ZV5-E00	QS5170X
58110-ZV5-E10	QS5168X
58110-ZV5-E20	QS5166X
58110-ZV5-E30	QS5164X
58120-ZW1-V01	QS5118X
58130-ZV4-008AH	N.L.A.
58130-ZV4-009AH	QA3906R
58130-ZV4-010AH	QA3914R
58130-ZV4-030ZA	QA3914R

OEM - QUICKSILVER CROSS REFERENCE CHARTS

OEM	QUICKSILVER
58130-ZV4-701ZA	QA3906R
58130-ZV5-000ZA	QA2074X
58130-ZV5-009AH	QA2062X
58130-ZV5-011AH	N.L.A.
58130-ZV5-012AH	QA2072X
58130-ZV5-012AH	QA2078X
58130-ZV5-013AH	QA2076X
58130-ZV5-013AH	QA2082X
58130-ZV5-014AH	QA2080X
58130-ZV5-015AH	QA2084X
58130-ZV5-015AH	N.L.A.
58130-ZV5-850ZA	QA2070X
58130-ZV5-860ZA	N.L.A.
58130-ZV5-870ZA	QA2084X
58130-ZW1-V11	QS5122X
58130-ZW1-V31	QS5120X
58130-ZW1-W01ZA	QA2030X
58130-ZW1-W11ZA	QA2032X
58130-ZW1-W21ZA	QA2034X
58130-ZW1-W31ZA	QA2036X
58130-ZW1-W41ZA	QA2040X
58130-ZW1-W51ZA	QA2042X
58130-ZW1-W61ZA	QA2038X
58130-ZW1-W91	QS5116X
58133-ZV7-012AH	QS5164X
58133-ZV7-013AH	QS5166X
58133-ZW1-A13AH	QS5114X
58133-ZW1-A15AH	QS5116X
58133-ZW1-A17AH	QS5118X

MERCURY/MARINER/MERCUISER PROP CROSS REFERENCE

Mercury/Mariner/MerCruiser Prop Cross Reference

OEM	QUICKSILVER
8M0055547	48-8M0055559
8M0055548	48-8M0055560
8M0055549	48-8M0055561
8M0055550	48-8M0055562
8M0055551	48-8M0055563
8M0084491	48-8M0055531
8M0084493	48-8M0055533
8M0084494	48-8M0055534
8M0084495	48-8M0055535
8M0084496	48-8M0055536
8M0084497	48-8M0055537
8M0070079	48-8M0103516
8M0070074	48-8M0103517
48-898988A46	48-8M0103518
48-898990A46	48-8M0103519
48-898992A46	48-8M0103520
48-898994A46	48-8M0103521
48-898996A46	48-8M0103522
48-898998A46	48-8M0103523

OEM	QUICKSILVER
48-899900A46	48-8M0103524
48-899902A46	48-8M0103525
48-857024A46	48-8M0103526
48-857025A46	48-8M0103527
48-857026A46	48-8M0103528
48-857027A46	48-8M0103529
48-857028A46	48-8M0103530
48-857029A46	48-8M0103531
48-857030A46	48-8M0103532
48-857031A46	48-8M0103533
48-11324A40	QA2014X
48-11324A45	QA2014X
48-13700A41	QS5006X
48-13700A45	QS5006X
48-13700A46	QS5006X
48-13701A41	QS5007X
48-13701A45	QS5007X
48-13701A46	QS5007X
48-13702A41	QS5008X
48-13702A45	QS5008X
48-13702A46	QS5008X
48-13703A41	QS5009X
48-13703A45	QS5009X
48-13703A46	QS5009X
48-13704A41	N.L.A.
48-13704A45	N.L.A.
48-13704A46	N.L.A.
48-13705A41	QS5011X
48-13705A45	QS5011X
48-13705A46	QS5011X
48-16312A4	QS5050X
48-16312A45	QS5050X
48-16312A46	QS5050X
48-16314A4	QS5052X
48-16314A45	QS5052X
48-16314A46	QS5052X
48-16315A4	QS5053X
48-16315A45	QS5053X
48-16315A46	QS5053X
48-16316A4	QS5054X
48-16316A45	QS5054X
48-16316A46	QS5054X
48-16317A4	QS5055X
48-16317A45	QS5055X
4/-16317A46	QS5055X
48-16318A4	QS5056X
48-16318A45	QS5056X
48-16318A46	QS5056X
48-16319A4	QS5057X
48-16319A45	QS5057X
48-16319A46	QS5057X
48-16320A4	QS5058X
48-16320A45	QS5058X
48-16320A46	QS5058X

OEM - QUICKSILVER CROSS REFERENCE CHARTS

OEM	QUICKSILVER
48-16321A4	QS5059X
48-16321A45	QS5059X
48-16321A46	QS5059X
48-16322A4	QS5076X
48-16322A45	QS5076X
48-16436A40	
48-16436A45	
48-16438A40	QA2006X
48-16438A45	QA2006X
48-16440A40	QA2010X
48-16440A45	QA2010X
48-16543A41	QS5071X
48-16543A45	QS5071X
48-16543A46	QS5071X
48-16544A41	QS5070X
48-16544A45	QS5070X
48-16544A46	QS5070X
48-16545A41	
48-16545A45	
48-16545A46	
48-16546A41	QS5072X
48-16546A45	QS5072X
48-16546A46	QS5072X
48-16547A41	QS5075X
48-16547A45	QS5075X
48-16547A46	QS5075X
48-16548A41	QS5074X
48-16548A45	QS5074X
48-16548A46	QS5074X
48-16549A41	N.L.A.
48-16549A45	N.L.A.
48-16549A46	N.L.A.
48-16550A46	QS5076X
48-16986A45	QS5116X
48-16986A46	QS5116X
48-16988A45	QS5118X
48-16988A46	QS5118X
48-16990A45	QS5120X
48-16990A46	QS5120X
48-16992A45	QS5122X
48-16992A46	QS5122X
48-16994A45	QS5124X
48-16994A46	QS5124X
48-16996A45	QS5126X
48-16996A46	QS5126X
48-17314A45	QS5114X
48-17314A46	QS5114X
48-18278A41	QS5004X
48-18278A45	QS5004X
48-18278A46	QS5004X
48-19638A40	N.L.A.
48-19640A40	QA2106R
48-19642A40	N.L.A.
48-19644A5	QS5180R

OEM	QUICKSILVER
48-32390A3	QA2032X
48-32390A4	QA2034X
48-35936A3	QA2030X
48-36020A4	QA2004X
48-42738A11	QA2060X
48-42740A11	N.L.A.
48-58826A3	QA2030X
48-61812A1	QA2064X
48-61814A1	QA2064X
48-61816A1	QA2078X
48-61818A1	QA2078X
48-61820A1	QA2082X
48-61822A1	QA2084X
48-61824A1	QA2084X
48-65022A1	QA2034X
48-65022A4	QA2036X
48-65024A1	QA2036X
48-65024A4	QA2038X
48-67280A1	QA2038X
48-67280A4	QA2040X
48-73132A40	QA2064X
48-73134A40	QA2074X
48-73136A40	QA2078X
48-73138A40	QA2082X
48-73140A40	QA2084X
48-73144A40	N.L.A.
48-77338A40	QA2030X
48-77338A45	QA2030X
48-77340A40	QA2032X
48-77340A45	QA2032X
48-77342A40	QA2034X
48-77342A45	QA2034X
48-77344A40	QA2036X
48-77344A45	QA2036X
48-77346A40	QA2038X
48-77346A45	QA2038X
48-77348A40	QA2040X
48-77348A45	QA2040X
48-77350A40	QA2042X
48-77350A45	QA2042X
48-78112A4	QA2000X
48-78112A40	QA2000X
48-78112A45	QA2000X
48-78114A4	QA2004X
48-78114A40	QA2004X
48-78114A45	QA2004X
48-78116A4	QA2008X
48-78116A40	QA2008X
48-78116A45	QA2008X
48-78118A4	QA1912X
48-78118A40	QA1912X
48-78118A45	QA1912X
48-78120A4	QA1916X
48-78120A40	QA1916X

OEM - QUICKSILVER CROSS REFERENCE CHARTS

OEM	QUICKSILVER
48-48120A45	QA1916X
48-78122A4	QA1918X
48-78122A45	QA1918X
48-78124A4	QA1920X
48-78124A40	QA1920X
48-78124A45	QA1920X
48-78126A4	N.L.A.
48-78126A40	N.L.A.
48-78126A45	N.L.A.
48-79570A4	QA2006X
48-79572A4	QA2010X
48-79574A4	QA2014X
48-79576A4	QA1918X
48-79578A4	QA1920X
48-81649M	QA3808R
48-816702A40	QA2072X
48-816704A40	QA2076X
48-816706A40	QA2080X
48-827312A11	N.L.A.
48-82764	QA3178R
48-828148A12	
48-828150A12	N.L.A.
48-828152A12	QA2124R
48-828154A12	QA2126R
48-828156A12	QA2128R
48-828158A12	QA2130R
48-82826M	QA3812R
48-832828A45	QA1912X
48-832830A45	QA1916X
48-832832A45	QA1918X
48-832834A45	QA1920X
48-834850A45	QA2182X
48-834851A45	QA2183X
48-834852A45	QA2184X
48-834853A45	QA2185X
48-834854A45	QA2186X
48-834855A45	QA2187X
48-84976M	QA3810R
48-854340A45	QA2026X
48-854342A45	QA2028X
48-855856A5	QS5164X
48-855858A5	QS5166X
48-855860A5	QS5168X
48-855862A5	QS5170X
48-85632A40	QA2070X
48-87818A11	QA2062X
48-90159A41	QS5005X
48-90159A45	QS5005X
48-90159A46	QS5005X
48-96623M	QA3152R
48-96625M	QA3150R

SUZUKI PROP CROSS REFERENCE

Suzuki Prop Cross Reference

OEM	QUICKSILVER
58100-93733-019	QA2270R
58100-93743-019	QA2274R
58100-93773-09	QA2270R
58100-94313-019	QA2078X
58100-95222-019	N.L.A.
58100-95353-019	N.L.A.
58100-95363-019	QA2234R
58100-95382-019	N.L.A.
58100-95500-019	QA2208X
58100-95511-019	QA2206X
58100-95521-019	N.L.A.
58100-95530-019	N.L.A.
58100-96370-019	N.L.A.
58100-96420-019	QA2248R
58100-96430-019	N.L.A.
58100-96440-019	N.L.A.
58100-96480-019	N.L.A.
58100-96490-019	N.L.A.
99105-00100-16P	QS5136X
99105-00100-18P	QS5138X
99105-00100-22P	QS5142X
99105-00101-20P	QS5140X
99105-00101-24P	N.L.A.
99105-00200-16P	QS5050X
99105-00200-18P	QS5052X
99105-00200-20P	QS5070X
99105-00200-22P	QS5072X
99105-00200-24P	QS5074X
99105-00200-26P	QS5076X
99105-00203-23P	N.L.A.
99105-0020L-18P	QS5053X
99105-0020L-20P	QS5071X
99105-0020L-22P	
99105-0020L-24P	QS5075X
99105-0020L-26P	N.L.A.
99105-00301-24P	N.L.A.

TOHATSU/NISSAN PROP CROSS REFERENCE

Tohatsu/Nissan Prop Cross Reference

OEM	QUICKSILVER
35364-1040M	QA3080R
35364-1050M	QA3082R
35364-1060M	QA3084R
35364-1090M	QA3088R
3B764-5230M	QA2026X
3B764-5270M	QA2030X
3B764-5320M	QA2032X
3B764-5360M	QA2034X
3B764-5410M	QA2036X

OEM - QUICKSILVER CROSS REFERENCE CHARTS

OEM	QUICKSILVER
3B764-5451M	QA2038X
3B764-5490M	QA2040X

OEM	QUICKSILVER
854997-4	QA3542R
854998-2	QA3544R

VOLVO PROP CROSS REFERENCE

Volvo Prop Cross Reference

OEM	QUICKSILVER
3858026	QS5052X
3858029	QS5053X
3858030	QS5055X
3858031	QS5057X
3850298-5	QA2004X
3850299-3	QA2008X
3850300-9	QA1912X
3850301-7	QA1916X
3850302-5	QA1918X
3850303-5	QA1920X
3850305-8	QS5050X
3850307-7	QS5052X
3850308-2	QS5054X
3850309-0	QS5056X
3850310-8	QS5058X
3850311-6	QS5052X
3850312-4	QS5054X
3850313-2	QS5056X
3850314-0	QS5058X
3850316-5	QS5053X
3850317-3	QS5055X
3850318-1	QS5057X
3850319-9	QS5059X
3850320-7	QS5053X
3850321-5	QS5055X
3850322-3	QS5057X
3850323-1	QS5059X
3855142-0	QS5072X
3855144-6	QS5074X
3855146-1	QS5076X
3855152-9	
3855154-5	QS5075X
3855156-0	N.L.A.
3858027-0	QS5054X
3858028-8	QS5056X
814612-8	N.L.A.
814616-9	N.L.A.
814627-6	N.L.A.
814628-4	N.L.A.
814629-2	N.L.A.
814633-4	N.L.A.
814634-2	N.L.A.
851139-6	QA3536R
854979-2	QA3537R
854982-6	QA3543R
854983-4	QA3545R
854993-3	N.L.A.

YAMAHA PROP CROSS REFERENCE

Yamaha Prop Cross Reference

OEM	QUICKSILVER
651-45947-00-36	QA3150R
653-45941-01-36	QA3152R
663-45930-00-98	QS5168X
663-45947-02-EL	QA2070X
663-45949-01-EL	N.L.A.
663-45956-01-EL	QA2062X
663-45958-01-EL	QA2082X
663-45970-60-98	QS5164X
663-45974-30-98	QS5168X
663-45974-60-98	QS5166X
663-45976-00-98	QS5170X
663-45976-30-98	QS5170X
664-45945-00-EL	QA3808R
664-45947-01-EL	QA3810R
664-45949-02-EL	QA3814R
664-45954-00-EL	QA3812R
683-45943-00-EL	QA3914R
683-45945-00-EL	QA3906R
683-45947-00-EL	N.L.A.
688-45930-02-98	QS5118X
688-45932-60-98	QS5114X
688-45970-03-98	QS5120X
688-45972-02-98	QS5122X
688-45974-02-98	QS5124X
688-45976-01-98	QS5126X
688-45978-60-98	QS5116X
6E5-45941-00-EL	QA2038X
6E5-45943-00-EL	QA2040X
6E5-45945-01-EL	QA2036X
6E5-45947-00-EL	QA2034X
6E5-45949-00-EL	QA2032X
6E5-45952-00-EL	QA2042X
6E5-45954-00-EL	QA2030X
6G5-45941-00-98	QA2008X
6G5-45943-01-98	QA1918X
6G5-45945-01-98	QA1916X
6G5-45947-01-98	QA1912X
6G5-45949-00-98	QA1920X
6G5-45952-00-98	QA2010X
6G5-45970-02-98	QS5050X
6G5-45972-02-98	QS5056X
6G5-45974-03-98	QS5054X
6G5-45976-01-98	QS5058X
6G5-45978-03-98	QS5052X
6H5-45943-00-EL	QA2078X
6H5-45945-00-EL	QA2070X
6H5-45952-00-EL	QA2064X

OEM - QUICKSILVER CROSS REFERENCE CHARTS

OEM	QUICKSILVER
6H5-45958-00-EL	QA2074X
6K1-45972-01-98	QS5057X
6K1-45974-02-98	QS5055X
6K1-45976-00-98	QS5059X
6K1-45978-02-98	QS5053X
6R1-45970-A0-00	QS5007X
6R1-45972-A0-00	QS5009X
6R1-45974-A0-00	QS5011X
6R1-45978-A0-00	QS5005X
6R4-45970-A0-00	QS5006X
6R4-45972-A0-00	QS5008X
6R4-45974-A0-00	N.L.A.
6R4-45978-A0-00	QS5004X
MAR-GYT3B-L6-18	QS5071X
MAR-GYT3B-L6-20	
MAR-GYT3B-L6-22	QS5075X
MAR-GYT3B-V6-18	QS5070X
MAR-GYT3B-V6-20	QS5072X
MAR-GYT3B-V6-22	QS5074X
MAR-GYT3B-V6-24	QS5076X

MICHIGAN WHEEL - QUICKSILVER CROSS REFERENCE CHART

MICHIGAN WHEEL - QUICKSILVER CROSS REFERENCE CHART

MICHIGAN WHEEL PROP CROSS REFERENCE

Michigan Wheel Prop Cross Reference

MICHIGAN	QUICKSILVER
11001	N.L.A.
11002	N.L.A.
11003	N.L.A.
11004	N.L.A.
11005	N.L.A.
11006	QA2008X
11007	QA1912X
11008	QA1916X
11009	QA1918X
11010	QA1920X
11015	
11016	QA2004X
11024	N.L.A.
11025	N.L.A.
11026	N.L.A.
11027	QA3084R
11028	QA3088R
11029	
12008	QA3178R
12011	QA3150R
12013	QA3152R
12016	
12024	N.L.A.
12028	N.L.A.
12030	N.L.A.
12032	QA3190R
12036	QA3080R
12037	QA3082R
12038	QA3084R
12039	QA3088R
12040	N.L.A.
12047	N.L.A.
12055	QA3114R
12056	QA3118R
12057	QA3122R
12111	QA3168R
13028	QS5136X
13030	QS5138X
13033	QS5140X
13034	QS5142X
13043	QS5053X
13044	QS5052X
13045	QS5055X
13046	QS5054X
13047	QS5057X
13048	QS5056X
13050	QS5058X

MICHIGAN	QUICKSILVER
13052	QS5050X
13064	QS5050X
13066	QS5052X
13067	QS5053X
13068	QS5070X
13069	QS5071X
13070	QS5072X
13071	
13072	QS5074X
13073	QS5075X
13074	QS5076X
13075	N.L.A.
13076	QS5136X
13077	QS5138X
13078	QS5140X
13079	QS5142X
22002	QA3808R
22003	QA3812R
31001	QA2034X
31002	QA2036X
31003	QA2038X
31004	QA2040X
31015	QA2064X
31016	QA2074X
31017	QA2078X
31018	QA2082X
31019	QA2084X
31020	N.L.A.
31021	QA2000X
31022	QA2004X
31023	QA2008X
31024	QA1912X
31025	QA1916X
31026	QA1918X
31027	QA1920X
31034	QA2004X
31035	QA2006X
31036	QA2010X
31037	QA2014X
31038	QA1918X
31039	QA1920X
31041	QA2034X
31042	QA2036X
31043	QA2038X
31044	QA2040X
31045	QA2042X
31047	N.L.A.
31048	QA2106R
31049	N.L.A.
31050	QA2006X
31051	QA2010X
31052	QA2014X

MICHIGAN WHEEL - QUICKSILVER CROSS REFERENCE CHART

MICHIGAN	QUICKSILVER
31053	QA2070X
31054	QA2030X
31055	QA2032X
31056	QA2072X
31057	QA2076X
31058	QA2080X
31063	
31064	QA1912X
31065	QA1916X
31066	QA1918X
31067	N.L.A.
31068	QA1920X
32039	QA2084X
32040	QA2084X
32040	QA2234R
32041	QA2082X
32041	N.L.A.
32042	QA2078X
32042	QA2078X
32043	QA2078X
32044	QA2064X
32044	N.L.A.
32045	QA2064X
32050	QA2130R
32052	QA2128R
32054	QA2126R
32056	QA2124R
32058	N.L.A.
32060	
32089	QA2030X
32090	QA2030X
32091	QA2032X
32092	QA2034X
32093	QA2036X
32094	QA2038X
32141	QA2060X
32142	N.L.A.
33001	QS5164X
33002	QS5050X
33003	QS5052X
33004	QS5054X
33005	QS5056X
33006	QS5058X
33006	QS5058X
33007	QS5052X
33008	QS5054X
33009	QS5056X
33016	QS5116X
33017	QS5118X
33018	QS5120X
33019	QS5122X
33028	QS5168X
33029	QS5007X
33030	QS5006X

MICHIGAN	QUICKSILVER
33031	QS5009X
33032	QS5008X
33033	QS5011X
33034	N.L.A.
33072	QS5050X
33074	QS5052X
33075	QS5053X
33076	QS5070X
33077	QS5071X
33078	QS5072X
33079	
33080	QS5074X
33081	QS5075X
33082	QS5076X
33083	N.L.A.
33084	QS5116X
33085	QS5118X
33086	QS5120X
33087	QS5122X
33089	QS5164X
33090	QS5166X
33091	QS5168X
33092	QS5170X
33094	QS5164X
33095	QS5166X
33096	QS5168X
33097	QS5170X
61001	QA2208X
61002	QA2206X
61003	N.L.A.
61004	N.L.A.
62012	QA2248R
62013	N.L.A.
62014	N.L.A.
62017	QA2274R
63001	QS5136X
63002	QS5138X
63003	QS5140X
63030	QS5050X
63032	QS5052X
63033	QS5053X
63034	QS5070X
63035	QS5071X
63036	QS5072X
63037	
63038	QS5074X
63039	QS5075X
63040	QS5076X
63041	N.L.A.
63042	QS5136X
63043	QS5138X
63044	QS5140X
63045	QS5142X
082004-1	N.L.A.

MICHIGAN WHEEL - QUICKSILVER CROSS REFERENCE CHART

MICHIGAN	QUICKSILVER
082009-1	QA3537R
082010-1	QA3536R
082011-1	QA3543R
082012-1	QA3542R
082013-1	QA3545R
082014-1	QA3544R
082027-1	N.L.A.
082029-1	N.L.A.
082030-1	N.L.A.
082031-1	N.L.A.
082032-1	N.L.A.
82033	N.L.A.
82034	N.L.A.
101025	QA2008X
101026	QA2010X
101027	QA1912X
101028	QA1916X
101029	QA1918X
101030	QA1920X
101031	QA2032X
101032	QA2034X
101033	QA2036X
101034	QA2038X
101035	QA2040X
101036	QA2030X
102003	N.L.A.
102004	QA3906R
102005	QA3914R
102015	QA3810R
102016	QA2062X
103018	QS5052X
103020	QS5054X
103022	QS5056X
103025	QS5116X
103026	QS5118X
103027	QS5120X
103044	QS5050X
103046	QS5052X
103047	QS5053X
103048	QS5070X
103049	QS5071X
103050	QS5072X
103051	
103052	QS5074X
103053	QS5075X
103054	QS5076X
103055	N.L.A.
103056	QS5116X
103057	QS5118X
103058	QS5120X
103059	QS5122X
113001	QS5164X
113002	QS5168X
142007	QA3084R

MICHIGAN	QUICKSILVER
142008	QA3088R
142009	N.L.A.
142010	QA2030X
142011	QA2032X
142012	QA2034X
142013	QA2036X
161001	QA2008X
161002	QA1912X
161003	QA1916X
161004	QA1918X
163002	QS5050X
163003	QS5053X
163004	QS5052X
163005	QS5055X
163006	QS5054X
163007	QS5057X
163008	QS5056X
163009	QS5059X
163010	QS5058X
163012	QS5050X
163014	QS5052X
163015	QS5053X
163016	QS5070X
163017	QS5071X
163018	QS5072X
163019	
163020	QS5074X
163021	QS5075X
163022	QS5076X
163023	N.L.A.
305129	QS5180R
335030	QS5136X
335031	QS5138X
335032	QS5140X
335033	QS5142X
335034	QS5142X
335035	N.L.A.
335130	QS5116X
335131	QS5118X
335132	QS5120X
335133	QS5122X
335134	QS5122X
335135	QS5124X
335530	QS5136X
335531	QS5138X
335532	QS5140X
335533	QS5142X
335534	QS5142X
335535	N.L.A.
335930	QS5116X
335931	QS5118X
335932	QS5120X
335933	QS5122X
335934	QS5122X

MICHIGAN WHEEL - QUICKSILVER CROSS REFERENCE CHART

MICHIGAN	QUICKSILVER
335935	QS5124X
345031	QS5050X
345032	QS5052X
345033	QS5070X
345034	QS5072X
345035	QS5074X
345036	QS5076X
345037	QS5076X
345041	QS5074X
345062	QS5053X
345063	QS5071X
345064	
345065	QS5075X
345131	QS5050X
345132	QS5052X
345133	QS5070X
345134	QS5072X
345135	QS5074X
345137	QS5076X
345139	QS5076X
345141	QS5074X
345162	QS5053X
345163	QS5071X
345164	
345165	QS5075X
345531	QS5050X
345532	QS5052X
345533	QS5070X
345534	QS5072X
345535	QS5074X
345536	QS5076X
345537	QS5076X
345541	QS5074X
345562	QS5053X
345563	QS5071X
345564	
345565	QS5075X
345931	QS5050X
345932	QS5052X
345933	QS5070X
345934	QS5072X
345935	QS5074X
345936	QS5076X
345937	QS5076X
345941	QS5074X
345962	QS5053X
345963	QS5071X
345964	
345965	QS5075X
346031	QS5050X
346032	QS5052X
346033	QS5070X
346034	QS5072X
346035	QS5074X

MICHIGAN	QUICKSILVER
346036	QS5076X
346062	QS5053X
346063	QS5071X
346064	
346065	QS5075X
395129	QS5166X
395130	QS5170X
395929	QS5166X
395930	QS5170X

RAPTURE PROP CROSS REFERENCE

Rapture Prop Cross Reference

RAPTURE	QUICKSILVER
993002	QS5050X
993003	QS5052X
993004	QS5054X
993005	QS5056X
993006	QS5058X
993013	QS5053X
993014	QS5055X
993015	QS5057X
993016	QS5059X

VORTEX PROP CROSS REFERENCE

Vortex Prop Cross Reference

VORTEX	QUICKSILVER
992302	QA2008X
992003	QA1912X
992004	
992005	QA1918X
992006	QA1920X
992202	QA2182X
992203	QA2184X
992204	QA2186X
992103	QA2034X
992104	QA2036X
999105	QA2038X
992106	QA2040X

XHS TO FLO-TORQ II PROP CROSS REFERENCE

XHS to FLO-Torq II Prop Cross Reference

XHS	FLO-TORQ II
100	835265Q02
101	835267Q 1
102	835257Q 1
103	835271Q 2
104	835281Q 1
105	835270Q 1
106	835266Q 1

MICHIGAN WHEEL - QUICKSILVER CROSS REFERENCE CHART

XHS	FLO-TORQ II
107	835279Q 2
108	835272Q 1
109	835284Q 1
110	835282Q 1

Part Number to Page Number Reference

48 - 11324A45	17, 30	11 - 31990Q02	52, 65
23 - 11654M	75	12 - 32007	73
13191Q01	76	32053T	80
48 - 13700A46	17	14 - 34817	74
48 - 13701A46	18	11 - 34933	67
48 - 13702A46	17	38859A 1	76
48 - 13703A46	18	12 - 39701	73
11 - 13914Q02	52, 63	12 - 39817	73
13914Q03	52, 63	11 - 40119 12	52, 68
11 - 14279M	67	11 - 40119Q02	52, 64
14359	76	11 - 40140	52, 67
15985A02	82	23 - 42091 1	71
12 - 16140	53	13 - 42351 1	74
12 - 16140 2	52	42594T	62
16145 2	52	42630 1	80
16145Q01	52, 75	48 - 42738A45	15
12 - 16146	52, 73	43549	80
11 - 16147	52, 53, 67	43615T 1	81
11 - 16147 1	52	43636T	81
48 - 16312A46	17	43672	81
48 - 16314A46	17	43676T	52, 81
48 - 16316A46	17	45676T	62
48 - 16318A46	17	18 - 45882	70
48 - 16438A45	17	11 - 46335	68
48 - 16440A45	17	18 - 47959	52, 53
48 - 16986A46	16	11 - 52707Q 1	52, 53, 65
48 - 16988A46	16	54737T	62
48 - 17310A46	16	12 - 54738	72
48 - 17312A46	16	12 - 55072	72
48 - 17314A46	16	12 - 55073A 2	73
17 - 17554M	69	55074T	77
17611T	81	56292Q04	77
48 - 18278A46	17	12 - 56355	71
48 - 18606A40	33	62999	81
48 - 18607A40	34	11 - 64075A 1	64, 68, 71
48 - 18608A40	33	65091Q01	74
48 - 18609A40	34	68858T	62
48 - 18610A40	33	68861T	62
48 - 18611A40	34	11 - 69578Q 1	52, 64
48 - 18612A40	33	17 - 70733	70
48 - 18613A40	34	48 - 73132A45	15
48 - 18620A40	34	48 - 73134A45	15
48 - 18621A40	34	48 - 73136A45	15
19220A 4	82	48 - 73138A45	15
48 - 19640A40	14	48 - 73140A45	15
48 - 19644A 5	14	73345A 1	52, 75, 76
19669T	52, 80	91 - 74057Q 5	84
48 - 19838A46	17	76214Q 5	62, 79
48 - 19841A46	18	14 - 76281	74
12 - 20084	72	14 - 76281Q	52
12 - 27025	73	48 - 77338A45	16
12 - 29710	71	48 - 77338CP1	16
12 - 31013	73	48 - 77340A45	16
12 - 31211Q03	52, 53, 72	48 - 77340CP1	16
31640Q 4	79	48 - 77342A45	16

Part Number to Page Number Reference

48 - 77344A45	16	18 - 82132M	70
48 - 77346A45	16	18 - 82134M	70
48 - 77348A45	16	821932	75
48 - 77350A45	16	821932 1	52, 75
48 - 78112A45	17	822559Q01	61
48 - 78114A45	17	822777Q 1	79
48 - 78116A45	17	23 - 823516	60
11 - 80103M	67	19 - 824431	83
802002Q 1	66	48 - 825862A47	17
802009Q 1	53, 66	48 - 825864A47	17
802010Q 1	66	48 - 825866A47	17
802126Q 1	53, 66	826074Q 1	52, 53, 60
92 - 802859Q 1	85	11 - 826709 11	67
92 - 802861Q 1	84	11 - 826711 12	66
92 - 802863Q 1	85	11 - 826711 27	68
92 - 802878Q 1	85	827598T	52, 80
92 - 802878Q50	85	11 - 827614A 3	66
803743	52	11 - 827614Q01	52, 65
803743Q01	52, 64	11 - 827614Q04	65
803743Q02	52, 64	48 - 828150A12	14
803890T	75	48 - 828152A12	14
805100	77	48 - 828154A12	14
805101T	77	48 - 828156A12	14
809662T	61	48 - 828158A12	14
809664A 1	61	48 - 832828A45	17
809666A02	61	48 - 832830A45	17
809666A03	61	48 - 832832A45	17
809666T	61	48 - 832834A45	17
809670T	61	17 - 83443M	69
48 - 812949A02	13, 23	12 - 83447M	72
48 - 812950A02	13, 23	834839Q	53, 60
48 - 812951A02	13	48 - 834850A45	17
48 - 812952A10	14	48 - 834851A45	18
48 - 812954A10	13, 23	48 - 834852A45	17
18 - 815026	52, 53, 70	48 - 834853A45	18
18 - 815026 4	52	48 - 834854A45	17
48 - 815083A01	13, 23	48 - 834855A45	18
48 - 815083A02	13, 23	834899Q	60
17 - 815111Q02	52, 70	835257Q 1	52, 54, 96
815632A02	82	835257Q10	52, 54
48 - 815758A46	17, 30	835257Q12	53, 55
48 - 815760A46	17, 30	835257Q 6	52, 54
816318A 4	83	835257Q 9	52, 54
14 - 816629Q	74	835258Q 1	52, 55
48 - 816702A45	15	835258Q 2	52, 55
48 - 816704A45	15	835265Q02	53, 56, 96
48 - 816706A45	15	835266Q 1	53, 56, 96
11 - 817752A 1	63	835267Q 1	53, 56, 96
818911 2	68	835270Q 1	53, 58, 96
17 - 81900M	69	835271Q09	58
23 - 819057	75	835271Q 2	52, 58, 96
23 - 819058	74	835272Q09	58
819429A 1	79	835272Q 1	52, 58, 97
48 - 820110A20	7	835274Q 1	52, 59
48 - 821154A46	17, 30	835277Q 1	53, 55

Part Number to Page Number Reference

835278A 1	77	859873	63
835278Q 1	53, 56	859878	62
835279Q 2	53, 56, 97	859879	63
835281Q 1	53, 57, 96	859891	71, 78
835282Q 1	53, 57, 97	859908	74
835283Q03	53, 57	859915	53, 78
835283Q 1	53, 57	859929	53, 69
835283Q 2	53, 57	859939	52, 53, 69
835284Q 1	53, 57, 97	859946	67
835290Q 1	52, 53, 59	11 - 862907	68
12 - 835467008	53	23 - 86918T	71
12 - 835467 5	52, 77	87715T	62
12 - 835467 7	78	48 - 87818A45	15
12 - 835467Q01	52, 53, 76	878421	61
83872M	80	879143	53
12 - 840383A 2	65	881940Q 1	52, 59
840389Q06	52, 55	11 - 88228	68
23 - 849501Q 1	60	88437	81
12 - 850076	52, 71	12 - 887972	52, 53, 73
48 - 850204A12	14	12 - 888451	53, 78
850330Q	53, 60	12 - 888939	53
850821Q11	52, 59	19 - 889725	83
850821Q12	59	19 - 889725047	83
12 - 853359	53, 77	19 - 889725T28	83
12 - 853555	52, 78	19 - 889725T35	83
12 - 853948T	52, 53, 78	896233A01	59
12 - 854621	53, 78	896233Q01	52
19 - 855267A 1	83	48 - 896890A10	9, 12, 15
48 - 855856A46	15	48 - 896892A40	9, 12, 15
48 - 855858A46	15	48 - 896896A40	9, 12, 15
48 - 855860A46	15	48 - 896900A40	9, 12, 15
48 - 855862A46	15	897001T	52, 79
23 - 856163Q 1	52, 60	897453T	52, 79
48 - 85632A45	15	48 - 897610A10	13, 23
48 - 857024A46	18	48 - 897614A10	13, 23
48 - 857025A46	18	48 - 897618A10	13, 23
48 - 857026A46	18	48 - 897748A11	14
48 - 857027A46	18	48 - 897750A11	14
48 - 857028A46	18	48 - 897752A11	14
48 - 857029A46	18	898245A01	82
48 - 857030A46	18	48 - 898988A46	17
48 - 857031A46	18	48 - 898990A46	17
858498	52, 76	48 - 898992A46	17
91 - 859046Q 1	83	48 - 898994A46	17
91 - 859046Q 2	84	48 - 898996A46	17
91 - 859046Q 3	84	48 - 898998A46	17
91 - 859046Q 4	84	48 - 899000A46	17
11 - 859131	68	48 - 899002A46	17
859173	52, 80	18 - 89961	53, 70
859447A 1	82	8M0042130	52, 53, 74
23 - 85964A 1	76	12 - 8M0042329	53
859818	81	12 - 8M0046466	77
859825	82	8M0047148	53, 59
859834	82	8M0053074	64
859871	63	8M0054769	52, 79

Part Number to Page Number Reference

48 -8M0055292	10, 16, 21, 25, 27, 48	48 -8M0103522	5, 11, 17, 22, 29, 30, 32, 33, 36, 37, 40, 41, 47, 88
48 -8M0055293	10, 16, 21, 27, 48	48 -8M0103523	5, 11, 17, 22, 29, 30, 32, 33, 36, 37, 40, 41, 47, 88
48 -8M0055531	5, 11, 17, 21, 28, 30, 31, 35, 37, 39, 41, 46, 88	48 -8M0103524	5, 11, 17, 22, 29, 30, 32, 33, 36, 37, 40, 41, 47, 88
48 -8M0055533	5, 11, 17, 21, 28, 30, 31, 35, 37, 39, 41, 46, 88	48 -8M0103525	6, 11, 17, 22, 29, 30, 32, 33, 36, 37, 40, 41, 47, 88
48 -8M0055534	5, 11, 17, 21, 28, 30-32, 35, 37, 39, 41, 46, 88	48 -8M0103526	6, 11, 18, 22, 29, 30, 32, 33, 36, 40, 41, 48, 88
48 -8M0055535	5, 11, 17, 21, 28, 30-32, 35, 37, 39, 41, 46, 88	48 -8M0103527	6, 12, 18, 22, 29, 31-33, 36, 38, 40, 42, 48, 88
48 -8M0055536	5, 11, 17, 21, 28, 30-32, 35, 37, 39, 41, 46, 88	48 -8M0103528	6, 11, 18, 22, 29, 30, 32, 33, 36, 37, 40, 41, 48, 88
48 -8M0055537	5, 11, 17, 21, 28, 30-32, 35, 37, 39, 41, 46, 88	48 -8M0103529	6, 12, 18, 22, 29, 31-33, 36, 38, 40, 42, 48, 88
48 -8M0055547	8, 16	48 -8M0103530	6, 11, 18, 22, 29, 30, 32, 33, 36, 37, 40, 41, 48, 88
48 -8M0055548	8, 16	48 -8M0103531	6, 12, 18, 22, 29, 31-33, 36, 38, 40, 42, 48, 88
48 -8M0055549	8, 16	48 -8M0103532	6, 11, 18, 22, 31-33, 36, 37, 41, 48, 88
48 -8M0055550	8, 16	48 -8M0103533	6, 12, 18, 22, 29, 31-33, 36, 38, 40, 42, 48, 88
48 -8M0055551	16	8M0107220	56
48 -8M0055559	8, 10, 16, 21, 25, 27, 47, 88	90 -8M0119543	85
48 -8M0055560	8, 10, 16, 21, 25, 27, 47, 88	48 -8M8026210	40, 51
48 -8M0055561	8, 10, 16, 21, 25, 27, 47, 88	48 -8M8026220	40, 51
48 -8M0055562	8, 10, 16, 21, 25, 27, 47, 88	48 -8M8026230	40, 51
48 -8M0055563	10, 16, 21, 25, 27, 47, 88	48 -8M8026240	40, 51
11 -8M0056234	65	48 -8M8026250	40, 51
11 -8M0056235	65	48 -8M8026260	40, 51
8M0057162	79	48 -8M8026270	40, 51
8M0061986	52, 60	48 -8M8026280	40, 51
23 -8M0064826	52, 78	48 -8M8026290	40, 51
48 -8M0070074	17	48 -8M8026300	40, 51
48 -8M0070079	17	48 -8M8026310	40, 51
8M0070881	52, 75	48 -8M8026320	40, 51
8M0075402	52, 58	48 -8M8026330	40, 51
48 -8M0078084	33, 50	48 -8M8026340	40, 51
48 -8M0078085	34, 50	48 -8M8026390	40, 51
48 -8M0078086	33, 50	48 -8M8026400	40, 51
48 -8M0078087	34, 50	48 -8M8026410	40, 51
48 -8M0078088	33, 50	48 -8M8026420	40, 51
48 -8M0078089	34, 50	48 -8M8026430	40, 51
48 -8M0078090	33, 50	48 -8M8026440	40, 51
48 -8M0078091	34, 50	48 -8M8026470	40, 51
48 -8M0078092	34, 50	48 -8M8026480	40, 51
48 -8M0078093	34, 50	48 -8M8026555	8, 16
48 -8M0081143	23	48 -8M8026560	8, 16
48 -8M0081238	13, 23	48 -8M8026570	8, 16
48 -8M0081239	13, 23	48 -8M8026580	16
48 -8M0081592	13, 23	48 -8M8026590	8, 16
48 -8M0084491	17, 30, 31	48 -8M8026600	8, 16
48 -8M0084493	30, 31	48 -8M8026625	7, 15
48 -8M0084494	17, 30-32	48 -8M8026630	7, 15
48 -8M0084495	17, 30-32	48 -8M8026635	8, 15
48 -8M0084496	17, 30-32	48 -8M8026640	8, 15
48 -8M0084497	17, 30-32	48 -8M8026650	9, 12, 15
8M0088039	64	48 -8M8026655	9, 12, 15
8M0101603	55	48 -8M8027497	8, 10, 16, 21, 25, 27, 46
48 -8M0103516	5, 11, 17, 22, 28, 30, 31, 33, 36, 37, 40, 41, 47, 88	48 -8M8027498	8, 10, 16, 21, 25, 27, 46
48 -8M0103517	5, 11, 17, 22, 28, 30, 32, 33, 36, 37, 40, 41, 47, 88	48 -8M8027500	8, 10, 16, 21, 25, 27, 46
48 -8M0103518	5, 11, 17, 22, 28, 30, 32, 33, 36, 37, 40, 41, 47, 88	48 -8M8027502	8, 10, 16, 21, 25, 27, 46
48 -8M0103519	5, 11, 17, 22, 28, 30, 32, 33, 36, 37, 40, 41, 47, 88	48 -8M8027504	8, 10, 16, 21, 25, 27, 46
48 -8M0103520	5, 11, 17, 22, 29, 30, 32, 33, 36, 37, 40, 41, 47, 88	48 -8M8027506	8, 10, 16, 21, 25, 27, 46
48 -8M0103521	5, 11, 17, 22, 29, 30, 32, 33, 36, 37, 40, 41, 47, 88	48 -8M8027511	7, 9, 15, 19, 24, 27, 46

Part Number to Page Number Reference

48 -8M8027512	7, 9, 15, 19, 24, 27, 46	QA2060X	7, 9, 15, 19, 24, 26, 44, 87, 89, 94
48 -8M8027513	8, 10, 15, 19, 24, 27, 46	QA2062X	7, 9, 15, 19, 24, 26, 44, 87, 88, 90, 91, 95
48 -8M8027514	8, 10, 15, 19, 24, 27, 46	QA2064X	7, 9, 15, 19, 24, 26, 44, 87, 89, 91, 93, 94
48 -8M8027516	9, 12, 15, 24, 45	QA2070X	7, 9, 15, 24, 26, 44, 87, 88, 90, 91, 94
48 -8M8027517	9, 12, 15, 24, 46	QA2072X	7, 9, 15, 19, 24, 45, 87, 88, 90, 94
48 - 90159A46	18	QA2074X	7, 9, 15, 24, 26, 45, 87-89, 92, 93
90185A 1	82	QA2076X	7, 9, 15, 19, 24, 45, 87, 88, 90, 94
92418	80	QA2078X	4, 7, 9, 15, 19, 20, 24, 27, 45, 87-91, 93, 94
18 - 95295	52, 70	QA2080X	7, 9, 15, 19, 24, 45, 87, 88, 90, 94
18 - 97028M	69	QA2082X	7, 9, 15, 19, 24, 27, 45, 87-89, 91, 93, 94
12 -F1866	72	QA2084X	7, 9, 15, 19, 24, 27, 45, 87-89, 93, 94
F531299	71	QA2106R	7, 14, 87, 89, 93
F697299	72	QA2124R	7, 14, 87, 90, 94
11 -F7048	67	QA2126R	7, 14, 87, 90, 94
12 -F8167	72	QA2128R	7, 14, 87, 90, 94
FA324101	69	QA2130R	7, 14, 87, 90, 94
FA94094-2	63	QA2148R	13, 23
FK247	69	QA2150R	13, 23
48 -FP6430	7	QA2154R	13, 23
FP6477	7	QA2158R	13, 23
48 -FP669-3	8	QA2171R	14, 23
48 -FP685-3	8	QA2173R	14, 23
48 -FP686-4	8	QA2175R	14, 23
48 -FP692-3	8	QA2178R	14, 23
48 -FP743-2	8	QA2182X	5, 11, 17, 21, 28, 30-32, 36, 37, 39, 41, 45, 90, 96
QA1912X	5, 11, 17, 21, 28, 30-32, 35, 37, 39, 41, 44, 86, 89-91, 93-96	QA2183X	6, 18, 22, 29, 31-33, 36, 37, 40, 42, 45, 90
QA1916X	5, 11, 17, 21, 28, 30-32, 35, 37, 39, 41, 44, 86, 89-91, 93-95	QA2184X	5, 11, 17, 21, 28, 30, 31, 33, 36, 37, 39, 41, 45, 90, 96
QA1918X	5, 11, 17, 21, 28, 30-32, 35, 37, 39, 41, 44, 86, 90, 91, 93-96	QA2185X	6, 18, 22, 29, 31-33, 36, 37, 40, 42, 45, 90
QA1920X	5, 11, 17, 21, 28, 30-32, 35, 37, 39, 41, 44, 86, 90, 91, 93-96	QA2186X	5, 11, 17, 21, 28, 30, 31, 33, 36, 37, 39, 41, 45, 90, 96
QA1940R	33, 50	QA2187X	6, 18, 22, 29, 31-33, 36, 38, 40, 42, 45, 90
QA1941R	34, 50	QA2190R	9, 12, 15, 24
QA1946R	33, 50	QA2192R	9, 12, 15, 24
QA1947R	34, 50	QA2196R	9, 12, 15, 24
QA1952R	33, 50	QA2200R	9, 12, 15, 24
QA1953R	34, 50	QA2206X	4, 20, 35, 45, 90, 94
QA2000X	11, 17, 28, 30-32, 35, 37, 39, 41, 44, 89, 93	QA2208X	4, 20, 35, 45, 90, 94
QA2004X	5, 11, 17, 28, 30-32, 35, 37, 39, 41, 44, 86, 89, 91, 93	QA2226R	4, 20
QA2006X	11, 17, 28, 30-32, 35, 37, 39, 41, 44, 89, 90, 93	QA2234R	4, 20, 87, 90, 94
QA2008X	5, 11, 17, 21, 28, 30-32, 35, 37, 39, 41, 44, 86, 89, 91, 93, 95, 96	QA2242R	3, 19
QA2010X	11, 17, 28, 30-32, 41, 44, 89-91, 93, 95	QA2248R	3, 19, 90, 94
QA2014X	11, 17, 28, 30-32, 35, 37, 39, 41, 44, 88, 90, 93	QA2270R	19, 90
QA2026X	8, 10, 16, 20, 24, 27, 87, 90	QA2274R	19, 90, 94
QA2028X	8, 10, 16, 20, 24, 27, 44, 87, 90	QA2828X	8, 10, 16, 20, 24, 27, 44
QA2030X	8, 10, 16, 20, 24, 27, 44, 87-91, 94, 95	QA2830X	8, 10, 16, 20, 24, 27, 44
QA2032X	8, 10, 16, 20, 24, 27, 87-91, 94, 95	QA2832X	8, 10, 16, 20, 24, 27, 44
QA2034X	8, 10, 16, 20, 25, 27, 87-91, 93-96	QA3080R	86, 90, 93
QA2036X	8, 10, 16, 20, 25, 27, 87-91, 93-96	QA3082R	86, 90, 93
QA2038X	8, 10, 16, 20, 25, 27, 87-89, 91, 93-96	QA3084R	86, 90, 93, 95
QA2040X	8, 10, 16, 20, 25, 27, 87-89, 91, 93, 95, 96	QA3088R	86, 90, 93, 95
QA2042X	8, 10, 16, 21, 25, 27, 87-89, 91, 93	QA3114R	3, 86, 93
		QA3118R	3, 86, 93
		QA3122R	3, 86, 93
		QA3150R	3, 9, 14, 26, 86, 90, 91, 93
		QA3152R	3, 9, 14, 26, 86, 90, 91, 93
		QA3168R	3, 86, 93

Part Number to Page Number Reference

QA3170R	3, 86	QS5071X	89, 90, 92-96
QA3178R	3, 13, 26, 86, 90, 93	QS5072X	86, 87, 89-96
QA3182R	13, 23	QS5074X	86, 87, 89-96
QA3184R	13, 23	QS5075X	86, 87, 89-96
QA3190R	86, 93	QS5076X	86, 87, 89-96
QA3536R	91, 95	QS5114X	8, 10, 16, 21, 25, 28, 48, 87-89, 91
QA3537R	91, 95	QS5116X	8, 10, 16, 21, 25, 28, 48, 87-89, 91, 94, 95
QA3542R	91, 95	QS5118X	8, 10, 16, 21, 25, 28, 48, 87-89, 91, 94, 95
QA3543R	91, 95	QS5120X	87-89, 91, 94, 95
QA3544R	91, 95	QS5122X	87-89, 91, 94, 95
QA3545R	91, 95	QS5124X	87, 89, 91, 95, 96
QA3808R	15, 26, 90, 91, 93	QS5126X	87, 89, 91
QA3810R	15, 26, 90, 91, 95	QS5136X	4, 20, 35, 86, 90, 93-95
QA3812R	90, 91, 93	QS5138X	4, 20, 35, 86, 90, 93-95
QA3814R	91	QS5140X	86, 90, 93-95
QA3828X	35	QS5142X	86, 90, 93-95
QA3830X	35	QS5164X	8, 10, 15, 19, 24, 27, 48, 87, 88, 90, 91, 94, 95
QA3832X	4, 20, 35, 45	QS5166X	8, 10, 15, 19, 24, 27, 48, 87, 88, 90, 91, 94, 96
QA3906R	9, 26, 87, 88, 91, 95	QS5168X	8, 10, 15, 20, 24, 27, 48, 87, 90, 91, 94, 95
QA3914R	9, 26, 87, 91, 95	QS5170X	8, 10, 15, 20, 24, 27, 48, 87, 90, 91, 94, 96
QS1154X	5, 11, 17, 21, 28, 30, 31, 33, 36, 37, 39, 41, 49	QS5180R	7, 14, 87, 89, 95
QS3320S	34, 50	QS5758X	5, 11, 17, 21, 28, 30, 31, 33, 36, 37, 39, 41, 49
QS3321S	34, 50	QS5760X	5, 11, 17, 28, 30, 31, 33, 36, 37, 39, 41, 49
QS3322S	34, 50	QS5862X	5, 11, 17, 22, 28, 49
QS3323S	34, 50	QS5864X	5, 11, 17, 22, 28, 49
QS3324S	34, 50	QS5866X	5, 11, 17, 21, 22, 28, 49
QS3325S	34, 50		
QS3326S	34, 50		
QS3327S	34, 50		
QS3328S	34, 50		
QS3329S	34, 50		
QS5002X	5, 11, 17, 21, 28, 30, 31, 33, 36, 37, 39, 41		
QS5003X	6, 18, 22, 29, 31, 33, 36, 38, 40, 42		
QS5004X	5, 11, 17, 21, 28, 30, 31, 33, 36, 37, 39, 41, 49, 89, 92		
QS5005X	6, 11, 18, 22, 29, 31-33, 36, 38, 40, 42, 49, 90, 92		
QS5006X	5, 11, 17, 21, 28, 30, 31, 33, 36, 37, 40, 41, 49, 88, 92, 94		
QS5007X	6, 11, 18, 22, 29, 31-33, 36, 38, 40, 42, 49, 88, 92, 94		
QS5008X	5, 11, 17, 21, 28, 30, 31, 33, 36, 37, 40, 41, 49, 88, 92, 94		
QS5009X	6, 11, 18, 22, 29, 31-33, 36, 38, 40, 42, 49, 88, 92, 94		
QS5011X	12, 32, 49, 88, 92, 94		
QS5050X	5, 11, 17, 21, 28, 30, 31, 33, 36, 37, 39, 41, 49, 86, 88, 90, 91, 93-96		
QS5052X	5, 11, 17, 21, 28, 30, 31, 33, 36, 37, 39, 41, 49, 86-88, 90, 91, 93-96		
QS5053X	86-88, 90-96		
QS5054X	5, 11, 17, 21, 28, 30, 31, 33, 36, 37, 39, 41, 49, 86-88, 91, 93-96		
QS5055X	86-88, 91-93, 95, 96		
QS5056X	5, 11, 17, 21, 28, 30, 31, 33, 36, 37, 39, 41, 49, 86-88, 91, 93-96		
QS5057X	86-88, 91-93, 95, 96		
QS5058X	49, 86-88, 91, 93-96		
QS5059X	86, 87, 89, 91, 92, 95, 96		
QS5070X	86, 89, 90, 92-96		

#NUMERIC

2-4-C Lubricant 84, 85
 2-4-C with grease gun 84

A

Adapter Drive Sleeve 60
 Anode Kit Prop Nut 61
 Anode Nut Prop Kit 61
 Anode Nut Prop Replacement 61
 Anode Plate 62, 79
 Anode Prop Nut Kit 61
 Anode Prop Nut Replacement 61
 Anode Tab Trim 79
 Anode Trim Tab 79

B

Black Diamond Bravo Two 50
 Black Diamond Bravo Two Propeller 50
 Black Diamond Propeller 44, 45, 50
 Black Paint Phantom 85
 Black Paint Propeller 85
 Black Propeller Paint 85
 Bravo Two Propeller 50
 Bushing Flo-Torq Hub Kit 54
 Bushing Kit Flo-Torq Hub 54
 Bushing Power 2 Propeller 60
 Bushing Prop Hub 60

C

Continuity Washer 74
 Cotter Pin 70

D

Diffuser Ring 62, 63
 Drive Adapter Sleeve 60
 Drive Sleeve 53, 59
 Drive Sleeve Adapter 60

E

Exhaust Ring Seal 61

F

Flo-Torq Bushing Hub Kit 54
 Flo Torq Hub 55
 Flo-Torq Hub Kit 54-56, 58, 59
 Flo-Torq Hub Kit Solid 55
 Flo-Torq Hub Kit Suzuki 57
 Flo-Torq Hub Kit Tohatsu 57
 Flo-Torq IV Hub Kit 54
 Flo-Torq Reflex Hub Kit 53, 55

H

Hub Bushing Flo-Torq Kit 54
 Hub Bushing Kit Flo-Torq 54
 Hub Bushing Prop 60
 Hub Flo-Torq Bushing Kit 54
 Hub Flo-Torq Kit 54-56, 58, 59
 Hub Flo-Torq Kit Evinrude 56
 Hub Flo-Torq Kit Suzuki 57
 Hub Flo-Torq Kit Tohatsu 57
 Hub Flo-Torq Reflex Kit 53, 55

N

Nemesis Pontoon Propeller 46
 Nemesis Propeller 45, 46
 Nut 67
 Nut Anode Prop Kit 61
 Nut Anode Prop Replacement 61
 Nut Kit Prop 65
 Nut Prop 66-69

P

Paint Black Propeller 85
 Paint Phantom Black 85
 Paint Propeller Black 85
 Prop Anode Nut Kit 61
 Prop Anode Nut Replacement 61
 Prop Bushing Hub 60
 Propeller Black Diamond 44, 45
 Propeller Black Diamond 4 45
 Propeller Guide 85
 Propeller Nemesis 45, 46

REFERENCE & INDEX

Propeller Nemesis Pontoon	46	Skeg Replacement	82
Propeller Paint Black	85	Sleeve Adapter Drive	60
Propeller QST 5	49	Sleeve Assembly Hub	59
Propeller Silverado	48	Sleeve Drive	53, 59
Propeller Thunderbolt	51	Sleeve Drive Adapter	60
Propeller Thunderbolt IPS	51	Sleeve Hub Assembly	59
Propeller Torrent	49	Spacer	71, 72
Prop Grease	85		
Prop Hub Bushing	60	T	
Prop Kit Anode Nut	61	Tab Trim	79
Prop Kit Nut	63–66, 68, 71	Tab Trim Anode	79
Prop Kit Nut Anode	61	Tab Washer	74
Prop Kit Reverse	61	Thrust Washer	64, 71, 74–78
Prop Nut	66–69	Thrust Washer Prop	78
Prop Nut Anode Kit	61	Thunderbolt	49–51
Prop Nut Anode Replacement	61	Thunderbolt IPS	51
Prop Nut Kit	65	Torrent	49
Prop Replacement Anode Nut	61	Trim Tab	79
Prop Reverse Kit	61	Trim Tab Anode	79
Prop Wrench	83, 84		
		V	
Q		Vent Fitting	83
Q3	47	Vent Plug	82, 83
Q3 Propeller	47		
Q4	47	W	
Q4	48	Washer	72, 73
Q4 Propeller	48	Washer Forward Thrust	75
QST 5	49	Washer Propeller	73, 74
		Washer Propeller Shaft	73
R		Washer System Link	72, 73
Reverse Kit Prop	61	Washer Tab	74
Ring Diffuser	62, 63	Washer Thrust	64, 74–78
Ring Exhaust Seal	61	Wrench Prop	83, 84
Rubber Hub	79–82		
S			
Seal Exhaust Ring	61		
Shear Pin	69, 70		
Shear Pin Kit	69		
Silverado	48, 49		
Skeg	82		